
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



LIBRARY

U. S. Department of Agriculture

PRICE LIST

FALL, 1944 - SPRING, 1945



ROSES EVERGREENS
TREES SHRUBS
HERBACEOUS PERENNIALS

HENRY KOHANKIE & SON

PAINESVILLE, OHIO
30 Miles East of Cleveland on Route 20
TELEPHONE 4380



PRICE LIST

WE OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

HENRY KOHANKIE & SON

Route 20, One Mile East of Painesville
PAINESVILLE, OHIO

Please Read Carefully

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting, beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

CONTENTS

Deciduous and Evergreen Trees,	
Shrubs and Vines	5-164
Herbaceous Material (including	
Rock and Alpine Plants)	. 165-203
Fruit Garden Material	204
Large Specimen Material	214
Plants for Special Purposes	214-215
Schedule of B&B Charges	216
PLANT CLASSIFICATION	S
Coniferous Evergreens	205-206
Broad-leaved Evergreens	206
Deciduous Shade Trees	206-207
Deciduous Small Trees	208-209
Deciduous Shrubs	.208-213
Vines	213-214

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

DECIDUOUS AND EVERGREEN TREES, SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

	1-4 Each	5-24 Each	25 & up Each
Abelia chinensis. Chinese Abelia. 5'			
15 to 18 in., 4 in. pots	1.50	1.25	1.00
grandiflora. Glossy Abelia. 3'			
12 to 15 in., 4 in. pots	.75	.65	.60
15 to 18 in., 4 in. pots	1.00	.85	.75
18 to 24 inB&B	1.50	1.35	1.25
2 to 3 ftB&B	1.75	1.65	1.50
schumanni. 5'			
12 to 18 in., 4 in. pots	1.50	1.25	
Abies balsamea. Balsam Fir. 50'			
2 ft B&B	3.50	3.00	2.50
3 ft B&B	5.00	4.00	3.75
4 ft	6.50	5.50	5.00
5 ftB&B	8.50	6.50	6.00
6 ft B&B	12.00	8.50	7.50
7 ft B&B	15.00	12.50	10.00
For larger sizes to 15 ft., add \$	5.00 p	er foot	t
concolor. White Fir. 70'			
2 ft B&B	4.50	3.50	3.00
3 ftB&B	6.00	5.00	4.50
4 ft	8.50	7.50	6.50
5 ft B&B	12.50	10.00	9.00
6 ft B&B	15.00	12.50	10.00
7 ft B&B	18.00	15.00	
8 ft B&B	22.50	18.50	
9 ft B&B	25.00	22.50	
10 ft B&B	30.00	27.50	
For larger sizes to 25 ft., add \$1	10.00 p	er foot	t

A

		1-4 Each	5-24 Each	25 & up Each
bies				
concol	or violacea. Purplecone Wh	ite Fir	. 70'	-
2	ftB&B	6.50	5.50	
3	ftB&B	9.00	7.50	
4	ftB&B	12.50	10.00	
5	ftB&B	15.00	12.50	
6	ftB&B	17.50	15.00	
For 1	arger sizes to 10 ft., add \$1	10.00 pe	er foo	t.
firma	Momi Fir. 50'			
3	ftB&B	6.00		
. 4	ftB&B	7.50		
fraser	i. Fraser Fir. 50'	1		
3	ft	5.00	4.75	
4	ft	6.50	6.00	
5	ftB&B	7.50	7.00	
6		10.00	8.50	
7	ftB&B	12.50	10.00	
For	larger sizes to 12 ft., add \$	5.00 pe	er foo	t.
	epis. Nikko Fir. 60'			
3		6.50		5.00
4	ft B&B			6.50
5	ftB&B		9.50	8.50
6	ft B&B	14.00	12.00	10.00
lasioca 2	arpa arizonica. Cork-bark H			
10 at 10	ft B&B	7.50	6.00	
	s glauca. Blueleaf Noble Fi	r. 20'		
18	in	6.00		
2	ftB&B	7.50		
	anniana. Nordmann Fir. 7			
3	ft			
4	ft			
5	ftB&B	10.00		
pectin	ata. Silver Fir. 50'			
2	ftB&B	5.00	4,50	
3	ftB&B	6.00	5.00	
pectin	ata pyramidalis. Sentinel Fi	r. 10'		
18	inB&B	4.00		
2	ftB&B	5.00		
3	ft,B&B	7.50		

	1-4 Each	5-24 Each	25 & up Each
Abies			
veitchi. Veitch Fir. 80'			
2 ftB&E	6.00	5.00	
3 ftB&E	3 7.50	6.00	
4 ftB&E	3 10.00	₹ 7.50	
5 ftB&E	3 12.50	10.00	
6 ftB&E	3 15.00		
For larger sizes to 12 ft., add	\$5.00	per foo	t.
Acanthopanax henryi. Henry Acan	thopano	ax. 10	,
2 to 3 ft		1.25	
pentaphyllum. Five-leaved Ara	lia. 10)'	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
ricinifolium. Castor Aralia. 25	7		
6 to 8 ft		6.00	
8 to 10 ft		7.50	
10 to 12 ft		9.00	
12 to 14 ft		12.50	
14 to 16 ft	20.00	15.00	
rincinifolium magnificum. 25'			
5 to 6 ft	7.50	6.00	
6 to 8 ft	10.00	7.50	
ricinifolium maximowiczi. 25'			
8 ft	15.00		
10 ft			
12 ft	25.00		
Acer buergerianum. Trident Maple.	40'		
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft		5.00	
campestre. Hedge Maple. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 1/8 ft	4.50	3.50	3.00
8 to 10 ft	6.50	5.00	4.50
10 to 12 ft	10.00	8.50	
12 to 14 ft		12.50	
14 to 16 ft	20.00	15.00	

	1-4 Each	5-24 Each	25 & up Each
Acer	Edeli	Lucii	Ederi
cappadocicum. Coliseum Maple.	40'		
14 to 16 ft	20.00		
dasycarpum. Silver Maple. 75'			
8 to 10 ft	1.50	1.35	1.25
1¼ to 1½ in	2.00	1.75	1.50
1½ to 1¾ in	2.50	2.00	1.85
13/4 to 2 in	3.50	2.75	2.50
2 to 2½ in	4.00	3.50	3.25
2½ to 3 in	6.00	5.00	4.50
3 to 3½ in	10.00	7.50	
3½ to 4 in	12.50	10.00	
dasycarpum pyramidale.			
Pyramidal Silver Maple.	75'		
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.50	2.00	
1½ to 1½ in	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
dasycarpum wieri. Wier Maple.	75'		
8 to 10 ft	. 2.50	2.00	
1½ to 1½ in	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
13/4 to 2 in	4.00	3.50	
2 to 2½ in	6.00	5.00	
ginnala. Amur Maple. 12'			
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.75	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
glabrum. Rocky Mountain Maple.			
2 to 3 ft	2.50		
3 to 4 ft	3.50		
griseum. Paperbark Maple. 25'			
8 to 10 ft	10.00	7.50	
10 to 12 ft	12.50	10.00	
12 to 14 ft	15.00	12.50	
japonicum aureum. Goldenmoon	Maple.	15'	
2 to 3 ft	5.00		
3 to 4 ftB&B	7.50		
4 to 5 ft	10.00		
5 to 6 ft	15.00		

		1-4 Each	5-24 Each	25 & up Each
Acer				
mandshuricum.	Manchurian May			
6 to 8	ft	3.00	2.75	
8 to 10	ft	4.50	4.00	3.50
10 to 12	ft	7.50	6.00	
negundo. Box	Elder. 60'			
6 to 8	ft	1.25	1.00	.75
8 to 10	ft	1.75	1.50	1.25
11/4 to 11/2	in	2.00	1.75	1.50
1½ to 1¾	in	2.75	2.25	2.00
13/4 to 2	in	3.50	3.00	
nigrum. Black	Maple. 80'			
8 to 10 ft		4.50	4.00	
nikoense. Nikk	o Maple. 40'			
		7.50		
		10.00		
palmatum. Japa	•			
	B&B	2.25	1.75	
	B&B	3.00	2.50	
	B&B	3.50	3.00	
	B&B	•5.00	4.50	
	B&B	7.50	6.00	
8 to 10 ft	B&B	10.00	7.50	
palmatum atrop	urpureum.			
Bloodleaf	Japanese Maple.	10'		
2 to 3 ft.	B&B	6.00	5.50	5.00
3 to 4 ft	B&B	7.50	6.50	
4 to 5 ft	B&B	10.00	8.50	
5 to 6 ft.,	heavy B&B	15.00	12.50	
	heavyB&B		15.00	
	heavyB&B			
palmatum dissec	tum atropurpure	um.		
Purple	Threadleaf Japan	ese M	aple. 6	,
	B&B		7.50	
	B&B		8.50	
	B&B			
palmatum elegar	ns. 10'			
	B&B	8.50		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

						1-4 Each	5-24 Each	25 & up Each
Acer								
	-				Fernleaf	Maple	7.50	
					B&B	12.50	7.50	
					B&B	17.50		
					B&B			
	pennsyl	van	icum.	Stripe	d Maple.	25'		
	4 to	0 5	ft			2.25	2.75	
	5 to	o 6	ft			3.00	2.75	
	6 to	0 8	ft			3.50	3.25	
	platanoi	ides	. N	orway .	Maple. 75	5′		
	6	to	8			2.00	4 1.85	1.75
		to	10			2.75	2.50	2.25
	11/4	to	$1\frac{1}{2}$	in		3.50	3.00	2.75
	11/2		$1\frac{3}{4}$	in		4.00	3.50	3.25
	13/4	to	2	in		5.00	4.00	3.75
	2	to	$2\frac{1}{2}$	in		6.50	5.50	5.00
	$2\frac{1}{2}$	to	3	in		8.00	7.00	6.50
	3	to	$3\frac{1}{2}$	in		12.50	10.00	9.00
	$3\frac{1}{2}$	to	4	in		15.00	12.50	
	4	to	5 i	n. spec.		35.00		
1	platanoi	des	colu	mnare.	Column 1	Maple.	75'	
	8	to	10	ft		7.50		
	11/4	to	11/2	$in.\dots.$		10.00		
1	platanoi	des	glob	osum.	Globe Nor	way M	laple.	
	4 y	ear,	6 ft.	standa	rds	12.50		
1	platanoi	des			Schwedl		ple. 6	0'
	11/4					5.00	4.00	
	$1\frac{1}{2}$	to				6.00	5.00	
	13/4	to	2	in		7.50	6.00	
	2	to	$2\frac{1}{2}$	in		12.50	10.00	
	$2\frac{1}{2}$	to	3			15.00	12.50	
		to		in		20.00	15.00	
	31/2	to	4	in		25.00		
1	pseudop	lata	inus.	Sycam	ore Maple	. 60'		
	8	to	10	ft		3.00	2.50	
	11/4	to	$1\frac{1}{2}$	$in.\dots.$		3.75	3.00	
	11/2	to	$1\frac{3}{4}$	in		4.75	4.25	
	13/4	to	2	in		6.50	5.50	
	2	to	21/2	in		7.50	6.50	
	21/2	to	3	in,		10.00	8.50	
	.3	to	31/2	in		15.00	12.50	

1-4 Each	5-24 Each	25 & up Each
Acc.		
rubrum. Red Maple. 75'		
6 to 8 ft	2.50	2.25
8 to 10 ft	3.00	2.75
1½ to 1½ in. 4.50 1½ to 1¾ in. 5.50	3.75 4.50	3.50 4.00
1 ³ / ₄ to 2 in	6.00	5.50
2 to 2½ in	8.50	7.50
2½ to 3 in 15.00	12.50	10.00
3 to 3½ in 20.00	15.00	12.50
3½ to 4 in 25.00		
4 to 5 in 35.00		
saccharum. Sugar Maple. 75'		
6 to 8 ft	2.50	2.25
8 to 10 ft	3.00	2.75
1½ to ½ in 4.50	3.75	3.50
1½ to 1¾ in 5.00	4.50	4.00
13/4 to 2 in 6.50 2 to 21/2 in 8.50	5.50 7.50	5.00 6.50
2 to 2½ in	10.00	9.00
3 to 3½ in	13.00	12.00
3½ to 4 in	15.00	12.00
4 to 4½ in	25.00	
4½ to 5 in		
5 to 5½ in 45.00		
spicatum. Mountain Maple. 20'		
3 to 4 ft	1.00	
4 to 5 ft 1.50	1.25	
5 to 6 ft	1.50	
6 to 8 ft 2.50	2.00	
tataricum. Tatarian Maple. 20'		
4 to 5 ft	1.25	1.00
5 to 6 ft 1.75	1.50	1.25
6 to 8 ft	2.25	2.00
8 to 10 ft	2.75	2.50
10 to 12 ft 5.00	4.50	
Actinidia arguta. Bower Actinidia. 20'		
2 year	.50	.40
2 3002	,50	0

					1-4 Each	5-24 Each	25 & up Each
Aesculus car	nea.	R_0	ed Hor	sechestr		Each	Eden
6 to	8	ft.			12.50		
8 to	10						
4 to	5	in.			60.00		
5 to	6	in			75.00		
glabra.	Ohi	io Ba	uckeye.	25'			
6	to	8	ft.		3.50	3.00	
8	to	10	ft		4.50	4.00	
11/4	to	$1\frac{1}{2}$	in.		6.00		
11/2	to	2	in		7.50		
2	to	$2\frac{1}{2}$	in		10.00		
$2\frac{1}{2}$	to	3	in		12.50		
3	to	$3\frac{1}{2}$	in		15.00		
31/2	to	4	in		20.00		
hippocas	tanı	um.	Horse	chestnut	t. 70'		
6	to	8	ft		3.00	2.75	2.50
8	to	10	ft.		4.50	4.00	3.75
11/4	to	$1\frac{1}{2}$	in		5.50	5.00	4.50
11/2	to	$1\frac{3}{4}$	in.			5.50	5.00
13/4	to ;	2	in			6.50	6.00
2	to	$2\frac{1}{2}$	in			8.50	7.50
$2\frac{1}{2}$	to	3	in.		12.50	11.00	10.00
3	to	$3\frac{1}{2}$	in			15.00	
31/2	to	4	in				
4	to	5	in		30.00		
hippocas			baumar				
	$D\epsilon$		White	Horse	chestnut.	50 '	
5	to	6					
6	to	8					
8	to	10					
21/2	to	3					
3	to	$3\frac{1}{2}$					
$3\frac{1}{2}$	to	4	in		45.00		
octandra			w Buci		0'		
6	to	8				2.75	2.50
8		10				4.00	3.75
	to	1½				5.00	4.50
11/2	to	13/4	in		6.00	5.50	5.00
13/4	to	2				6.50	6.00
2	to	2½				8.50	7.50
	to	3				10.00	9.00
3	to	31/2				12.50	11.00
3½	to	4				15.00	
4	to	5	ın		25.00	20.00	

Aesculus.	1-4 Each	5-24 Each	25 & up Each
parviflora. Dwf. Horsechestnut.	12'		
15 to 18 in	2.50		
18 to 24 in	3.75		
2 to 3 ft	5.00		
turbinata. Japanese Horsechestna		9	
4 to 5 in	30.00		
5 to 6 in			
Ailanthus glandulosa. Tree of Heav	en. 50)'	
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.00	2.75
1¾ to 2 in	4.50	3.75	3.50
2 to 2½ in	6.50	5.50	
sutchuenensis. Szechwan Ailanth	us. 50)′	
2 to 2½ in	7.50		
2½ to 3 in	10.00		
vilmoriniana. 50'			
10 to 12 ft	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
13/4 to 2 in	5.00	4.50	
2 to 2½ in	7.50	6.00	
2½ to 3 in	8.50	7.50	
3 to 3½ in	12.50		
Akebia lobata. Threeleaf Akebia.	15'		
2 year	.75	.60	.50
3 year from pots	1.00	.75	.60
quinata. Fiveleaf Akebia. 15'			
2 year	.55	.45	
3 year	.65	.50	.45
Albizzia julibrissin rosea. Silktree.	<i>30</i> ′		
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
Alnus cordata. Italian Alder. 40'			
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.50	2.75	
1½ to 1¾ in	5.50	5.00	
134 to 2 in	7.00	6.00	
2½ to 3 in	10.00	7.50	
3 to 3½ in	12.50	10.00	

	1-4 Each	5 -24 Each	25 & up Each
Alnus			
glutinosa. European Ale		0.05	0.00
6 to 8 ft		2.25	2.00
8 to 10 ft		2.75	2.50
1½ to 1½ in		4.06	3.75
1½ to 1¾ in		4.75	4.50
13/4 to 2 in		5.50	5.00
2 to 2½ in		6.50	
2½ to 3 in		7.50	
3 to 3½ in		10.00	
glutinosa laciniata. Cutle			
4 to 5 ft			
5 to 6 ft			
6 to 8 ft	10.00		
hirsuta. Manchurian A	lder. 60'		
8 to 10 ft	4.00		
11/4 to 11/2 in	5.00		
incana. Speckled Alder.	50'		
6 to 8 ft		2.25	2.00
	3.00	2.75	2.50
1½ to 1½ in		4.00	3.75
1½ to 1¾ in		4.75	4.50
134 to 2 in			5.00
2 to 2½ in		6.50	6.00
2½ to 3 in			0.00
3 to 3½ in			
3 to 372 III	12,50	10.00	
japonica. Japanese Ald	ler. 50'		
6 to 8 ft	3.50	3.00	
pendula. 30'			
2 yr. 6 ft. stems	6.00		
2 yr. o it. stems	0.00		,
rugosa. Hazel Alder. 10) '		
2 to 3 ft	1.25	1.00	
3 to 4 ft		1.25	
4 to 5 ft		1.50	
5 to 6 ft		2.00	
6 to 8 ft		2.50	
8 to 10 ft		3.75	
		2.70	
viridis. European Green			
3 to 4 ft			
4 to 5 ft	2.00		

SEE PAGE 165 FOR COMPLETE LIST OF HERBACEOUS STOCK

1-4 5-24 25 8 up

				1-4 Each	5-24 Each	25 & up Each
Althea.	(8.	00	Hibiscus)			
Allilea.	(10)		11008008)			
Amelanch	ier	alr	nifolia. Saskatoon.	y#		
_			ft	1.50		
4	•		ft	1.75		
5	to	6	ft	2.50		
asiati	ca.	35	5 '			
3	to		ft	1.50	1.25	
4	to		ft	1.75	1.50	
5	to		ft	2.50	2.00	1.75
6	to	8	ft	3.00	2.75	2.50
canad	ens	is.	Downy Shadblow. 3	0'		
2	to	3	ft	.60	.55	.50
3	to	4	ft	1.00	.75	.65
4	to	5	ft	1.25	1.00	.80
5	to	6	ft	1.75	1.50	1.25
6	to	8	ft	4.50	3.50	
8	to	10	ft	7.50	6.00	
10	to	12	ft	12.50	F 00	
6	to	8	ft. standards	6.00	5.00	
8	to	10	ft. standards	7.50	6.00	
laevis	•	All_{i}	egheny Serviceberry.	<i>35</i> ′		
3	to	4	ft	1.00	.75	.65
4	to	5	ft	1.25	1.00	.80
5	to	6	ft	1.75	1.50	1.25
6	to	8	ft	3.00	2.75	2.50
8	to	10	ft	4.50	4.00	3.75
6	to	8	ft. standards	6.00	5.00	
8	to	10	ft. standards	7.50	6.00	
10	to	12	ft. standards	10.00		
laevis	ro	sea.	<i>35</i> ′			
3	to	1	ft. standards	2.00	1.75	
3	to	5	ft. standards	$\frac{2.00}{2.50}$	2.00	
5	to	6	ft. standards	3.50	3.00	
6	to	_	ft. standards	5.00	4.00	
8	•	_	ft. standards	7.50	6.50	
0		10	It. builder ab	1.00	0.00	

10 to 12 ft. standards 10.00

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

1-4 5-24 25 & up

_							Each	Each	Each
Amela									
ob	olong					adblow.	25'		
	2	to	3				.60	.55	.50
•	3	to	4				1.00	.75	.65
	4	to	5				1.25	1.00	.80
	5	to	6				1.75	1.50	1.25
	6	to	8				3.50	2.75	2.50
	8	to	10				4.50	4.00	3.75
	6	to		ft. clum		B&B	12.50		
	8	to				B&B	15.00		
					~	B&B	20.00		
ro						s. Europe			
	2	to					.60	.55	.50
	3	to	4				1.00	.75	.65
	4	to	5				1.25	1.00	.80
	5	to	6				1.75	1.50	1.25
	6	to	8				3.50	2.75	2.50
e	8	to	10				4.50	4.00	3.75
	6	to	8				5.00	4.00	
	8	to					6.00	5.00	
	8				_	B&B	15.00		
					~	B&B	20.00		
sa						adblow.	8'		
	3	to					1.25	1.10	1.00
	4	to					1.50	1.35	1.25
	5	to	6				3.00	2.75	2.50
	6	to					3.50	3.25	3.00
	8						5.00	4.50	
si	olon					adblow.	4'		
							.60	.50	.45
	2	to					.75	.60	.55
	3	to					.90	.75	
Amor				ycarpa.					
							.75	.60	.50
	_	to					1.00	.75	
Ca				Lead P		2'			
							.55	.45	.40
							.60	.50	.45
	_	to					.65	.55	.50
fr	utic			Indigob		10'			
	2	to					.45	.35	.30
	3						.60	.50	.45
	4	to					.75	.65	.60
	5	to					1.00	.85	.75
	6	to	8	ft			1.25	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Ampelopsis aconitifolia. Monkshood V	ine.	15 '	
2 year	.55	.45	.40
3 year	.60	.50	.45
4 year	.75	.60	.55
henryana. Silvervein Creeper. 15	,		
from 4-inch pots	.75	.60	
heterophylla. Porcelain Ampelopsi	s. 25	· ·	
2 year	.55	.45	.40
3 year	.60	.50	.45
4 year	.75	.60	.55
heterophylla amurensis. Amur An	mpelop	psis.	25 '
2 year	.75	.60	.50
3 year	1.00	.75	.60
heterophylla elegans, syn. sieboldi	. 15'		
2 year	.50	.40	
3 year	.60	.50	
4 year	.75	.65	
quinquefolia. Virginia Creeper. 3	5'		
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.45
quinquefolia engelmanni. Engelma	inn C	reeper.	35'
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.45
quinquefolia murorum. Wall Cree	•		
2 year	1.00	.75	
quinquefolia saintpauli. St. Paul's	s Cree	_	
2 year	.40	.30	.25
3 year	.50	.40	.30
tricuspidata veitchi. Boston Ivy	40'		
2 year	.50	.45	.40
3 year	.60	.55	.50
2 year from pots	.75	.60	
tricuspidata lowi. Geranium Ivy.	8 '		
2 year from pots	.65	.60	.50
3 year from pots heavy	1.00	.90	.75
Amygdalus davidiana. Chinese Wild P		25'	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	

	1-4 Each	5-24 Each	25 & up Each
Amygdalus			
davidiana alba. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
nana georgica. Russian Almond.	<i>6</i> ′		
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
persica. Double Flowering Peach.	10'		
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	2.00		
6 to 8 ft	2.50		
Alboplena—Double White			
Clara Meyer—Double Pin			
Rosea Plena—Double Pin	k.		
Rubroplena—Double Red.			
Andromeda. (See Pieris)			
· · · · · · · · · · · · · · · · · · ·			
Aralia japonica. Angelica Tree. 25'	2.00	1.75	
8 to 10 ft.	3.00		
		2.00	
pentaphyllum. (See Acanthopan			
	25'		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.80
6 to 8 ft	2.00	1.50	1.25
8 to 10 ft. clumps	5.00	4.50	
10 to 12 ft. clumps	7.50	6.00	
Arctostaphylos uva-ursi. Bearberry.			
3½ in. pots	.75	.60	.50
Aristolochia sipho. Dutchman's Pipe.	<i>30</i> ′		
2 year	1.25	1.00	.75
tomentosa. 30'			
2 ye ar	.75	.60	.50
Aronia arbutifolia. Red Chokeberry.	8'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75

	1-4 Each	5-24 Each	25 & up Each
Aronia		20011	20011
atropurpurea. Purple Chokeberry.	. 8'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
melanocarpa. Black Chokeberry.	6 '		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
melanocarpa elata. Glossy Chokeb	erru.	10'	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
Artemesia abrotanum. Southernwood.	5'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.25	1.00	
Azalea amoena. Amoena Azalea. 4'			
10 to 12 in	2.00		
12 to 15 inB&B	2.50		
15 to 18 inB&B	3.00		
calendulacea. Flame Azalea. 6'			
2 to 3 ftB&B	5.00	4.75	4.50
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	5.00	4.75	4.50
hinodegiri. Carmine Azalea. 3'			
10 to 12 in	2.25		
12 to 15 in. B&B	2.75		
kaempferi. Torch Azalea. 5'			
15 to 18 in	2.75	2.50	2.25
18 to 24 in	3.75	3.50	3.00
24 to 30 in	4.50	4.00	3.50
30 to 36 in	6.00	5.00	
ledifolia. Snow Azalea. 6'			
15 to 18 in	3.00	2.75	2.50
18 to 24 in. B&B	3.75	3.50	3.25
24 to 30 in	5.00	4.50	0.20

	1-4 Each	5-24 Each	25 & up Each
Azalea			
ledifolia rosea. Sekidera Azalea.	6'		
15 to 18 in		2.75	2.50
18 to 24 in. B&B	3.75	3.50	3.25
24 to 30 in	5.00	4.50	
lutea. 10'			
18 to 24 inB&B	₹ 4.50	4.00	3.75
24 to 30 inB&B	6.00	5.50	5.00
3 to 4 ftB&B	7.50	6.50	6.00
mollis. Chinese Azalea. 6'			
15 to 18 in B&B	3.00	2.75	2.50
18 to 24 in B&B	4.50	4.00	3.75
24 to 30 in B&B	6.00	5.50	
mucronulatum. Dahurian Azale	a. 6'		
2 to 3 ft		4.50	
3 to 4 ft B&B		6.00	
4 to 5 ft		0,00	
nudiflora. Pinxterbloom. 4'			
2 to 3 ft	5.00	4.50	
3 to 4 ft		5.00	
poukhanensis. Korean Azalea.	4'	0.00	
18 to 24 in	,	3.50	
24 to 30 in		4.50	
viscosa. Swamp Azalea. 6	0,00	2100	
18 to 24 in	4.00	€ 3.75	
24 to 30 in		4.50	
yodogawa. Yodogawa Azalea.	4'		
18 to 24 inB&B		3.50	
24 to 30 inB&B	5.00	4.50	
3 to 4 ftB&B	6.00	5.50	
Baccharis halimifolia. Groundselbush	n. 10'		
2 to 3 ft		.40	.30
3 to 4 ft		.55	.45
4 to 5 ft		.65	.60
5 to 6 ft		.85	.75
6 to 8 ft		1.00	.90
*Benzoin aestivale. Spice Bush. 1			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.65	.55	.45
4 to 5 ft	.85	.70	.60
5 to 6 ft		.85	.75
6 to 8 ft		1.75	1.50
8 to 10 ft	2.50	2.25	2.00
8 to 10 ft. clumps B&B	15.00		

	1-4	5-24	25 & up
Berberis circumserrata. Cutleaf Barb	Each erry.	Each 5'	Each
18 to 24 in B&	-	0	
julianae. Wintergreen Barberry.	<i>5</i> ′		
15 to 18 in B&B	1.75	1.50	1.25
18 to 24 in B&B	2.50	2.25	2.00
24 to 30 in B&B	3.00	2.75	2.50
30 to 36 in B&B	4.00	3.50	3.00
koreana. Korean Barberry. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
sargentiana. Sargent Barberry.	5 ′		
15 to 18 in B&B	1.75	1.50	1.25
18 to 24 in	2.50	2.25	2.00
24 to 30 in	3.00	2.75	2.50
30 to 36 inB&B	4.00	3.50	3.00
thunbergi. Japanese Barberry. 4	,		
15 to 18 in	.35	.25	.22
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.40	.35
30 to 36 in	.65	.55	.50
2 to 2½ ft. spec.	1.25	1.00	
2½ to 3 ft. spec.	1.50	1.25	
3 to 3½ ft. spec.	2.00	1.75	
thunbergi atropurpurea.			
Redleaf Japanese Barb	erry.	<i>5</i> ′	
18 to 24 in	.50	.40	.35
24 to 30 in.	.55	.45	.40
30 to 36 in.	.65	.55	.50
36 to 42 in	1.00	.80	.75
thunbergi minor. Box Barberry.	2'		
12 to 15 in	.40	.30	.25
15 to 18 in.	.45	.35	.30
18 to 24 in	.50	.40	.35
24 to 30 in	.60	.50	.45
thunbergi pluriflora. $5'$			
18 to 24 in	.45	.35	
24 to 30 in	.55	.45	
30 to 36 in	.65	.55	.50

	1-4 Each	5-24 Each	25 & up Each
Berberis.	Lacii	Eden	Eden
thunbergi pluriflora erecta. Truehe	edge	Colum	nberry.
12 to 15 in	.40	.30	.25
15 to 18 in	.50	.35	.30
18 to 24 in	.55	.40	.35
24 to 30 in.	.60	.50	.40
21 10 00 111	.00	.00	.10
triacanthophora. Threespine Barbe	erry.	5 ′	
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.00	1.75	1.50
verruculosa. Warty Barberry. 3	,,		
v		4.05	
8 to 10 in	1.50	1.25	
12 to 15 in	1.75	1.50	
18 to 24 inB&B	2.50	2.25	
Berchemia racemosa. Japanese Supple	iack.	3'	
15 to 18 in	.60	.50	.40
18 to 24 in.	.75	.60	.50
*Betula alba. European White Birch.	50 '		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1½ to 1½ in	2.75	2.50	2.25
1½ to 1¾ in	3.50	3.00	2.75
13/4 to 2 in	4.50	4.00	3.50
2 to 2½ in	6.00	5.00	4.50
2½ to 3 in	10.00	7.50	
3 to 3½ in	12.50	10.00	
follo fostininto Dunanti III III i	D21	L "01	
*alba fastigiata. Pyramidal White			
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
*alba laciniata. Cutleaf Weeping	Birch	ı. 35'	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1½ to 1½ in	4.50	4.00	
1½ to 1¾ in	6.00	5.00	
13/4 to 2 in	7.50	6.00	
	10.00		
	12.50		

Betula				1-4 Each	5-24 Each	25 & up Each
*lenta.	Sweet E	Birch.	40'			
6	to 8	ft		2.50	2.25	2.00
8	to 10			3.00	2.75	2.50
11/4	to 1½			3.50	3.25	3.00
11/2	to 13/4	in		4.50	4.00	3.75
13/4	to 2	in		6.00	5.00	4.50
2	to 2½	$in.\dots\\$		7.50	6.00	5.00
21/2	to 3	$in.\dots\\$		10.00	8.00	7.00
3	to 3½	in		12.50	10.00	
*lutea.	Yellow		50'			
6	to 8			2.50	2.25	2.00
8	to 10			3.00	2.75	r 2.50
11/4	to 1½			3.50	3.25	3.00
11/2	to 13/4			4.50	4.00	
	to 2			6.00	5.00	
2				7.50	6.00	
21/2	to 3			10.00	8.06	
3	to 3½			12.50	10.00	
31/2	to 4	ın		15.00	12.50	
*maxim	owiczian	a. M	onarch Bir	ch. 60'	,	
6	to 8			3.50	3.00	
8	to 10	ft		4.00	3.50	
11/2	to 13/4				5.00	
13/4	to 2			7.50	6.00	
2	to 2½	in		. 10.00	7.50	
*nigra.	River B	irch.	50 '			
. 6	to 8	ft		2.50	2.25	2.00
8	to 10	ft		3.00	2.75	2.50
2	to 2½			7.50	6.00	
6	to 8		mpsB&B		10.00	
8	to 10	ft. clu	mpsB&B	15.00	12.50	
*papyrif		anoe B	2irch. 40'	٠,		
6	to 8			2.50	2.25	
8	to 10			3.00	2.75	
	to 1½			3.50	3.25	
1½	to 13/4			4.50	4.00	
13/4	to 2			6.00	5.00	
2				7.50	6.00	
21/2	to 3			10.00	8.00	
3				12.50	10.00	
31/2	to 4	m		15.00	12.50	

The Area I a	1-4 Each	5-24 Each	25 & up Each
Betula. *papyrifera cordifolia. 40'			
1½ to 1¾ in	5.00		
2 to 2½ in	7.50		
2 10 272 111	1.50		
*populifolia. Gray Birch. 40'			
6 to 8 ft	2.00	1.75	1.50
8 no to 10 ft	2.75	2.50	2.25
1½ to 1½ in	3.50	3.00	2.75
1½ to 1¾ in.	4.00	3.75	3.50
13/4 to 2 in	5.00	4.00	3.75
2 to 2½ in	7.50	6.00	5.00
2½ to 3 in	10.00	7.50	6.00
3 to 3½ in	12.50	10.00	9.00
4 to 4½ in	20.00	15.00	
	12.50	10.00	
8 to 10 ft. clumps B&B	15.00	12.50	
Bignonia grandiflora. Chinese Trumpe	etcree	per. 2	0'
2 year	.65	.55	.45
3 year	.75	.65	.60
4 year	1.25	1.00	.90
grandiflora Mad. Gallen. 20'			
2 year	1.25	1.00	.90
radicans Trumpetcreeper. 30'			
2 year	.40	.30	.25
3 year	.50	.40	.30
speciosa. Painted Trumpetcreeper.	. 30'		
2 year	.75	.60	.50
3 year	1.00	.75	
Bischoffia trifoliata. 12'			
3 to 4 ft	3.50	3.00	
Broussonetia papyrifera. Paper Mulbe	2 12/22/1	40'	
5 to 6 ft		3.00	
6 to 8 ft.	4.50	3.00	
Bruckenthalia spiculifolia. Spikeheath			
6 in., 3 inch pots	2.00	1.50	
Buddleia alternifolia. 12'			
2 to 3 ft	.50	.45	
3 to 4 ft	.65	.55	
Charming. Pink Butterfly Bush.	5'		
	.60	.50	.40

	1-4 Each	5-24 Each	25 & up Each
Buddleia			
davidi. Orange-eye Butterfly B			
2 to 3 ft		.35	.30
3 to 4 ft	50	.40	.35
davidi superba. 5'			
2 to 3 ft	45	.35	.30
3 to 4 ft	.50	.40	.35
4 to 5 ft	60	.50	.45
davidi veitchi. Veitch Butterfly		5 '	
2 to 3 ft		.35	.30
3 to 4 ft		.40	.35
4 to 5 ft	60	.50	.45
Dubonnet. 5'		= 0	
2 to 3 ft	60	.50	
farquhari. 5'			
2 to 3 ft		.35	.30
3 to 4 ft		.40	.35
4 to 5 ft		.50	.45
5 to 6 ft	75	.65	.60
Ile de France 4'			
2 to 3 ft		.40	.30
3 to 4 ft		.50	.40
intermedia. Wisteria Butterfly		5'	
2 to 3 ft		.35	.30
3 to 4 ft		.40	.35
lindleyana. Lindley Butterfly 1	Bush. &	5 ′	
2 to 3 ft		.35	.30
3 to 4 ft	50	.40	.35
Orchid Beauty. 5'			
2 to 3 ft	. 1.00	.75	
paniculata.			
3 to 4 ft	50	.40	.35
4 to 5 ft	60	.50	.40
Royal Purple. 5'			
2 to 3 ft	. 1.00	.75	
Buxus microphylla.			
12 to 15 inB&		1.75	1.50
15 to 18 inB&:		2.00	1.75
18 to 24 inB&	B 2.50	2.25	2.00
microphylla koreana.	D 150	1.05	1.05
6 to 8 in		(1.35	1.25
12 to 15 in		1.75	1.50
15 to 18 inB&:	B 2.25	2.00	1.75

	1-4 Each	5-24 Each	25 & up Each
Buxus.		200	20011
sempervirens handsworthi.			
8 to 10 in B&B			1.25
10 to 12 inB&B		1.75	1.50
sempervirens suffruticosa. $Dwar$			
12 to 15 in		2.00	1.75
15 to 18 in	2.50	2.25	2.00
Callicarpa americana. American Bea			,
2 to 3 ft	.75	.65	
giraldiana. 6'	.75	.65	60
2 to 3 ft	.13	.00	.60
2 to 3 ft	1.25		
japonica. Japanese Beautyberry.			
18 to 24 in.	.45	.35	.30
2 to 3 ft.	.50		.40
purpurea. Chinese Beautyberry.	4'	, 69	
18 to 24 in	.45	.35	.30
2 to 3 ft	.50	.45	.40
Calluna vulgaris. Heather. 2'			
6 to 8 in., 4 inch pots	1.00	.75	.60
12 to 15 in., F. G B&B	2.00	1.50	
vulgaris alba. White Heather. 2	!		
6 to 8 in., 4 inch pots	1.00	.75	.60
12 to 15 in., F. G B&B	2.00	1.50	
vulgaris alporti. Alport Heather.	2'		
4 inch pots	1.00	.75	
vulgaris aurea. 2'			
6 to 8 in., 4 inch pots	1.00	.75	.60
12 to 15 in., F. G B&B	2.00	1.50	
vulgaris carnea. Flesh Heather.		75	
6 to 8 in., 4 inch pots	1.00	.75	
vulgaris searlei. 2' 12 to 15 in., 4 inch pots	1.00	.75	.60
12 to 15 in., 4 inch pots 12 to 15 in., F. G B&B	2.00	1.50	.00
		1,00	
Calycanthus floridus. Sweet Shrub.	.45	.35	.30
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft	.90	.80	.75
5 to 6 ft	1.25	1.00	.90

	1-4 Each	5-24 Each	25 & up
Calycanthus.	Each	Eden	Edch
occidentalis. California Sweetshr	ub. 1	!2 '	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
Caragana arborescens. Siberian Peatr	·ee.	15'	
2 to 3 ft.	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft.	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft.	1.25	en 1.00	.90
boisi. 6'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
	1.10	1.00	1.20
frutex. Russian Pea-shrub. 10'			
2 to 3 ft	1.25		.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
lorbergi. 4'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
sophoraefolia. Sophoraleaf Peash	rub.	10'	
2 to 3 ft	1.50		
3 to 4 ft	1.75		
Carpinus betulus. European Hornbean			
3 to 4 ft B&B			5.00
4 to 5 ft		6.50	6.00
5 to 6 ft		10.00	9.00
6 to 8 ft		13.50	12.50
8 to 10 ft			15.00
10 to 12 ftB&B	25.00	20.00	18.00
Sheared plants, 4 to 10 ft. quote	d on	reques	t.
betulus fastigiata. Pyramid Horn	beam	. 40'	
3 to 4 ftB&B	10.00	7.50	
4 to 5 ftB&B	12.50		
5 to 6 ft B&B			

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	_1-4	5-24	25 & up
Carpinus.	Each	Each	Each
caroliniana. American Hornb	eam. 40'		
3 to 4 ftBo	&B 5.00	4.50	4.00
4 to 5 ftBo	&B 6.00	5.50	5.00
5 to 6 ftB	&B 7.50	6.50	6.00
6 to 8 ftB	&B 11.00	10.00	9.00
8 to 10 ftBe	&B 15.00	12.50	11.00
10 to 12 ftB		18.00	15.00
Sheared plants, 4 to 10 ft., q	uoted on	reques	t.
cordata. 40'			
6 to 8 ftB			
8 to 10 ftB	&B 15.00		
japonica. 40'			
3 to 4 ft. bushyB	&B 5.00	4.50	
4 to 5 ft. bushyB	&B 7.50	6.00	
5 to 6 ftB	&B 10.00	7.50	
6 to 8 ftB	&B 12.50	10.00	
yedoensis. 25'			
3 to 4 ftB	&B 5.00	4.50	4.00
4 to 5 ftB	&B 7.50	6.50	6.00
5 to 6 ftB	&B 10.00	8.50	7.50
6 to 8 ftB	&B 12.50	10.00	
8 to 10 ftB	&B 18.00	15.00	
Caryopteris incana. Bluebeard.	4 '		
15 to 18 in		.35	.30
18 to 24 in	60	.50	.45
tangutica. 5'			
10 to 12 in., 4 inch pots		.80	.75
Castanea mollissima. Chinese		. 60'	
2 to 3 ft			
Catalpa bignonioides nana syn. bu	_		
Umbrella Catalpa.	12'		
2 yr. heads,			
5 to 6 ft		1.50	
6 to 8 ft		2.00	
kaempferi. Japanese Catalpa.	20'	4 = 0	
6 to 8 ft		1.50	
8 to 10 ft		2.00	
1½ to 1¾ in		2.50	
		3.50	
speciosa. Western Catalpa. 8 to 10 ft		1.50	1.25
1½ to 1¾ in		1.75	1.23
1¾ to 2 in		2.25	2.00
174 10 2 111	2.00	4.40	2.00

Grandle and the second	1-4 Each	5-24 Each	25 & up Each			
	30					
18 to 24 in	.55	.45	.40			
2 to 3 ft	.65	.55	.50			
Cedrela sinensis. Chinese Cedrela. 50	1					
5 to 6 ft	3.50	3.00				
6 to 8 ft	5.00	4.50				
8 to 10 ft	7.50	6.00				
10 to 12 ft	12.50	10.00				
Cedrus deodara. Deodar. 50'						
2 ft	4.50	4.00				
3 ft	6.00	5.00				
	0.00	3.00				
libani. Cedar of Lebanon. 50'						
2 ftB&B	5.00					
3 ftB&B	6.00					
Celastrus gemmata. Chinese Bitterswe	et. 2	0'				
2 year	1.00	.75				
1. 1. 0. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	2.01					
orbiculatus. Oriental Bittersweet.	20'					
2 year	.45	.35	.30			
3 year	.55	.45	.40			
4 year	.75	.60	.50			
scandens. Native Bittersweet. 25'						
2 year	.45	.35	.30			
3 year	.55	.45	.40			
4 year	.75	.60	.50			
- • • • • • • • • • • • • • • • • • • •		,,,,				
Celtis occidentalis. Hackberry. 50'						
5 to 6 ft	2.00	1.75	1.50			
6 to 8 ft	2.50	2.25	2.00			
8 to 10 ft	3.00	2.75				
11/4 to 11/2 in	3.50	3.25				
1½ to 1¾ in	4.50	4.00				
2½ to 3 in	8.50	6.50				
3 to 3½ in	12.50	10.00				
sinensis. Chinese Hackberry. 30'						
4 to 5 ft	3.00	2.50				
	3.50	3.00				
5 to 6 ft	3.30	5.00				
Cephalanthus occidentalis. Button Bush. 6'						
2 to 3 ft	.45	.35	.30			
3 to 4 ft	.60	.50	.45			
4 to 5 ft	.75	.65	.60			

•	1-4 Each	5-24 Each	25 & up Each			
Cercidiphyllum japonicum. $Katsura$	Tree.	<i>30</i> ′				
4 to 5 ftB&E	5.00	4.50	4.00			
5 to 6 ftB&E		5.50	5.00			
6 to 8 ftB&E		7.50	6.50			
8 to 10 ft		10.00	9.00			
10 to 12 ftB&E	18.00	15.00	12.50			
8 to 10 ft. spec	20.00					
10 to 12 ft. specB&E	25.00					
12 to 14 ft. specB&E						
14 to 16 ft. specB&E	45.00		•			
japonicum sinense. Chinese Ka	tsura.	Tree.	50 '			
4 to 5 ft		1,00.				
5 to 6 ft						
3 to 0 1t	10.00					
*Cercis canadensis. American Redbuc	d. 15'					
3 to 4 ft	1.00	.75	.60			
4 to 5 ft	1.25	1.00	.90			
5 to 6 ft	1.75	1.50	1.25			
6 to 8 ft	2.50	2.00	1.75			
8 to 10 ft	3.50	3.00	2.75			
6 to 8 ft. spec	10.00					
8 to 10 ft. spec	12.50					
10 to 12 ft. spec	18.00					
canadensis alba. Whitebud. 15						
3 to 4 ftB&E	5.00	4.50				
4 to 5 ftB&E		5.00				
5 to 6 ftB&B		6.00				
6 to 8 ftB&B	10.00	8.00				
8 to 10 ft						
*chinensis. Chinese Redbud. 10'						
2 to 3 ft.	1.50	1.25	1.00			
3 to 4 ft	2.00	1.50	1.25			
4 to 5 ft.	3.00	2.50	2.00			
5 to 6 ft	5.00	4.00	3.50			
6 to 8 ft	7.50	6.00	5.50			
8 to 10 ft.	10.00	7.50	6.50			
Cercocarpus parvifolius. Valley Mahogany. 6'						

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

			1-4 Each	5-24 Each	25 & up Each
hamaecypa	ris lawsoniana.	Lawson (Cypress	3. 100°	•
2 ft	t	B&B	3.00		
3 f1	••		4.00		
4 f1	•		6.00		
5 f1	•• • • • • • • • • • • • • • • • • • • •		9.00		
6 ft	••				
, ,	rger sizes to 12			er foot	•
lawsonia	ana alumi. Scar	ab Cupre	ss. 40	,	
2 ft					
3 ft	t.	B&B	6.00		
1			a		0.1
lawsonia	ana glauca. Bli	ie Lawsor	ı Cypr	ess. 4	0'
7 ft	• • • • • • • • • • • • • • • • • • • •				
8 ft		B&B	25.00		
lawsonia	ana Triomphe de	Boskoop	. 40'		
4 ft	t	B&B	7.50		
5 ft	t	B&B	10.00		
6 ft	t .	B&B	12.50		
nootkate	ensis. Nootka Cy	press. 75	5 ′		
2 ft	t	B&B	3.50	3.00	2.75
3 ft				4.00	3.75
4 ft				6.00	0.10
5 ft			9.00	7.00	
6 ft				9.00	
0 10	v*		12.00	3.00	
nootkate	nsis pendula. W	Veeping N	ootka	Cypres	s. 15'
3 ft		B&B	7.50	6.00	
4 ft		B&B		8.00	
5 ft		В&В	12.50		
6 ft		B&B	15.00		
obtusa compacta. Compact Hinoki Cypress. 10'					
2 ft		в&В	4.00	3.50	3.00
3 ft		B&B	6.00	5.00	4.50
4 ft				6.50	6.00
5 ft		В&В			
6 ft	•	В&В		10.00	
7 ft				12.50	
. 10				,	

					1-4 Each	5-24 Each	25 & up Each
Chamaecy	pari	s.					
obtusa	gr	acilis.	Slender	Hinoki (Cypres	s. 15'	
2	ft.			B&B	4.50	3.75	
3	ft.			B&B	6.50	5.50	
4	ft.			B&B	8.00	7.00	
5	ft.			B&B		8.00	
	ft.			B&B		10.00	
7				B&B		12.50	
8	ft.			B&B	20.00		
obtusa	na	na. D_{i}	warf Hir	ıoki Cypr	ess.	10'	
15	in.			B&B	5.00	4.50	4.00
18				B&B	6.50	5.50	5.00
24	in.			B&B	10.00	8.50	7.50
30	in.			B&B	12.50		
in Indoorem			masta	3'			
		na com	•	_	0.00	F 00	
				B&B	6.00	5.00	
18	ın.	963		B&B	7.50	6.50	
pisifer	a.	Sawar	a Cypres	ss. 30'			
2	ft.			B&B	3.50	3.00	2.50
	ft.			В&В	5.50	4.50	3.75
4	ft.			B&B	7.50	6.00	5.00
5	ft.			B&B	10.00	8.50	7.00
6	ft.	spec.		B&B	12.50	10.00	
7	ft.	spec.		B&B	15.00	12.50	
8	ft.	-		B&B	18.00	15.00	
9	ft.	spec.		B&B	22.50	18.00	
10	ft.	spec.		B&B	25.00	22.50	
For 1	larg	er size	s to 18	ft., add \$	5.00 p	er foot	t.
p. aur	ea.	Golde	en Sawar	ra Cypres	ss. 30	,	
2	ft.			B&B	3.50	3.00	
3	ft.			B&B	5.50	4.50	
4	ft.			B&B		6.00	
5	ft.			B&B		8.50	
6	ft.	-		B&B		10.00	
7	ft.	-		B&B			
8	ft.			B&B			
9	ft.			B&B			
10	ft.	spec.		B&B	25.00		

1-4 Each

5-24 25 & up Each Each

Chamaecyparis	ch Each Each
p. filifera. Thread-branched Japanese	Cypress. 15'
2 ftB&B 5.0	00 4.50 4.00
3 ft	
4 ftB&B 8.5	50 750 7.00
4 ft. spec B&B 12.0	
5 ft. spec	00 12.50
6 ft. spec	00 15.00
7 ft. spec	00 18.00
8 ft. spec	00 22.50
9 ft. spec	00
p. filifera aurea.	
Golden Thread-branched Japan	ese Cypress. 10'
18 in. spdB&B 4.6	00 3.75
24 in. spdB&B 6.0	
30 in. spd	50 6.00
36x36 in. spec	
48x48 in. spec	
54x54 in. spec	
60x60 in. specB&B 25.0	00
p. filifera aurea nova.	
Variegated Thread-branched Japan	ese Cypress. 10'
18 to 24 in. spd	00
24 to 30 in. spd	00
30 to 36 in. spd	50
36 to 42 in. spd. B&B 10.0	00
42 to 48 in. spd	50
48 to 54 in. spd	00
p. plumosa. Plume Cypress. 30'	
2 ft. sheared B&B 3.5	50 3.00 2.50
3 ft. sheared	00 4.50 3.75
4 ft. sheared B&B 7.	50 6.00 5.00
5 ft. sheared B&B 10.0	00 8.50 7.00
6 ft. sheared	50 11.00 9.50
7 ft. sheared	00 12.50 11.00
8 ft. sheared	00 15.00
9 ft. sheared	50 18.50
10 ft. sheared	00 22.50
For larger sizes to 18 ft., add \$5.00	per foot.

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis p. plumosa			
3 ft. spec., 4 ft. spd. B&B			
4 ft. spec., 5 ft. spd. B&B			
5 ft. spec., 6 ft. spd. B&B	15.00		
p. plumosa aurea. Goldenplume	Cypres	s. 25'	
2 ft. sheared B&B	3.50	3.00	2.50
3 ft. sheared	5.00	4.50	3.75
4 ft. sheared B&B	7.50	6.00	5.00
5 ft. sheared B&B	10.00	8.50	7.00
6 ft. sheared B&B	12.50	11.00	9.50
7 ft. sheared B&B	15.00	12.50	11.00
3 ft. sheared B&B	18.00	15.00	
9 ft. sheared B&B	22.50	18.00	
10 ft. sheared B&B	25.00	22.50	
For larger sizes to 20 ft., add \$	5.00 pe	er foot	•
3 ft. spec., 4 ft. spd. B&B	7.50		
4 ft., spec., 5 ft. spd. B&B	12.50		
	15.00		
p. plumosa lutescens. (Globe For	m). 5	,	
18 in B&B	3.50	3.00	2.50
24 in B&B	4.00	3.50	3.00
		7	2 50
p. plumosa sulphurea. Sulphurpe	$ume \in 6.00$	ypress	. 25'
	7.50		
5 ftB&B			
6 ft	10.00		
7 ftB&B	12.50		
8 ft	18.00		
9 ftB&B	22.50		
p. squarrosa. Moss Retinospora.	30'		
2 ft. sheared B&B	3.50	3.00	2.50
3 ft. sheared B&B	5.00	4.50	3.75
4 ft. sheared B&B	7.50	6.00	5.00
5 ft. sheared B&B	10.00	7.50	
6 ft. sheared B&B	12.50	10.00	
7 ft. sheared	15.00	12.50	
8 ft. sheared B&B	18.00	15.00	
For larger sizes to 15 ft., add \$5.	00 per	foot.	
p. squarrosa glauca. 10'			
2 ft	6.00	5.00	
3 ft	7.50	6.00	

Chamaedaphne calyculata. Leatherleat	1-4 Each	5-24 Each	25 & up Each
	4.00	3.50	3.25
	5.50	5.00	4.50
Chionanthus retusa. 20'	0.00	0.00	1.00
	5.00		
	5.00		
virginica. White Fringe. 25'			
2 to 3 ft	.75	.55	.60
	1.25	1.60	.90
	1.75	1.35	1.25
	2.50	2.00	1.75
6 to 8 ft	3.50	2.75	2.50
8 to 10 ft	5.00	4.00	3.75
5 to 6 ft. spec	0.00	7.50	
6 to 8 ft. specB&B 1	2.50	10.00	
8 to 10 ft. spec	5.00		
41 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Cladrastis lutea. Yellow Wood. 30'			
	2.50	10.00	
	5.00	12.50	
10 to 12 ftB&B 2	2.50	18.00	15.00
2 to 2½ inB&B 2	5.00	22.50	
2½ to 3 inB&B 3	0.00	25.00	
Clematis apiifolia. October Clematis.	25 '		
2 year	.75	.50	
chrysocoma sericea.			
2 year	1.00	.75	.60
coccinea. (See texensis).			
crispa. Curly Clematis.	1 00	7.5	
2 year	1.00	.75	
fargesi.			
_ J 3011, 0 1111 F 1111	1.00	.75	.60
flammula. Plume Clematis. 15'			
2 year	1.00	.75	
hybrids. Large Flowering Clemati			
		.75	
2 year	1.00	.10	
Jackmanni ,Mad. Ed. Andre, Her	ryi,		
Duchess of Edinburg.			
ligusticifolia. Western Virgins-bow 2 year	er. 3	15' .60	
montana rubens.			
	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Clematis			
montana undulata.			
3½ inch pots	1.00		
montana wilsoni.			
3 inch pots	1.00	.75	
orientalis. Oriental Clematis.			
4 inch pots	1.00		
paniculata. Sweet Autumn Clemati	s. 25'		
2 year	.55	.45	.40
3 year	.65	.55	.50
serratifolia. Korean Clematis.			
2 year	1.00	.75	.60
tangutica. Golden Clematis. 12'			
2 year	.60	.50	
texensis syn. coccinea. Scarlet C	llemati	s. 11	o '
2 year	.75	.60	.50
viorna. Leatherflower.			
· ·	1.00	.75	
virginiana. Virgins-bower. 25'			
2 year	.40	.30	.25
3 year	.50	.40	.36
vitalba. Travelers-joy. 25'	.75	.60	
2 year	.10	.00	
viticella. Italian Clematis. 10'			
2 year	.75	.60	
Clerodendron trichotomum. Harlequin	Gloryl	bower	. 6'
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
Clethra alnifolia. Sweet Pepper Bush.	5 ′		
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.45	.40
2½ to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
barbinervis. Tree Clethra. 5'			
3 to 4 ft	1.00		
4 to 5 ft	1.25		
paniculata. 5'	1.00		
18 to 24 in	1.00	.75	.60
2 to 3 ft	1.25	1.00	.75

	1-4 Each	5-24 Each	25 & up Each
Colutea arborescens. Bladder Senna.	10'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.60	.90
cilicica Cilician Bladder Senna.	10'		
2 to 3 ft	1.50		
media.			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft.	1.50	1.25	
		1.20	
200000,0000	3'	5.5	50
18 to 24 in	.65 .75	.55	.50
	.10	.65	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.96
alba elegantissima. Silverblotch	_	ood. 8	,
2 to 3 ft	.75	.65	.60
3 to 4 ft	.90	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	. 1.50	1.25	
alba sibirica. Coral Dogwood. 10) ,		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
alba spaethi. Golden Variegated	Dogwo	od. 8	,
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
alternifolia. Pagoda Dogwood. 20)*		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	

	1-4 Each	5-24 Each	25 & up Each
Cornus	,	4.08	
amomum syn. sericea. Silky Dog		10'	200
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75 1.00	.65 .80	.60
5 to 6 ft	1.25	1.00	.73
8 to 10 ft	1.50	1.25	1.00
	1.00	1.20	1.00
baileyi. Bailey Dogwood. 10'		4 =	4.0
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00 1.25	85 1.00	.75
0 00 0 20000000000000000000000000000000			
florida. White Flowering Dogwood	d. 25	,	
3 to 4 ftB&B	3.00	2.75	2.50
4 to 5 ftB&B	4.50	4.00	3.75
		≈ 5.50	5.00
	9.00	8.00	7.50
	12.50	11.00	10.00
5 to 14 ft., heavy spec.			
B&B at \$2.00 per foot.			
florida plena. Dbl. White Flg. Do	awood	1. 25'	
	4.50	4.00	3.50
4 to 5 ftB&B	6.00	5.00	4.50
	12.50	10.00	
	15.00		
8 to 10 ft. spec	20.00		
florida rubra. Red Flowering Dog	awood	. 20'	
3 to 4 ft	5.00	4.00	3.75
4 to 5 ft	6.00	5.50	5.00
5 to 6 ft	8.00	7.00	6.50
	12.50	10.00	9.00
	15.00	12.50	11.50
	15.00		
	18.00		
For larger sizes to 12 ft., add \$5.00	per f	oot.	
florida welchi. Variegated-leaved			25 '
2 to 3 ft	4.50	4.06	
3 to 4 ft	6.00	5.00	
4 to 5 ft	7.50	6.50	
5 to 6 ft		8.50	
		2.20	

C

	1-4 Each	5-24 Each	25 & up
ornus	Eden	Eden	Lucii
kousa. Kousa Dogwood. 20'			
3 to 4 ftB&B	5.00	4.00	3.50
4 to 5 ftB&B	6.50	5.50	5.00
4 to 5 ft. heavyB&B	10.00	7.50	
5 to 6 ft. heavy B&B	12.50	10.00	
6 to 8 ft. heavyB&B	15.00	12.50	
8 to 10 ft. heavy B&B	18 00	15.00	
kousa chinensis. Chinese Dogwood	l. 25'		
3 ft B&B	7.50	6.00	
4 ft B&B	10.00	7.50	
5 ftB&B	12.50	10.00	
mas. Cornelian Cherry. 20'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.15	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.50	4.00	3.50
10 to 12 ft.	7.50	6.50	6.00
officinalis. Japanese Cornelian C	herry.	15'	
3 to 4 ft	2.00		
4 to 5 ft	3.00		
5 to 6 ft	4.00		
paniculata. Gray Dogwood. 15'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
paucinervis. Littleleaf Dogwood.	6'		
3 to 4 ft	1.75	1.50	
. 4 to 5 ft	2.25	2.00	
pubescens. 15'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
rugosa. Roundleaf Dogwood. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	

1-4 5-24 25 & up

	Each	Each	Each
Cornus			
sanguinea. Bloodtwig Dogwood.	10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
	n	7	101
sanguinea viridissima. Greentwig 2 to 3 ft	.60	.50 .50	10
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
4 10 3 11	1.00	.10	
stolonifera. Red Osier Dogwood.	<i>8</i> ′		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
stolonifera flaviramea. Goldentwi			8'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
Corylopsis sinensis. Chinese Winterha	zel.	8'	
2 to 3 ftB&B	5.00	4.50	
3 to 4 ftB&B	7.50	6.50	
4 to 5 ftB&B	10.00		
spicata. Spike Winterhazel. 6'			
2 to 3 ftB&B	7.50		
Corylus americana. American Hazeln	ut. 1	0'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
and lane Will and Art			
avellana. Filbert. 15'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	1.75	1.60	1.50

	1-4 Each	5-24 Each	25 & up Each
Corylus			
avellana atropurpurea. Purple Fi	ilbert.	15'	
2 to 3 ft	4.00	3.50	
3 to 4 ft	4.50	4.00	
4 to 5 ft	6.00	5.00	
5 to 6 ft	7.50	6.00	
6 to 8 ft	10.00	7.50	
8 to 10 ft	12.50	10.00	
avellana aurea. Golden Filbert.	15'		
5 to 6 ft	5.00		
6 to 8 ft	7.50		
heterophylla setchuenensis. Chine	se Haz	zelnut.	12'
3 to 4 ft	3.00		
4 to 5 ft	4.00		
rostrata. Beaked Hazelnut. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
*Cotoneaster acutifolia. Peking Coto			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
*acutifolia villosula. 12'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft.	1.25	1.00	.90
adpressa. Creeping Cotoneaster.	2'	1.05	1.00
6 to 8 in. from pots	1.50	1.25	1.00
ambigua. 6'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
18 to 24 in., 4 in. pots	1.50	1.25	1.00
apiculata. 6'			
9 to 12 in. from pots	1.50	1.25	1.00
dammeri. 2'			
6 to 8 in. from pots	1.75	. 1.50	
o to o m. nom pots	1.10	1.00	

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
18 to 24 in., 4 in. pots	1.50	1.25	1.00
divaricata. Spreading Cotoneaster	. 6'		
2 to - 3 ft	2.00	1.75	1.50
3 to 4 ft	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
12 to 18 in., 4 in. pots	1.50	1.25	1.00
foveolata. 10'	1.00	1.20	2.00
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.75	2.50	2.25
4 to 5 ft	3.50	3.25	3.00
		0.20	5.00
francheti. Franchet Cotoneaster.	10'		
12 to 18 in., 4 in. pots	1.50		
himalaicus. 6'			
8 to 10 in., 4 in. pots	1.50	1.25	1.00
· · ·	al		
	3'	1 50	1.05
	1.75	1.50	1.25
15 to 18 in. spd. from pots	2.00	1.75	1.50
*	2.50	2.25	2.00
24 to 30 in. spd	3.50	3.25	3.00
horizontalis perpusilla. 3'			
10 to 12 in., from pots	1.50	1.25	1.00
12 to 15 in., from pots	2.00	1.50	1.25
hupehensis. Hupen Cotoneaster.	5'		
	3.00		
3 to 4 ft	3.50		
15 to 18 in., 3 in. pots	1.50	1.25	
· · · · · · · · · · · · · · · · · · ·		1.20	
integerrima. European Cotoneast			
2 to 3 ftB&B	3.00	2.50	
3 to 4 ftB&B	3.50	3.00	
*lucida. 12'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
melanocarpa. 6'			
•	2.00	250	
	3.00	2.50	
3 to 4 ftB&B	3.50	3.00	

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
microphylla. Rockspray. 6'			
10 to 12 in., 4 in. pots	1.50	1.25	1.00
		1.20	1.00
moupinensis. Mupin Cotoneaster.	10'	1.05	1.00
15 to 18 in., 4 in. pots	1.50	1.25	1.00
multiflora. 6'	0.00		4.50
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
2 to 3 ft., 4 in. pots	1.50	1.25	1.00
nitens. 6'			
2 to 3 ftB&B	3.00		
obscura. 10'	0.00		1 50
2 to 6 3 ft	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
18 to 24 in., 4 in. pots	1.50	1.25	1.00
racemiflora soongarica 6'			
2 to 3 ftB&B	2.50	2.25	2.00
3 to 4 ftB&B	3.00	2.75	2.50
4 to 5 ftB&B	3.75	3.50	3.25
rotundifolia. Roundleaf Cotoneast	am 0	,	
10 to 12 in. from pots	1.50	1.25	1.00
12 to 15 in. from pots	1.75	1.50	1.25
12 to 13 m. Hom pots	1.10	1.50	1.20
rosea. 6'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
5 to 6 ftB&B	5.00	4.00	
salicifolia floccosa. 6'			
15 to 18 in. from pots	1.75		
13 to 18 m. from pots	1.75		
simonsi. Simons Cotoneaster. 8'			
2 to 3 ftB&B	2.50	2.00	
3 to 4 ftB&B	3.00	2.50	
12 to 18 in., 4 in. pots	1.50	1.25	1.00
tenuipes. 6'			
8 to 12 in. from pots	1.50	1.25	
12 to 15 in., from pots	1.75	1.50	
12 to 10 m., from pots	1.10	1,00	

SEE PAGE 165 FOR COMPLETE LIST OF HERBACEOUS STOCK

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
wilsoni. Wilson Cotoneaster. 5'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
15 to 18 in., 4 in. pots	1.50	1.25	1.00
zabeli. 6'			
15 to 18 in., from pots	1.75		
*Crataegus aprica. 20'			
3 to 4 ft	2.75	2.50	2.25
4 to 5 ft	3.50	3.00	2.75
5 to 6 ft	4.00	3.50	
*arkansana. Arkansas Hawthorn	. 30'		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft.	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	3.00
0 to 10 1t	5.00	4.00	
*arnoldiana. Arnold Hawthorn.	20 '		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
*carrierei. Carriere Hawthorn.	20'		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
6 to 8 ft. standards, quoted or	n requ	est.	
*coccinea. Thicket Hawthorn. 20	,		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
*coccinioides. 20'			
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	

Cantagana	1 Ea	-4 5-24 ch Each	
Crataegus			
*cordat	a. Washington Hawthorn. 2	20'	
3 1	o 4 ft 2.	25 2.0	0 1.75
4 1	o 5 ft 2.	75 2.5	0 2.25
5	o 6 ft 3.	00 2.7	5 2.50
6	o 8 ft 4.	00 3.5	3.00
8 1		00 4.5	4.00
10 1	o 12 ft 7.	50 6.0	5.00
*crusga	lli. Cockspur Thorn. 30'		
3 1	o 4 ft 2.	25 2.0	0 1.75
4 1	o 5 ft 2.	75 2.5	0 2.25
5	o 6 ft 3.	00 2.7	5 2.50
6	o 8 ft 4.	00 3.7	
8		00 5.0	
10 1	t. spec	00 20.0	00
*cunea	a. Nippon Hawthorn. 20'		
3		00 2.5	0
*hupeh	ensis. 20'		
4	o 5 ft	50	
5	o 6 ft 4.	00	
6		00	
8	o 10 ft 6.	00	
*macra	cantha. Spike Hawthorn. 20	,	
3	o 4 ft	00 2.5	50
4	o 5 ft 3.	50 3.0	00
*mollis	Downy Hawthorn. 20'		
3	o 4 ft	25 2.0	00 1.75
4	o 5 ft 2.	75 2.5	50 2.25
5	o 6 ft 3.	00 2.7	75 2.50
6	o 8 ft 4.	00 3.5	3.00
8	o 10 ft 5.	00 4.5	4.00
mono	yna. English Hawthorn. 20)	
5	o 6 ft	00 2.7	75 2.50
6	o 8 ft 4.	00 3.5	3.00
8	o 10 ft 5.	00 4.5	0
*monor	yna stricta.		
1110110	Pyramidal English Hawthorn.	20'	
3		50	
		50	

				1-4 Each	5-24 Each	25 & up Each
*Crataegu	s.			Lucii	Lucii	Eddii
*nitid	a.	Glos	ssy Hawthorn. 15'			
3	to		ft	2.25	2.00	1.75
4	to	5	ft	2.75	2.50	2.25
5	to	6	ft	3.00	2.75	2.50
6	to	8	ft	4.50	3.50	3.00
8	to	10	ft	6.00	5.00	
*oxya	can	tha	• English Hawthorn.	20 '		
4	to	5	ft	2.75	2.50	2.25
5	to	6	ft	3.00	2.75	2.50
6	to	8	ft	4.50	3.50	3.00
8	to	10	ft	5.00	4.50	
10	to	12	ft	7.50		
8	to	10	ft. spec B&B	15.00		
*oxya	can	tha	plena. Dbl. White T	'horn	15'	
4	to	5	ft	2.75	2.50	2.25
5	to	6	ft	3.50	2.75	2.50
6	to	8	ft	4.50	4.00	3.50
8	to	10	ft	7.50	6.50	
10	to	12	ft	12.50		
*oxya	can	tha	pauli. Paul's Scarlet	Thor	n. 15'	
4	to	5	ft	2.75	≈ 2.50	2.25
5	to	6	ft	3.50	2.75	2.50
6	to	8	ft	4.50	4.00	3.50
8	to	10	ft	7.50	6.50	
10	to	12	ft	12.50		
*oxya	can	tha	punicea. Sgl. Red Th	orn.	15 '	
4	to	5	ft	2.75	2.50	2.25
5	to	6	ft	3.50	2.75	2.50
6	to	8	ft	4.50	4.00	3.50
8	to	10	ft	7.50	6.50	
10	to	12	ft	12.50		
*oxya	can	tha	rosea plena. Dbl. Pin	ik Th	orn.	15'
4	to	5 f	f t.	4.00	3.50	.3.00
5	to	6 1	ft	4.50	4.00	3.50
6	to	8 1	ft	5.00	4.50	
*pereg	grin	ıa.	Persian Hawthorn. 1	5'		
3	to	4	ft	2.50	2.00	
4	to	5	ft	3.00	2.50	
5	to	6	ft	3.50	3.00	
6	to	8	ft	5.00	4.00	
8	to	10	ft	7.50	6.00	

	1-4 Each	5-24 Each	25 & up Each
Crataegus.	Lacii	Lucii	Lucii
*persistens. 15'			
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
*pinnatifida major. Peking Hawt	horn.	20'	
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	
*pruinosa. Frosted Hawthorn. 1	8 '		
4 to 5 ft.	2.75	2.50	
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
*prunifolia. Plumleaf Hawthorn.	25'		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*punctata. Dotted Hawthorn. 25	,		
3 to 4 ft	2.25	2.60	1.75
4 to 5 ft	2.75	2.50	
5 to 6 ft	3.00	2.75	2.50
·	4.00	3.50	2.00
8 to 10 ft	5.00	4.50	
	41		
pyracantha coccinea. Scarlet Fire	1.50	10' 1.25	
*			
pyracantha lalandi. Laland Fireth		10'	
18 to 24 in. bushy B&B	3.50	3.00	2.75
2 to 3 ft. bushy B&B	4.00	3.75	3.50
3 x 3½ ft. spec. B&B	8.50	7.50	
	12.50	10.00	
*	15.00		
*	20.00 1.50	1 25	
12 to 15 in., 4 in. pots	1.50	1.40	
pyracantha yunnanensis. 10'			
12 to 18 in., 4 in. pots	1.50	1.25	
*succulenta. Fleshy Hawthorn.	20'		
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.50	2.75	2.50
6 to 8 ft	4.50	3. 50	3.00
8 to 10 ft	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Crataegus		Lucii	Edell
*tomentosa. Pear Hawthorn. 15'			
3 to 4 ft	2.25	··· 2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*viridis. 35'			
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
Cryptomeria japonica lobbi Lobb Cryp	ptome	ria. 2	0'
	3.50	2.75	2.50
3 ftB&B	4.50	4.00	3.75
4 ft	6.50	5.50	5.00
	7.50	6.50	6.00
6 ft	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
	18.00	15.00	12.50
For larger sizes to 18 ft., add \$5.0	00 per	foot.	
Cudrania tricuspidata. 25'			
4 to 5 ft	2.50		
5 to 6 ft	3.50		
Cydonia cathayensis. 8'			
3 to 4 ft	1.50		
4 to 5 ft	2.50		
innering El : O :			
japonica Flowering Quince. 5'	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft.	.65	.55	.50
5 to + It	.00	.00	.50
japonica alba. White Flg. Quinc	e. 5'		
15 to 18 in	1.50	1.25	
18 to 24 in	1.75		
japonica alpina. Salmon Flg. Qui	nce.	4'	
18 to 24 in	1.75	1.50	1.25
2 to 3 ft.		1.75	
			~!
japonica Columbia. Deep Rose F			5
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	

*3×6	lonia	1-4 Each	5-24 Each	25 & up Each
y				
	japonica Falconet Charlet Whit 2 to 3 ft 3 to 4 ft 4 to 5 ft	2.00 2.50	2 1.75	e. 6'
	: D 6 I 0		al.	
	japonica pygmaea. Dwarf Jap. Q		3'	4.0
	18 to 24 in	.55 .65	.45 .55	.40 .50
	japonica rosea grandiflora. Pink	Fla C	luince	6'
	15 to 18 in		1.25	U
	18 to 24 in.		1.50	
	japonica rosea plena.			
	Dbl. Pink Flowering Qu	ince.	5 '	
	2 to 3 ft			1.50
	3 to 4 ft			
	japonica rubra. Red Flowering G			
	18 to 24 in	2.00	1.75	
	2 to 3 ft	2.50	2.25	
	japonica semperflorens. Soft Ros	se Fla.	Quino	e. 6'
	2 to 3 ft			
				o.t
	japonica umbilicata. Navel Flower			
	2 to 3 ft		.55	.50
	3 to 4 ft	.75	.65	.60
	4 to 5 ft		.80	.75
	4 to 5 ft. heavyB&B	10.00		
	5 to 6 ft. heavy B&B	12.50		
	japonica Vermilion. Red Flg. Qi	ince	6'	
	18 to 24 in			
	kermesiana semi-plena. $Red\ Flg.$			
	2 to 3 ft	2.00	1.75	
	maulei. Lesser Flowering Quince	. 5'		
	18 to 24 in		.45	.40
	2 to 3 ft		.55	.50
	3 to 4 ft			.60
	sinensis. Chinese Quince. 20'			
	2 to 3 ft	2.50		
Cy:	tisus elongatus. 5'			
	12 to 15 in., 4 in. pots	1.00	.75	
	nigricans. Spike Broom. 4'			
	12 to 15 in	1.00	.75	

Cytisus	1-4 Each	5-24 Each	25 & up Each
•			
scoparius. Scotch Broom. 10'	.75	.65	.55
18 to 24 in		.03	.00
scoparius andreanus. Paradise Br		10'	
18 to 24 in	.75	.65	.55
supinus. 3'			
•	1.00	.75	
	1'		
8 to 10 in. spd B&B	1.00	.80	.75
10 to 12 in. spd	1.25	1.10	1.00
12 to 15 in, spd	1.50	1.35	1.25
•		1.00	1.20
mezereum. February Daphne.			
15 to 18 inB&B	2.00	1.75	1.50
18 to 24 inB&B	2.50	2.25	2.00
2 to 2½ ft B&B	3.50	3.00	2.50
2½ to 3 ftB&B	4.00	3.50	3.00
mezereum alba. White February	Daph	ne. 4'	
18 to 24 in	_	2.50	2.25
24 to 30 inB&B	3.75	3.25	2.75
2½ to 3 ftB&B	4.50	4.00	
Decumaria barbara.			
3 yr. from pots	.75	.60	.50
	.10	.00	.50
Desmodium. (See Lespedeza).			
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.45	.35	.30
24 to 30 in	.55	.50	.45
2½ to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
			.00
lemoine avalanche Avalanche Dea		4'	4.50
2 to 2½ ft	.60	.50	.45
2½ to 3 ft	.75	.60	.50
lemoine compacta. 5'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Deutzia	1-4 Each	5-24 Each	25 & up Each
myriantha Boule Rose. Dbl. Pink	Doute	via 1	,
18 to 24 in	.60	.50	
	.75		
2 to 3 ft	.75	.50	
ningpoense. 5'			
2 to 3 ft	1.50		
parviflora. Mongolian Deutzia. 5	.,		
18 to 24 in	.55	.45	.40
2 to 3 ft	.60	.50	.45
	.75	.65	.60
	.10	.00.	.00
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
2½ to 3 ft	.75	.65	.60
rosea campanulata. Bellflower De	eutzia	5'	
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
		.00	
rosea carminea. Carmine Deutzia.	4'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
rosea eximea. Pink Choice Deutz	ia. 5'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	
2 10 9 11	.00	.00	.00
rosea venusta. White-panicle Deut	zia.	5 '	
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
scabra. Fuzzy Deutzia. 12'	4.5	0.5	200
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	
scabra candidissima. Snowflake	Deutzi	a. 12	,
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
3 33 2 200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.00	.00	
scabra Pride of Rochester. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.85	.75	.70
6 to 8 ft	1.00	.85	.80

	1-4 Each	5-24 Each	25 & up Each
Deutzia			
scabra rosea plena. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
scabra watereri. Waterer's Deu			
2 to 3 ft		.35	.30
3 to 4 ft	.60	.50	.45
scabra wellsi. Wells Deutzia. 12			
3 to 4 ft		.50	.45
4 to 5 ft	.75	.65	.60
schneideriana laxiflora. $6'$			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
vilmorinae. Vilmorin Deutzia. 1	0'		
2 to 3 ft	.60	.50	
Diervilla sessilifolia. Southern Bush	Hone	ysuckle	. 5'
2½ to 3 ft		.45	
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
trifida. Dwarf Bush Honeysuckl	e. 4'		
2 to 3 ft		.60	.55
3 to 4 ft	.75	.65	.60
(See also Weigela)			
Diospyros virginiana. Common Per	simmon	. 15'	
6 to 8 ft	4.00	3.00	
8 to 10 ft	6.00	4.50	
10 to 12 ft	7.50	6.00	
Dirca palustris. Leatherwood. 6'			
6 to 8 inB&B	2.00		
Elaeagnus angustifolia. Russian Oliv	e. 20'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.85	1.75
10 to 12 ft	5.00	4.00	
argentea. Silverberry. 12'			
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00

	1-4 Each	5-24 Each	25 & up Each
Elaeagnus	20011	Lacii	Lucii
longipes. Cherry Elaeagnus. 6'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
parvifolia. Chinese Elaeagnus. 1	5 ′		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25		.75
4 to 5 ft	1.50	1.25	1.00
umbellata. Autumn Elaeagnus.	12'		
2 to 3 ft	.65	.55	.45
3 to 4 ft	.75	.65	.55
4 to 5 ft	1.00	.80	.70
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.75	1.50	
Elsholtzia stauntoni. 4'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.75	
Enkianthus campanulatus. Redvein I	Inkia	nthus.	15'
12 to 18 in.			
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.25	1.00	.75
darleyensis.			
6 to 8 in., 4 in. pots	1.25	1.00	.75
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.25	1.00	.75
Eucommia ulmoides. 60'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
Euonymus alatus. Winged Euonymus 2 to 3 ft.	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	3.00		2.50
6 to 8 ft	4.00		3.50
6 to 8 ft. heavy B&B	10.00		0.00
8 to 10 ft. heavy B&B	12.50		
			at
alatus compactca. Dwarf Winger			6'
2 to 3 ft			
3 to 4 ft	1.75	1.50	

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
americanus. Brook Euonymus. 8'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.20	1.00	
4 to 5 ft	1.50	1.25	
atropurpureus. Native Wahoo. 15			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	of 1.35	1.25
bungeanus. Winterberry Euonyma			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
europaeus. European Burning Bi	$\iota sh.$	15 '	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	≈ 1.35	1.25
europaeus fructu-coccineus. 15'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.70	.60	.55
4 to 5 ft	1.00	.85	.75
latifolius. Broadleaf Burning Bus	h. 1	o '	
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
maacki. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
nanus. Dwarf Burning Bush. 3'			
12 to 15 in	1.00	.85	.75
15 to 18 in.	1.50	1.25	
	2.00	4	

A STATE OF THE STA	1-4 Each	5-24 Each	25 & up
Euonymus	Each	Each	Each
obovatus. Running Euonymus.	1'		
8 to 10 in	.60	.50	.40
oxyphyllus 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft.	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
	1 75	1.50	1.25
18 to 24 in	1.75 2.25	2.00	1.75
3 to 4 ftB&B	3.00	2.75	2.50
	3,00	2.10	2.00
	.45	.35	.30
8 to 12 in	.50	.40	.35
	.60	.50	.45
15 to 18 in	.75	.60	.50
radicans acutus. Sharpleaf Win	$tercree_{:}$	per.	<i>1'</i> .35
12 to 15 in	.65	.50	.45
15 to 18 in	.00	.50	.40
radicans argenteo-marginatus.	41		
Silveredge Wintercreeper		25	20
8 to 12 in	.45	.35	.30
12 to 15 in	.50	.40	.45
			.40
radicans carrieri. Glossy Wintere	_		9.5
12 to 15 in	.50 .60	.40	.35
15 to 18 in	.75	.65	.55
	.10	.00	.55
radicans colorata. 10'	45	.35	.30
12 to 15 in	.45 .55	.45	.40
15 to 18 in	.65	.55	.50
radicans kewensis. Prostrate Bab	-		_
8 to 12 in. from pots	.50	.45	.40
radicans minima. Baby Wintercr	eeper.	1'	
8 to 12 in. from pots	.55	.45	.40
12 to 15 in. from pots	.65	.55	.50
radicans vegetus. Bigleaf Winter	creeper	. 4'	
12 to 15 in	.75	.65	.60
15 to 18 in.	1.00	.80	.75
18 to 24 in.	1.25	1.10	1.00
24 to 30 in	2.00	1.75	

	1-4 Each	5-24 Each	25 & up
Euonymus			
sieboldianus. (See patens)			
yedoensis. Yeddo Euonymus. 10			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Evodia danieli. 25'			
4 to 5 ft	3.00		
5 to 6 ft.	3.50		
2 20 2 20	0.00		
hupehensis. 25'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	3.75	
Exochorda grandiflora. Pearl Bush.	10'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.85	.75	.70
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.75	2.50	
6 to 8 ft. spec B&B	12.50		
8 to 10 ft. spec	15.00		
giraldi wilsoni. Wilson Pearlbush	a. 15'		
2 to 3 ft	2.00		1.50
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00		
5 to 6 ft	3.50	3.00	
	-4		
Fagus americana. American Beech. 60			
	6.00	5.00	
4 to 5 ft	6.50	5.50	
5 to 6 ft	8.50	7.50	
	12.50	10.00	
	15.00	12.50	
10 to 12 ftB&B	25.00		

Fagus sylvatica. European Beech. 75' 3 to 4 ft. B&B 5.00 4.50 3.70 4 to 5 ft. B&B 6.50 5.50 5.00 5 to 6 ft. B&B 8.50 7.50 6.0 6 to 8 ft. B&B 12.50 10.00 9.0 8 to 10 ft. B&B 18.00 15.00 12.5 10 to 12 ft. B&B 25.00 18.00 15.0 12 to 14 ft. B&B 35.00 25.00 14 to 16 ft. B&B 40.00 35.00	00 00 00 00
3 to 4 ft. B&B 5.00 4.50 3.7 4 to 5 ft. B&B 6.50 5.50 5.0 5 to 6 ft. B&B 8.50 7.50 6.0 6 to 8 ft. B&B 12.50 10.00 9.0 8 to 10 ft. B&B 18.00 15.00 12.5 10 to 12 ft. B&B 25.00 18.00 15.0 12 to 14 ft. B&B 35.00 25.00	00 00 00 00
3 to 4 ft. B&B 5.00 4.50 3.7 4 to 5 ft. B&B 6.50 5.50 5.0 5 to 6 ft. B&B 8.50 7.50 6.0 6 to 8 ft. B&B 12.50 10.00 9.0 8 to 10 ft. B&B 18.00 15.00 12.5 10 to 12 ft. B&B 25.00 18.00 15.0 12 to 14 ft. B&B 35.00 25.00	00 00 00 00
5 to 6 ft. B&B 8.50 7.50 6.0 6 to 8 ft. B&B 12.50 10.00 9.0 8 to 10 ft. B&B 18.00 15.00 12.5 10 to 12 ft. B&B 25.00 18.00 15.0 12 to 14 ft. B&B 35.00 25.00	00
6 to 8 ft. B&B 12.50 10.00 9.0 8 to 10 ft. B&B 18.00 15.00 12.5 10 to 12 ft. B&B 25.00 18.00 15.0 12 to 14 ft. B&B 35.00 25.00	00 5 0
8 to 10 ft. B&B 18.00 15.00 12.5 10 to 12 ft. B&B 25.00 18.00 15.0 12 to 14 ft. B&B 35.00 25.00	0
10 to 12 ft. B&B 25.00 18.00 15.0 12 to 14 ft. B&B 35.00 25.00	-
12 to 14 ftB&B 35.00 25.00	00
12 00 11 1000	
14 to 16 ft	
sylvatica fastigiata. Pyramidal Beech. 25'	
12 to 15 ftB&B 50.00	
sylvatica heterophylla. Fernleaf Beech. 25'	
5 to 6 ftB&B 15.00	
6 to 8 ftB&B 20.00	
8 to 10 ftB&B 25.00	
The state of the s	
sylvatica pendula. Weeping Beech. 50'	
12 to 14 ft. B&B 40.00	
14 to 16 ft	
Larger sizes quoted on request.	
sylvatica purpurea. Purple Beech. 75'	
4 to 5 ftB&B 10.00 7.50	
5 to 6 ftB&B 12.50 10.00	
6 to 8 ftB&B 15.00 12.50	
8 to 10 ft B&B 20.00	
10 to 12 ftB&B 25.00	
sylvatica riversi. River's Beech. 75'	
6 to 8 ft	
8 to 10 ft	
10 to 12 ft., 1½ in	
Larger sizes quoted on request.	
Zangor billow quotou our roquest	
Fontanesia fortunei. Fortune Fontanesia. 15'	
	10
	50
	75
6 to 8 ft	10
8 to 10 ft 1.50 1.35 1.2	JU

	1-4	5-24	25 & up
Forsythia europea. Albanian Forsythia	Each	Each	Each
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
		1.00	
	8'	0.5	0.0
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60 .75	.50	.60
4 to 5 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.19
intermedia primulina Primrose F	_		
3 to 4 ft	1.00	85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
intermedia spectabilis. Showy Bore	der F	orsythi	a. 8'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.50	1.35	1.25
ovata. 8'			
2 to 3 ft	.75	.50	.40
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
suspensa. Weeping Forsythia. 6	,		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	50	.45
4 to 5 ft	.75	65	.60
5 to 6 ft	1.00	.80	.75
suspensa atrocaulis. Purple Stem	Forsy	ythia.	6'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
suspensa fortunei. Golden Bell.	8'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90

	1-4 Each	5-24 Each	25 & up Each
Forsythia	Lucii	Lucii	Lucii
suspensa sieboldi. Siebold Forsyth	ia. 8	,	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
viridissima. Greenstem Forsythic	a. 8'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
Fothergilla gardeni. Dwarf Fothergill	a. 3'		
15 to 18 inB&B	2.50	2.00	79.
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	5.00	4.00	
Franklinia (See Gordonia)			
Fraxinus americana. White Ash. 80'			
8 to 10 ft	2.50	2.00	1.75
1½ to 1½ in	3.00	2.50	2.25
1½ to 1¾ in	3.75	3.25	3.00
13/4 to 2 in	4.50	4.00	3.75
2 to 2½ in	6.00	5.50	5.00
2½ to 3 in	8.50	7.50	7.00
excelsior. European Ash. 100'			
8 to 10 ft	2.50	2.00	1.75
11/4 to 11/2 in	3.00	2.50	2.25
1½ to 1¾ in	3.75	3.25	3.00
13/4 to 2 in	4.50	4.00	3.75
2 to 2½ in	6.00	5.50	5.00
2½ to 3 in	8.50	7.50	7.00
lanceolata. Green Ash. 60'			
8 to 10 ft	2.50	2.00	1.75
1½ to 1½ in.	3.00	2.50	2.25
1½ to 1¾ in	3.75	3.25	3.00
13/4 to 2 in	4.50	4.00	3.75
2 to 2½ in	6.00	5.50	5.00
2½ to 3 in	8.50	7.50	7.00
mandshurica. Manchurian Ash. 8	30 '		
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
1½ to 1½ in	4.00	3.25	3.00
1½ to 1¾ in	4.50	3.75	3.50

	1-4 Each	5-24 Each	25 & up Each
Fraxinus	Lucii	Lucii	Lucii
nigra. Black Ash. 80'			
8 to 10 ft	3.50	3.25	3.00
1¼ to 1½ in	4.50	4.00	
pennsylvanica. Red Ash. 60'			
8 to 10 ft	3.50	3.00	2.50
1½ to 1½ in	4.50	4.00	3.50
1½ to 1¾ in	6.00	5.00	4.00
13/4 to 2 in	7.50	6.00	
2 to 2½ in	8.50	7.50	
quadrangulata. Blue Ash. 80'			
6 to 8 ft	3.50		
8 to 10 ft	4.50		
Gaylussacia baccata. Black Huckleberr	u. 3'		
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	4.00	3.50	
Genista juncea. 2'			
15 to 18 in. from pots	.75	.60	.50
pilosa. Silky Leaf Broom. 1'			
4 to 6 in	.75	.60	
sagittalis. Arrowhead Broom. 9"	,		
4 to 6 in	1.00	.75	.60
scoparia. (See Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
, 5 to 4 1t	.00	.00	.50
Ginkgo biloba. Maidenhair Tree. 60'			
6 to 8 ft	3.25	2.75	2.50
8 to 10 ft	3.75	3.25	3.00
11/4 to 11/2 in	4.50	4.25	4.00
1½ to 1¾ in	6.00	5.50	5.00
13/4 to 2 in	7.50	7.00	6.50
2 to 2½ in	10.00	9.50	9.00
	15.00	13.50	12.50
	25.00	20.00	
	30.00	25.00	
biloba fastigiata. Pyramidal Maid		r Tree	. 60'
6 to 8 ft	7.50		
Gleditsia elegantissima. 20'			
4 to 5 ft	3.00	2.50	2.00
5 to 6 ft	3.50	3.00	2.50

Gleditsia	1-4 Each	5-24 Each	25 & up Each
Gledisia			
japonica. Japanese Honeylocust.	40'		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.50	5.00	
sinensis. Chinese Honeylocust. 40	o '		
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	4.00	3.50	3.00
10 to 12 ft	4.50	4.00	3.50
triacanthos. Honey Locust. 60'			
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	3.00	2.75	2.50
1½ to 1½ in	3.50	3.00	2.75
1½ to 1¾ in	4.50	3.50	3.25
13/4 to 2 in	6.50	5.00	
2 to 2½ in	9.00	7.50	
	12.50	10.00	
triacanthos inermis. Thornless Ho		anna t	50 '
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.50	3.25	3.00
1½ to 1¾ in	5.00	4.00	3.75
134 to 2 in	7.50	6.00	3.10
	10.00	250 0.00	
	10.00		
Gordonia alatamaha. 20' 3 to 4 ft	7.50		
	10.00		
2 00 0 20000000000000000000000000000000	12.50		
	17.50		
0 00 0 20000000000000000000000000000000	25.00		
		101	
Gymnocladus dioica. Kentucky Coffee		40' 2.50	2.00
5 to 6 ft	3.00	3.50	3.00
6 to 8 ft	4.00	4.50	4.00
8 to 10 ft	5.00 6.50	5.50	5.00
10 to 12 ft	15.00	12.50	3.00
2 00 0			
Halesia monticola. Mountain Silverbe		0^{\prime} 4.00	
4 to 5 ft	5.00 7.50	6.50	
5 to 6 ft		0.50	
6 to 8 ft	10.00		

62 HENRY KOHANKIE & SO	N 1-4	F 0.4	05.9
	Each	5-24 Each	25 & up Each
Halesia			
tetraptera. Great Silverbell. 15'	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
8 to 10 ft	2.75	2.50	2.00
10 to 12 ft.	4.50	4.00	3.50
	10.00	1.00	0.00
*	15.00		
Hamamelis japonica. Japanese Witch	Hazei	l. 20'	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.25	2.00	
	2.20	2.00	
japonica rubra. 20'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.25	2.00	
mollis. Chinese Witch Hazel. 20) '		
2 to 3 ft	4.00	3.50	
3 to 4 ft	5.00	4.50	
4 to 5 ft	6.00		
vernalis. Vernal Witch Hazel. 6'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.00	1.75
	2.00	2.00	2.10
vernalis tomentella. 6'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft,	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.00	1.75
virginiana. Witch Hazel. 15'			4.5
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Hedera helix. English Ivy. 20'	1-4 Each	5-24 Each	25 & up Each
2 year, 2 in. pots	.35	.25	.20
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35
helix Albany. Albany Ivy.	.00	.10	.00
2 year, 3 in. pots	.40	.30	.25
helix baltica. 15'	.10	.00	.20
2 year, 3 in. pots	.50	.40	.35
helix conglomerata. 10'			
2 year, 3 in. pots	.75	.60	
helix Emerald Gem. 15'			
2 year, 3 in. pots	.75	.60	.50
helix gracilis. Small-leaved Engli	ish Ivy	. 10'	•
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35
helix Hahn's			
2 year, 3 in. pots	.45	.35	.30
3 year, 4 in. pots	.60	.45	.40
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	1.25		
Hibiscus syriacus. Shrub Althea. 12			
•			
double varieties	4.5	0.5	0.0
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft.	1.25	1.00	.90
0 00 10 100 100	15.00		
Ardens—Purple.			
Banner—Blush.			
Jeanne d'Arc—White. Lady Stanley—white, shaded	2000		
Rubra Plena—Red.	rose.		
Speciosa Plena—Pink.			
single varieties.			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	.60
5 to 6 ft.	1.00	.80	.75
Coelestis—Blue.			
Rosea—White, crimson eye.			
Rubis—Red.			
Totus albus—White.			

	1-4 Each	5-24 Each	25 & up Each
Hibiscus	Lacri		20011
variegatus. Variegated leaved Al		8'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
variegatus meehani. Meehan's Van			ea. 6
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Hicoria ovata. Shagbark Hickory. 75			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
Hippophae rhamnoides. Sea-buckthor			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
10 to 12 ft	7.50		
*Hovenia dulcis. Raisintree. 6'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
Hydrangea arborescens. Smooth Hyd	_		4.0
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65 .75	.55 .65	.50
4 to 5 ft			.60
arborescens grandiflora. Snowhill			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
cineria sterilis. Ashy Hydrangea			
2 to 3 ft	.75		
3 to 4 ft	1.00		
opuloides Otaksa. 3'	1 00		
4 year	1.00	.75	.60
opuloides Thos. Hogg. 3'	4 00		
4 year	1.00	.75	.60
paniculata. Panicle Hydrangea.	10'	50	45
2 to 3 ft	.60	.50 .60	.45
3 to 4 ft	.75	.75	.65
	.90	.75	.75
5 to 6 ft	1.00	.60	.15

	1-4	5-24	25 & up
Hydrangea	Each	Each	Each
paniculata grandiflora. Peegee H	ydrang	jea. 1	0'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.75	
3 to 4 ft., tree form	1.50	1.25	
4 to 5 ft., tree form	1.75	1.50	
paniculata praecox. 10'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
petiolaris. Climbing Hydrangea.			
4 inch pots	1.50		
quercifolia. Oakleaf Hydrangea.	4'		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50 c	1.25	
radiata. Silverleaf Hydrangea.	6 '		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
Hypericum arnoldianum. 5'			
18 to 24 in	.75	.60	
2 to 3 ft	.90	.75	
aureum. Golden St. Johnswort.	4"		
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
bucklei. Mountain St. Johnswort.	. 1'		
6 inches	1.00	.75	.60
densiflorum. 5'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
kalmianum. 4'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
lobocarpum. 6'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
moserianum. Goldflower. 2'			
15 to 18 in	.55	.45	.40
18 to 24 in	.65	.55	.50

	1-4 Each	5-24 : Each	25 & up Each
Hypericum	Lucii	Eden.	2 - Y. T
patulum. Japanese Hypericum. 3'	,		
18 to 24 in	.75	.60	.50
patulum henryi. Henry Hypericum	ı. 4'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
prolificum. Shrubby St. Johnswor	t. 5'		
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
Idesia polycarpa. 40'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.25	
Ilex cornuta. Chinese Holly. 10'			
18 to 24 in	3.50		
crenata. Japanese Holly. 10'			
15 in	2.50	2.00	1.50
18 in. B&B	3.00	2.50	2.25
24 in	3.50	3.00	2.75
30 in B&B	5.00	4.00	3.75
36 in B&B	6.50	6.00	5.50
42 in B&B	8.50	7.50	7.00
crenata bullata. 10'			
12 to 15 in	2.50	2.00	1.50
15 to 18 inB&B	3.00	2.50	2.00
18 to 24 inB&B	3.50 - 1	3.00	2.50
24 to 30 in	4.00	3.50	3.00
crenata latifolia. 10'			
18 to 24 inB&B	3.00	2.50	2.25
24 to 30 inB&B	4.00	3.50	3.25
30 to 36 inB&B	5.00	4.50	4.25
36 to 42 inB&B	6.50	5.50	
crenata microphylla. Little Leaf Jag	panese	Holly	. 10'
15 inB&B	2.50	2.25	
18 inB&B	3.50	3.00	
24 inB&B	5.00	4.00	
geniculata. 5'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	

	1-4 Each	5-24 Each	25 & up Each
Ilex			
glabra. Inkberry. 8'	1 55	1.05	
12 to 15 in	1.75 2.25	1.65	
18 to 24 in	2.75	2.00 2.65	1.85 2.50
24 to 30 in	3.50	3.25	3.00
30 to 36 in	5.00	4.00	3.75
36 to 42 in	6.00	5.00	~ 0.10
		3.00	
	6'	0.0	50
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
monticola. Mountain Winterberry.			
3 to 4 ft	1.50		
opaca. American Holly. 40'			
4 ft	7.50	6.00	
5 ftB&B		7.50	6.50
6 ftB&B		12.50	10.00
7 ftB&B	18.00	15.00	12.50
For larger sizes to 12 ft., add \$5	5.00 p	er foot	
serrata. syn. sieboldi. Finetooth H	I alla	12'	•
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
Winter Company	o!		
verticillata. Common Winterberry. 2 to 3 ft	. 60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
	1.00	1.03	1.00
verticillata chrysocarpa.	o.t		
Yellow-fruited Winterberry	. 6' 1.50	1.35	1.25
2 to 3 ft	1.75	1.65	1.50
3 to 4 ft	1.73	1.00	1.50
Indigofera amblyantha. Pink Indigo.	6 '		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
kirilowi. Kirilow Indigo. 4'			
2 ft	2.00	1.75	

	1-4 Each	5-24 Each	25 & up Each
Indigofera			
potanini. Potanin Indigo. 5'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
Itea virginica. Sweetspire. 5'		•	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	.90
Jasminum nudiflorum. Winter Jasmin	ne. 3'		
15 to 18 in	.50	.40	.30
18 to 24 in	:60	.50	.40
12 to 15 in., 2½ in. pots	.75	.60	.50
stephanense. 3'			
2 ft., 4 in. pots	1.25	1.00	.75
Juglans cinerea. Butternut. 75'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
			•
nigra. Black Walnut. 80'	0.50	0.00	1 77
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.00	2.75 3.75	2.50 3.50
1½ to 1¾ in	4.00 5.50		
	•	5.00	4.50
2 to 2½ in	7.50	6.00	
regia. English or Persian Walnut	. 50'		
3 to 4 ft	2.50		
4 to 5 ft.	3.50		
	0.00		
sieboldiana. Japanese Walnut. 5	9 '		
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	4.00	3.75	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.60	

						-
Juniperus	chinensis.	Chinese Ju	unipe	1-4 Each	5-24 Each	25 & up Each
2	ft		- D 8-D	3.50	3.00	2.75
3					4.50	4.00
4				6.50	6.00	5.50
5				8.50	7.50	7.00
6				12.00	10.60	9.00
7				15.00	13.50	12.00
8					17.50	15.00
	larger sizes					
			tuu q	p s .00 <u>k</u>	Je1 1001	**
cniner	isis albovari	egara. Chinese Ju		·. 20'		
			_		0.00	F 00
3					6.00	5.00
4				10.00	8.50	7.50
5				12.50	10.00	
6 7				15.00	12.50	
•					15.00	
For 1	arger sizes	to 10 ft., a	idd {	35.00 r	er foot	;,.
chinen	sis columna					
	Columnar	Chinese Ju	niper	·. 20'		
4	ft	1	B&B	6.50	6.00	5.50
5	ft		8&B	8.50	8.00	7.50
6	ft	1	3&B	12.50	10.00	9.00
7	ft		3&B	15.00	12.50	
8		I		18.00	15.00	
For 1	arger sizes	to 18 ft., a	dd \$	5.00 p	er foot	•
chinen	sis globosa.	Globe Ch	inese	Juni	per. 5'	
18	in	I	3&B	4.00	3.50	
24	in		3&B	5.00	4.00	
36	in	I	3&B	7.50	6.00	
chinen	sis mas. 10)*				
4	ft	. I	3&B	12.50	10.00	
5	ft	I	3&B	15.00	12.50	
chinen	sis neaborie	nsis. Conica	l Ch	inese	Juniper	. 10'
3	ft	. F	3&B	5.50	5.00	
4		.		6.50	6.00	
5	ft	. .	8&B	7.50		
6		.	3&B	10.00		
7		.	8&B	15.00		
8	ft	. E	8&B	18.00		

	1-4 Each	5-24 Each	25 & up
Juniperus	Lucii	Eden	Ederr
chinensis oblonga. 8'			
. 6 ftB&B	10.00		
7 ftB&B	12.50		
chinensis pfitzeriana. Pfitzer's Ju	ıniper	. 6'	
18 to 24 in. spd B&B		2.50	2.25
2 to 2½ ft. spd B&B	3.50	3.00	2.75
2½ to 3 ft. spd. B&B	4.50	3.75	3.50
	5.50	5.00	4.50
3½ to 4 ft. spd B&B		6.50	6.00
4 to 4½ ft. spd B&B			7.50
4½ to 5 ft. spd B&B			10.00
	18.00		12.50
6 to 7 ft. spdB&B			15.00
7 to 8 ft. spd B&B			
8 to 9 ft. spdB&B			
(Upright form can be furnished in			6')
chinensis pfitzeriana compacta. 6		0.75	
18 to 24 in spd		3.75	
24 to 30 in. spd B&B	5.00	4.50	
chinensis sargenti. Sargent Junip			
18 inB&B	3.50	3.00	
24 in	5.00	4.00	
30 in	6.50	5.50	
36 inB&B	9.00	7.50	
chinensis smithi. Smith Chinese .	Junipe	er. 8'	
2 ftB&B	3.50		
3 ftB&B	4.50	4.00	
communis. Common Juniper. 28	5'		
3 ft	4.00	3.50	3.00
4 ft	5.00	4.00	3.75
5 ft	6.50	5.50	5.00
6 ft	7.50	6.50	6.00
	7.00	0.00	0.00
communis dayi. 25'	^		
5 ftB&B	7.50	6.60	
6 ftB&B	10.00	7.50	
communis depressa. Prostrate Ju	niper.	3'	
18 to 24 in. spd B&B	2.75	2.50	2.25
24 to 30 in. spd B&B	3.50	3.00	2.50
2½ to 3 ft. spd B&B	4.50	4.00	3.50
3 to 4 ft. spd B&B	6.50	5.00	4.50
4 to 5 ft. spd	10.00	7,50	6.00

Juniperus	1-4 Each	5-24 Each	25 & up Each
Golden Prostrate Juniper.	3'		
15 to 18 in. spd	3.00	2.50	
18 to 24 in. spd B&B	3.50	3.00	
To to 21 m. spa	0.00	0.00	
communis depressa plumosa.			
Purple Spreading Juniper.	3'		
18 to 24 inB&B	2.75	2.50	2.25
24 to 30 in	3.50	3.00	2.50
2½ to 3 ftB&B	4.50	3.50	3.00
3 to 3½ ftB&B	6.00	5.00	4.50
3½ to 4 ftB&B	7.50	6.50	6.00
4 to 4½ ftB&B	10.00		
communis hibernica. Irish Juniper	r. 15		
2 ftB&B	3.00	2.50	2.25
3 ftB&B	3.50	3.25	3.00
4 ft	5.00	4.50	4.00
5 ft	6.50	5.50	5.00
6 ft	8.50	7.50	6.50
	12.50	9.00	
	15.00	12.50	
9 ft	18.00		
communis kraccovica. Polish Jun	niper.	10'	
2 ftB&B	3.00		
3 ft	4.00		
communis suecica. Swedish Junip	er. 2	25'	
2 ftB&B	3.00	2.75	2.50
3 ftB&B	4.50	4.00	3.75
4 ftB&B	6.50	5.50	5.00
5 ft B&B	9.00	7.50	
communis suecica nana. Dwarf Su	redish.	Junin	er. 6'
2 ft	4.50	4.00	
3 ft	5.50	5.00	
4 ft. B&B	7.50	6.00	
4 It	1.00	0.00	
communis vase-shaped. 10'			
2 to 2½ ftB&B	4.00	3.50	
2½ to 3 ftB&B	5.00	4.50	
3 to 3½ ftB&B	6.50	5.50	

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
conferta. Shore Juniper. 5'			
18 inB&B	4.00	3.50	3.00
2 ftB&B	5.00	4.50	4.00
2½ ft B&B	6.50	5.50	5.00
3 ft B&B	7.50	6.50	
excelsa. Greek Juniper. 50'			
3 ftB&B	5.00	4.00	
4 ftB&B	6.00	5.00	
5 ft B&B	7.50	6.00	
6 ft B&B	10.00	7.50	
excelsa stricta. Spiny Greek Juni	per.	8'	
18 in B&B	3.00	2.50	2.00
2 ftB&B	3.50	3.00	2.50
2½ ft B&B	4.50	3.75	3.25
3 ftB&B		5.00	4.50
3½ ftB&B		7.50	
4 ftB&B		9.00	
4½ ftB&B		11.00	
5 ft			
	18.00	15.00	
6 ft		18.00	
7 ftB&B	25.00		
For larger sizes to 10 ft., add \$5	0.00 p	er foot	
horizontalis. Creeping Juniper.	1'		
18 to 24 in. spd B&B	2.75	2.50	2.25
24 to 30 in. spd B&B	3.50	3.00	2.75
2½ to 3 ft. spd B&B	4.50	4.00	3.75
3 to 3½ ft. spd B&B	6.00	5.00	4.50
horizontalis alpina. 1'			
18 to 24 in. spd	3.50	3.00	
24 to 30 in. spd. B&B	4.50	4.00	
30 to 36 in. spd B&B	5.00	4.50	
horizontalis Bar Harbor. 1'			
15 to 18 in. spd	3.00	2.75	
18 to 24 in. spd	3.50	3.00	
horizontalis glauca. Blue Creepin	g Jun	iper.	1'
18 to 24 in. spd. B&B			2.25
24 to 30 in. spd. B&B		3.00	2.75
2½ to 3 ft. spd. B&B	4.50	4.00	3.75
3 to 3½ ft. spdB&B	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus	Lucii	Euch	Each
japonica. Japanese Juniper. 8'			
18 inB&B	3.00	2.75	2.50
2 ftB&B	4.00	3.75	3.50
3 ft	5.50	5.00	4.50
4 ft. B&B	8.50	7.50	1.00
2 200	10.00	1.00	
japonica aurea. Golden Japanese	Junip	er. 8'	
18 inB&B	3.50	3.00	
2 ft	4.50	4.00	
3 ft	6.00	2.00	
recurva. Himalayan Juniper. 30			
2 ftB&B			
3 ft	3.50 5.00		
	3.00		
rigida. Needle Juniper. 30'			
2 ftB&B	5.00	4.00	
3 ftB&B	6.00	5.00	
	7.50	6.00	
	10.00		
sabina. Savin Juniper. 6'			
18 to 24 in. spd B&B	3.50	3.00	2.75
2 to 2½ ft. spd B&B	3.50	3.00	2.75
2½ to 3 ft. spd B&B	4.50	4.00	3.75
3 to 3½ ft. spd B&B		5.00	4.50
3½ to 4 ft. spd. B&B	7.50	6.00	5.50
_	10.00	8.50	7.50
	15.00	12.50	1.30
272,00 0 200 200000			
sabina tamariscifolia. Tamarix So			
18 to 24 in. spd B&B		3.00	2.75
24 to 30 in. spd B&B	4.50	4.00	3.75
2½ to 3 ft. spd B&B	6.00	5.50	5.00
3 to 3½ ft. spdB&B	8.50	7.50	7.00
3½ to 4 ft. spd. B&B	15.00	12.50	
sabina Von Ehron. 10'			
24 to 30 in. spd B&B	4.50	4.00	
-	6.00	5.50	
36 to 42 in. spd B&B	8.50	7.50	
_	12.50	10.00	
LE TO TO III SPATE		20.00	

	1-4 Each	5-24 Each	25 & up
Juniperus			
scopulorum. Colorado Juniper. A	40'		
3 ftB&B	4.50	4.25	
4 ftB&B	6.00	5.50	
5 ftB&B	7.50	6.50	
6 ft	10.00	8.50	
sphaerica.			
3 ft	4.50	4.00	
4 ft	6.50	5.00	
5 ft	8.50		
	•	21	
squamata. Japanese Trailing Jun	5.00	<i>3'</i> 4.50	
2 to 2½ ft. spdB&B	5.00	4.00	
squamata meyeri. Meyer Juniper.	4'	_	
18 to 24 inB&B	3.50	□ 3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
2½ to 3 ftB&B	6.00	5.00	4.50
3 to 3½ ftB&B	7.50	6.00	5.50
virginiana. Red Cedar. 40'			
2 ft	3.00	2.75	2.50
3 ft	4.00	3.50	3.00
4 ft	6.00	5.00	4.50
5 ft	7.50	6.50	6.00
6 ft	10.00	8.50	7.50
	12.50	10.00	9.00
	18.00	15.00	
9 ftB&B	20.00	18.00	15.00
10 ft	25.00	22.50	18.50
For larger sizes to 20 ft., add \$5.0	0 per	foot.	
virginiana burki. Syn. virginiana	venus	ia.	
virginiana cannarti. Cannart Red	Cede	ır. 15	,
3 ftB&B	6.00	5.00	4.50
4 ft	7.50	6.00	5.50
	10.00	8.50	7.50
6 ftB&B	12.50	10.00	9.00
7 ft	18.00	15.00	12.59
8 ftB&B	22.50	18.00	15.00
9 ftB&B	25.00	22.50	18.50
10 ftB&B	30.00	27.50	22.50

For larger sizes to 18 ft., add \$5.00 per foot.

Juniperus	1-4 Each	5-24 Each	25 & up Each
-		~ .	
virginiana elegantissima. Goldtip			15'
2 ftB&B	4.50	4.00	3.75
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.00	
5 ftB&B			
6 ftB&B			
For larger sizes to 12 ft., add \$5.0	00 per	foot.	
virginiana glauca. Silver Red Ce	dar.	25'	
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.00	5.50
5 ftB&B	10.00	8.50	7.50
6 ftB&B	15.00	12.50	
7 ftB&B	18.00	15 00	
8 ftB&B	22.50	18.00	
For larger sizes to 18 ft., add \$5.0	00 per	foot.	
virginiana globosa. Globe Red Ce	dar.	4'	
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	5.00	4.50	4.00
3 to 3½ ftB&B	6.00	5.50	5.00
3½ to 4 ftB&B	7.50	6.50	
virginiana keteleeri. 15'			
2 ftB&B	4.50	4.00	3.50
3 ftB&B	5.50	5.00	4.50
4 ftB&B	8.50	7.50	6.00
5 ftB&B	12.50	10.00	
6 ftB&B	15.00	12.50	
7 ftB&B	18.00	15.00	
For larger sizes to 12 ft., add \$	5.00 p	er foot	•
virginiana kosteri. Koster Red Co	edar.	4'	
2 to 2½ ft. spdB&B	3.50	3.00	2.75
2½ to 3 ft. spdB&B	4.50	4.00	3.50
3 to 3½ ft. spdB&B	6.00	5.00	4.50
3½ to 4 ft. spdB&B	7.50	6.50	6.00
4 to 4½ ft. spdB&B	11.00	8.50	7.50
4½ to 5 ft. spdB&B	15.00	12.50	
5 to 6 ft. spd B&B	18.00		
virginiana pendula. Weeping Red	d Cede	ar. 15'	
	12.50		
5 ftB&B	15.00		

For larger sizes to 12 ft., add \$5.00 per foot.

1-4 5-24 Each Each	
Juniperus	
virginiana plumosa. Plume Red Cedar. 15'	
6 ft	
7 ft	
0 200 111111111111111111111111111111111	
virginiana schotti. Schott Red Cedar. 15'	
3 ftB&B 6.00 5.0	0 4.50
4 ftB&B 7.50 @ 6.0	
5 ft	
6 ftB&B 12.50 10.0	0 9.00
7 ftB&B 18.00 15.0	
For larger sizes to 18 ft., add \$5.00 per for	
virginiana tripartita. Fountain Red Cedar.	
2 ft	-
2½ ft	
3 ft	
3½ ftB&B 10.00 9.0	
4 AftB&B 12.50 10.0	0
virginiana venusta. 15'	
2 ftB&B 4.50 4.0	0 3.75
3 ftB&B 6.00 5.0	0 4.50
4 ftB&B 7.50 6.0	0 5.50
5 ftB&B 10.00 8.5	0
6 ftB&B 15.00 12.5	0 .
7 ft	0
8 ft	
For larger sizes to 12 ft., add \$5.00 per for	ot.
Kalmia latifolia. Mountain Laurel. 6'	
18 to 24 inB&B 3.00 © 2.7	5 2.50
2 to 3 ftB&B 4.50 4.0	0 3.75
3 to 4 ftB&B 6.00 5.5	5.00
Kerria japonica. Kerria. 4'	
18 to 24 in	0 .45
2 to 3 ft	.60
japonica florepleno. Double Kerria. 4'	
18 to 24 in 1.00 .7	5 .
2 to 3 ft 1.25 1.0	0
Koelreuteria paniculata. Goldenrain Tree. 25'	
4 to 5 ft 1.75 1.5	0 1.25
5 to 6 ft	5 2.00
6 to 8 ft 4.00 3.5	0 3.00
8 to 10 ft 5.00 4.5	0 4.00
10 to 12 ft 7.50 6.0	0

	1-4 Each	5-24 Each	25 & up Each
	8'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	○ 1.00	.90
5 to 6 ft	1.50	1.25	1.10
6 to 8 ft	1.75	1.50	
*Laburnum alpinum. Scotch Laburnu		0'	
4 to 5 ftB&B	5.00		
5 to 6 ft	6.00		
6 to 8 ft. heavy B&B			
8 to 10 ft. heavy			
10 to 12 ft. heavyB&B	35.00		•
vossi. 20'			
8 to 10 ftB&B			
10 to 12 ftB&B	25.00		
*vulgare. Goldenchain. 20'			
4 to 5 ftB&B	4.00		
5 to 6 ftB&B	5.00		
6 to 8 ft. heavyB&B	15.00		
8 to 10 ft. heavy B&B	20.00		
10 to 12 ft. heavy	30.00		
Lagerstroemia indica rubra. Red Cra	ретуг	tle. 1	2'
18 to 24 in. from pots	1.50	1.25	
Larix europea. European Larch. 60'			
3 to 4 ftB&B	5.00	4.00	
4 to 5 ftB&B	6.00	5.50	5.00
5 to 6 ftB&B	7.50	6.50	6.00
6 to 8 ftB&B	10.00	8.00	7.50
8 to 10 ft	12.50	10.00	9.00
laricina. American Larch. 50'			
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
10 to 12 ftB&B	25.00		
leptolepis. Japanese Larch. 50'			
3 to 4 ftB&B	5.00	4.00	
4 to 5 ftB&B	6.00	5.50	
5 to 6 ftB&B	7.50	6.50	
6 to 8 ftB&B	10.00	8.00	7.50
8 to 10 ftB&B	12.50	10.00	9.00
10 to 12 ftB&B		20.00	
12 to 14 ft			

Laurocerasus officinalis schipkaensis.	1-4 Each	5-24 Each	25 & up Each
12 to 15 in., 4 in. pots	1.25	1.00	
18 to 24 in	2.00	1.50	1.25
24 to 30 in	2.50	2.00	1.20
		2.00	
Lespedeza bicolor. Shrub Bushclover.	6'		4.0
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
formosa syn. penduliflorum. Pur	ple Bu	shclov	er. 4'
2 year	.60	.50	.40
3 year	.75	.60	.50
formosa albiflora. Japanese Bus	hclove	r. 5'	
2 year	.75	.60	.50
Leucothoe catesbaei. Drooping Leucot		4'	
15 to 18 in		2.25	2.00
18 to 24 in	3.50	3.00	2.50
24 to 30 inB&B	5.00		
Libocedrus decurrens. Incense Cedar			
18 to 24 in	3.00	2.50	
24 to 30 inB&B	4.00	3.00	
3 to 3½ ftB&B	5.00	4.50	
4 to 5 ftB&B	7.50		
Ligustrum acuminatum. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
acuminatum macrocarpum. Bigbe	erry P	rivet.	10'
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
amurense. Amur Privet. 15'			
18 to 24 in	.25	.18	.15
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
ibolium. Ibolium Privet. 8'			
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.45	.40

	1-4 Each	5-24 Each	25 & up Each
Ligustrum			
ibota. Ibota Privet. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.65	.55	.50
ibota nanum. Pygmy Privet. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
ibota regelianum. Regel Privet.	6 '		
18 to 24 in. spd	.45	.35	.30
24 to 30 in. spd	.60	.50	.45
2½ to 3 ft. spd	.75	.65	.55
3 to 4 ft. spd	1.25	1.00	
4 to 5 ft. spd	1.75	1.50	
lodense. Dwarf Privet. 3'			
12 to 15 in	.40	.35	.30
15 to 18 in	.50	.45	.40
18 to 24 in.	.65	.55	.50
24 to 30 in	.75	.65	.60
	10'		
18 to 24 in	.20	.10	.08
24 to 30 in	.25	.12	.10
ovalifolium variegatum. Golden I	Prinet	10'	
18 to 24 in	.50	.40	.35
24 to 30 in	.55	.45	.40
3 to 4 ft	.65	.55	.50
vulgare. European Privet. 12'	.00	.00	.00
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.65	.60
	.10	.00	.00
vulgare foliosum. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
vulgare leucocarpum. Yellowberry	Prive	et. 12	,
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.75	

Lindera benzoin. (See Benzoin aestivale).

	1-4 Each	5-24 Each	25 & up Each
*Liquidambar formosana. Formosa			
8 to 10 ft	. 10.00		
10 to 12 ft	. 15.00		
*styraciflua. Sweetgum. 60'			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft		3.25	3.00
1½ to 1½ in	4.50	4.00	3.50
1½ to 1¾ in		4.50	4.00
13/4 to 2 in	6.00	5.50	5.00
2 to 2½ in.	. 7.50	6.50	6.00
2½ to 3 in	. 15.00	12.50	10.00
3 to 3½ in	. 20.00	15.00	
4 to 5 in	. 35.00	30.00	
5 to 6 in	50.00		
*styraciflua aurea. Golden Swee	etgum.	60'	
8 to 10 ft	10.00		
1½ to 1¾ in.			
13/4 to 2 in			
		ee. 70'	
*Liriodendron chinense. Chinese Tr		e. 70	
5 to 6 ft			
2 40 0 241111111111111111111111111111111	. 10.00		
*tulipifera. Tuliptree. 80'			
6 to 8 ft		1.75	1.50
8 to 10 ft		2.25	2.00
1¼ to 1½ in		3.00	2.75
1½ to 1¾ in		3.75	3.50
13/4 to 2 in		5.00	4.50
2 to 2½ in		6.00	5.50
2½ to 3 in		10.00	
3 to 3½ in		15.00	
3½ to 4 in		18.00	
4 to 5 in			
*tulipifera pyramidale. Pyramic	d Tulipt	ree. 70) '
6 to 8 ft		6.50	
8 to 10 ft		8.50	
1½ to 1¾ in			
2 to 2½ in			
2½ to 3 in			
3 to 3½ in	30.00		
Lonicera alseuosmoides.			
2 year	75	.60	.50

Lonicera.	1-4 Each	5-24 Each	25 & up Each
bella albida. White Belle Honeysu	ckle.	10'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
	10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
billardi. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
browni plantierensis. Orange Hon	eysuc	kle.	<i>,</i> *
2 year	.60	.50	.40
3 year	.75	.60	
caprifolium. Sweet Honeysuckle.	10'		
2 year	.60	.50	.40
chrysantha. Coralline Honeysuckle	. 10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
conjugialis. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
dioica. Limber Honeysuckle. 10'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
fragrantissima. Winter Honeysuck	cle. 8	3"	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
fuchsioides.			
2 year	.75	.65	.60

L

	1-4 Each	5-24 Each	25 & up Each
onicera			
gracilipes. Spangled Honeysuckle.	<i>6'</i>		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
heckrotti. Everblooming Honeysus	ckle.	15'	
2 year	.60	.50	.40
henryi. Henry Honeysuckle. 15'			
2 year	.75	.60	.50
hirsuta. Hairy Honeysuckle. 15'			
2 year	.60	.50	
3 year	.75	.60	
	15'		
2 year	.40	.30	.22
3 year	.50	.35	.25
japonica halleana. Hall Japanese			
2 year	.40	ysuckie.30	.22
3 year	.50	.35	.25
· · · · · · · · · · · · · · · · · · ·	.00	.00	.20
japonica reticulata aurea.	,		
Yellow Japanese Honeysuck			.30
2 year	.50	.40	.50
kesselringi. Black fruited Honeys	uckle.	10'	
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
koehneana. 12'			
2 to 3 ft	.75		
3 to 4 ft	1.00		
	2100		
korolkowi floribunda.			
Broad Blueleaf Honeysuckl			
2 to 3 ft	.75	.60	
3 to 4 ft	.90	.75	
ledebouri. 10'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.80	
6 to 8 ft	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Lonicera.	7.1	o.*	
maacki podocarpa. Late Honeysuc		8'	
3 to 4 ft	.60	.50	
4 to 5 ft	.75 1.00	.65 .80	
5 to 6 ft		.00	
morrowi. Morrow Honeysuckle. 8		0.5	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
morrowi. (Yellow Fruited). 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
muendeniensis. Muenden Honeysu	ıckle.	8'	
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
nitida. 3'			
6 to 12 in	.60	.50	.40
	77 *	1 -1	
periclymenum belgica. Dutch Woo			40
2 year	.55	.45	.40
3 year	.65	.55	.50
pileata. Privet Honeysuckle. 2'			
6 to 12 in	.75	.60	.50
nnolifona com cullimenti Casa H	000 00100	ualela	5 '
prolifera syn. sullivanti. Grape H	0neys 0 . 60	.50	.45
5 year	.00	.50	.10
quinquelocularis. Mistletoe Honey		e. 10'	
5 to 6 ft	1.00		
6 to 8 ft	1.25		
ruprechtiana. Manchurian Honeys	suckle.	. 10'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
saccata. 6'			
	5.5	.45	.40
	.55	.55	.50
	.65		.60
4 to 5 ft	.75	.65	.00

	1-4 Each	5-24 Fach	25 & up
Lonicera	Edch	Edch	Edch
sempervirens. Trumpet Honeysu	ckle.	<i>15</i> ′	
2 year	.45	.35	.30
3 year	.60	.50	.40
spinosa alberti. Thorn Honeysuc.	kle. 2	,	
12 to 15 in	.45	.35	.30
15 to 18 in	.55	.45	.40
18 to 24 in	.75	.60	.55
standishi. 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
0 10 0 11	1.00	.00	
syringantha. Lilac Honeysuckle.	4'		
15 to 18 in., 4 in. pots	1.25	1.00	
2 to 3 ft., field grown	1.50	1.35	1.25
syringantha wolfi. Wolf Honeysi	ickle.	6'	
15 to 18 in., 4 in. pots	1.25	1.00	
2 to 3 ft., field grown	1.75	1.50	
, ,			
tatarica. Red Tatarian Honeysuc			20
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	
tatarica alba. White Tatarian H	Ioneys	uckle.	10'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
tatarica grandiflora. Pink Tataria	n Hon	eysuck	le. 10'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	. 1.25	1.00	.90
tatarica lutea. Yellow Tatarian	Honey	suckle.	10'
2 to 3 ft	.60	.50	
3 to 4 ft	.75		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
tatarica siberica. Siberian Honeys	suckle.	10'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
tellmanniana.			
	1.00	.90	
thibetica. Tibetan Honeysuckle.	•		
2 year	1.50	1.25	
verna. 5'			
2 year	.60	.50	.40
virginalis alba. Maiden Honeysuc	kle. 1	0'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
xylosteum. Fly Honeysuckle. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
Lycium chinense. Chinese Matrimony	Vine.	. 5'	
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.35	
halimifolium. Common Matrimony	Vine.	6 '	
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.35	
Lyonia ligustrina. He-Huckleberry. 12	2'		
24 to 30 in		2.25	
Maackia amurensis. Amur Maackia.	40'		
2 to 3 ft	1.75		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
Maclura pomifera. Osage-orange. 30'			
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.50	

					1-4	5-24	25 & up
			C 1	/III	Each	Each	Each
Magnolia			Cucumbe		4.00	3.00	
5					6.00	5.00	
6					10.00	÷ 7.50	
8	to 1				12.50	10.00	
10	to 1				15.00	12.50	
conspi		Yula		. D&D	10.00	12.50	
conspi			30	B&B	12.50		
5					15.00		
6	• •						
8	to 1				25.00		
ŭ				50'	23.00		
iraseri 6			Magnolia.		15.00		
8	to 1				20.00		
	-						
-	-	_	niana. Su	U			
2						2.50	
3	••				4.00	<i>⅓</i> 3.50	3.00
4					6.50	5.00	4.50
5	to				8.50		6.00
6	to				12.50	11.50	10.00
8	to 1				17.50	15.00	12.50
10	to 1	2 ft.		. B&B	22.50	17.50	15.00
hypole	euca.	Silv	er Magnol	ia. 50'	•		
4	to 5	ft		.B&B	10.00	7.50	
5	to 6	ft		B&B	12.50	10.00	
6	to 8	ft		.B&B	15.00	12.50	
8	to 10	ft		.B&B	20.00	17.50	
10	to 12	ft		.B&B	25.00	20.00	
kobus	. 30'						
4	to	5 ft		B&B	7.50	6.00	5.00
5	to	6 ft		B&B	10.00	8.00	7.00
6	to				15.00	12.50	10.00
8	to 1	0 ft		. B&B	17.50	15.00	12.50
8	to 1		spec				
	La		sizes quote				
lennei				20'			
3				. B&B	7.50		
4	to	5 ft.		. B&B	10.00		
5	to	6 ft		. B&B	12.50		
6	to				17.50		
8	to 1	0 ft		B&B	25.00		

PAINESVILLE,	OHIO		8/
	1-4	5-24	25 & up
Magnolia	Each	Each	Each
macrophylla. Large-leaved	Cucumhorat	ree 50'	
8 to 10 ft			
10 to 12 ft			
parviflora. Oyama Magnol			•
3 to 4 ft			
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			
salicifolia. Anise Magnolia	. 30'		
8 to 10 ft			
10 to 12 ft			
soulangeana. Saucer Magr			
4 to 5 ft			
5 to 6 ft			*
6 to 8 ft			
8 to 10 ft. spec			
soulangeana nigra. 20'	. 202 00.00		
6 to 8 ft	B&B 25.00		
0 00 0 10	. Docb 20.00		
stellata. Star Magnolia. 8	,		
2 to 3 ft	B&B 7.50		
3 to 4 ft	.B&B 10.00)	
4 to 5 ft	B&B 12.50	J	
stellata rosea. Pinkstar M	a amalia 15	,	
2 to 3 ft	0		
3 to 4 ft			
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			
tripetala. Umbrella Magno		0.70	
5 to 6 ft			
6 to 8 ft			
8 to 10 ft	B&B 12.50		
10 to 12 ft	D%B 13.00	12.50	
virginiana. (See glauca)			
Mahonia aquifolium. Oregon	Holly grape.	5'	
18 to 24 in	B&B 2.75	2.50	2.25
24 to 30 in			2.75
30 to 36 in		3.50	3.25

	1-4 Each	5-24 Each	25 & up
Mahonia	Edcn	Edcri	Eden
repens. Creeping Mahonia. 1'			
12 to 15 inB&B	2.50	2.25	2.00
15 to 18 inB&B	3.00	2.75	2.25
18 to 24 inB&B	4.00	3.50	
Malus adstringens. 12'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
angustifolia. Southern Crab. 25'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
arnoldiana. Arnold Crab. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
baccata. Siberian Crab. 30'	• • • •	• • • • • • • • • • • • • • • • • • • •	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
2 00 0 200	2.00	1.75	1.50
	3.50		2.50
• • • • • • • • • • • • • • • • • • • •			
8 to 10 ft	5.00	4.00	3.50
	10.00	7.50	
baccata mandshurica. Manchurian			1.05
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
brevipes. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
coronaria. Wild Sweet Crab. 30			
3 to 4 ft	1.50		1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Malus			
coronaria Charlotte. 15'	1 25	1 50	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft 8 to 10 ft	3.50	3.00 4.00	
0 00 10 200	5.00	7.50	
	10.00	7.50	
dolga. 15'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	1.75	
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
Elisa Rathke. Weeping Flg. Appl	e. 8'		
3 to 4 ft. spread	3.00		
4 to 5 ft. spread	4.00		
5 to 6 ft. spread	5.00		
6 to 8 ft. spread	6.00		
	0100		
florentina. Florentine Crab. 20'			
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
floribunda. Japanese Flowering C	Crab.	20'	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
floribunda atrosanguinea. Carmin	e Cre	ab. 20	r'
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	
8 to 10 ft. spec	20.00		
floribunda lemoinei. 15'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
4 10 5 11	2.00	1.75	

					1-4 ach	5-24 Each	25 & up
Malus					.ucri	Eden	Eden
fusca.	Or	ego	n Crab. 20'				
4	to	5 f	t	1	1.75	1.50	
5	to	6 f	t .	2	2.50	2.00	
6	to	8 f	t .	3	3.50	3.00	
8	to 1	0 f	t	8	5.00	4.00	
glauce	scen	5.	Dunbar Crab. 1	2'			
3	to	4 f	t .	:	1.50	1.25	1.00
4	to	5 f	t .		2.00	1.75	1.50
5	to	6 f	t .		2.50	2.25	2.00
6	to	8 f	t [.]		3.50	3.00	2.50
8	to 1	0 f	t .		5.00	4.50	
hallian	ıa.	Ha	ll Crab. 15'				
5	to	6 f	t .	(3.00		
6	to	8 f	t .	/	7.50		
8	to 1	0 f	t .	10	0.00		
hallian	na pa	rkı	mani. Parkman	Crab	. 15	,	
3	to	4 f	t.		1.75	1.50	1.25
4	to		t		2.25	2.00	1.75
5	to	6 f	t .		3.50	3.00	2.50
6	to		t .		4.50	4.00	3.50
8	to 1	0 f	t	(6.00	5.00	
10	to 1	2 f	t .	10	0.00	7.50	
hopa.	Rec	d F	lowering Crab.	12'			
4	to	5 f	t		1.75	ं 1.50	
5	to	6 f	t		2.50	7-2.00	
6	to	8 f	t		3.50	3.00	
8	to 1	0 1	t		6.00	5.00	
ioensis	s. <i>F</i>	rai	rie Crab. 25'				
3	to	4 f	t		1.75	1.50	1.25
4	to		t		2.00	1.75	1.50
5	to		t		3.00	2.50	2.00
6	to		t		4.00	3.50	
8	to 1		t		6.00	5.00	
ioensis	bec				,		
3	to	4 f	t.		1.75	1.50	1.25
4	to		t			1.75	1.50
5	to		t		3.00	2.50	2.00
6	to		t		4.00	3.50	3.00
8			t		6.00	5.00	4.50
10	to 1	2 f	t	1	0.00	7.50	

	1-4 Each	5-24 Each	25 & up
Malus			
micromalus. Midget Crab. 10'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
niedzwetzkyana. Redvein Crab.	20'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	4.00
Oekonemurat Echtermeyer. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.00	3.50
8 to 10 ft	6.00	5.00	
purpurea. Purple Crab. 15'	*		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
purpurea aldenhamensis. 15'			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
purpurea eleyi. Eley Flowering	Crab.	15 '	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	4.00
prunifolia rinki. Chinese Apple.	. 15'		
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	10.00	7.50	

			11.	
		1-4 Each	5-24 Each	25 & up Each
Malus				
robusta.	Cherry Crab. 15'			
3 to	4 ft	1.75	1.50	1.25
4 to	5 ft	2.00	1.75	1.50
5 to	6 ft	3.00	2.50	2.00
6 to	8 ft	4.00	3.50	3.00
8 to	10 ft	5.00	4.50	4.00
robusta	fastigiata. 15'			
3 to	4 ft	1.75	1.50	1.25
4 to	5 ft	2.00	1.75	1.50
5 to	6 ft	3.00	2.50	2.00
6 to	8 ft	4.00	3.50	3.00
8 to	10 ft	5.00	4.50	
	persicifolia. 12'	2.00	1.75	
4 to 5 to	5 ft	3.00	2.50	
6 to	6 ft	4.00	3.50	
8 to		5.00	4.50	
0 10		5.00	4.50	
sargenti.	Sargent Crab. 6'			
3 to	4 ft	2.00	1.75	1.50
4 to	5 ft	2.50	2.00	1.75
5 to	6 ft	3.00	2.75	2.50
6 to	8 ft.	4.00	3.50	
scheideck	eri. Scheidecker Crab.	20'		
	4 ft	1.75	1.50	1.25
4 to	5 ft.	2.00	1.75	1.50
5 to	6 ft	2.50	2.25	2100
6 to	8 ft	4.00	3.50	
sieboldi.	Toringo Crab. 15'	4 = 0	4.0.	1 00
3 to	4 ft	1.50	1.25	1.00
4 to	5 ft	1.75	1.50	1.25
5 to	6 ft	2.00	1.75	1.60
6 to	8 ft	3.00	2.75	2.50
8 to 10 to	10 ft	5.00	4.50 7.50	4.00
10 to	12 ft	10.00	7.50	
spectabil	is. Chinese Flowering Co	rab.	15'	
3 to	4 ft	1.50	1.25	
4 to	5 ft	1.75	1.50	
5 to	6 ft	2.50	2.00	
6 to	8 ft	3.50	3.00	2.75
8 to	10 ft	5.00	4.50	4.00

Malus	1-4	5-24	25 & up
spectabilis alba plena. Dbl. White	Each Chine	Each $ese\ Cra$	Each b . $15'$
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
sublobata. Yellow Autumn Crab.	12'		
4 to 5 ft	2.00		
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
theifera. Tea Crab. 20'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.75	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
theifera rosea. 20'			
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.50
10 to 12 ft	10.00	7.50	
toringoides. Cutleaf Crab. 15'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50		
8 to 10 ft	5.00		
tschonoski. 20'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
yunnanensis veitchi. 25'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
zumi. Zumi Crab. 12'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	

Malus Zumi calocarpa. 15' 4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.50 2.00 1.50 6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.50 4.50 4.50 4.50 4.50 8 to 10 ft. 5.00 4.50 4		1-4	5-24	25 & up
## 4 to 5 ft.	Malus	Each	Each	Eden
5 to 6 ft. 2.50 2.00 1.50 6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.50 Morus alba pendula. Weeping Mulberry. 10' 3 yr. heads, 5 to 7 ft. stems 3.00 2.75 alba tatarica. Russian Mulberry. 60' 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .90 8 to 10 ft. 1.75 1.50 1.25 1½ to 1¾ in. 2.50 2.00 1.75 1¾ to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in. 85 .70 .60 24 to 30 in. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in. 85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6'	zumi calocarpa. 15'			
## Action 10 ft.	4 to 5 ft	1.75	1.50	1.25
S to 10 ft. 5.00 4.50	5 to 6 ft	2.50	2.00	1.50
Morus alba pendula. Weeping Mulberry. 10' 3 yr. heads, 5 to 7 ft. stems 3.00 2.75 alba tatarica. Russian Mulberry. 60' 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .90 8 to 10 ft. 1.75 1.50 1.25 1.42 to 134 in. 2.50 2.00 1.75 134 to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in. .85 .70 .60 24 to 30 in. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in. .85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy B&B 6.00 5.00 4 to 5 ft. heavy B&B 2.50 2.00 1.75 2 to 3 ft. B&B 2.50 2.00 1.75 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50 1.50 1.50 Newiusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50 1.50 1.50	6 to 8 ft	3.50	3.00	2.50
alba tatarica. Russian Mulberry. 60' 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .90 8 to 10 ft. 1.75 1.50 1.25 1½ to 1¾ in. 2.50 2.00 1.75 1¾ to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in. 85 .70 .60 24 to 30 in. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy B&B 6.00 5.00 4 to 5 ft. heavy B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.00 .75 5 6.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6'	8 to 10 ft	5.00	4.50	
alba tatarica. Russian Mulberry. 60' 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .90 8 to 10 ft. 1.75 1.50 1.25 1½ to 1¾ in. 2.50 2.00 1.75 1¾ to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in. 85 .70 .60 24 to 30 in. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy B&B 6.00 5.00 4 to 5 ft. heavy B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.00 .75 5 6.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6'	Morus alba pendula. Weeping Mulbe	rry.	10'	
5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .90 8 to 10 ft. 1.75 1.50 1.25 1½ to 1¾ in. 2.50 2.00 1.75 1¾ to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in. 85 .70 .60 24 to 30 in. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy B&B 6.00 5.00 4 to 5 ft. heavy B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50	3 yr. heads, 5 to 7 ft. stems	3.00	2.75	
6 to 8 ft. 1.25 1.00 .90 8 to 10 ft. 1.75 1.50 1.25 11½ to 1¾ in. 2.50 2.00 1.75 13¾ to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in85 .70 .60 24 to 30 in. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy B&B 6.00 5.00 4 to 5 ft. heavy B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6'	alba tatarica. Russian Mulberry.	60'		
6 to 8 ft. 1.25 1.00 .90 8 to 10 ft. 1.75 1.50 1.25 1½ to 1¾ in. 2.50 2.00 1.75 1¾ to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in85 .70 .60 24 to 30 in. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy .8&B 6.00 5.00 4 to 5 ft. heavy .8&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in8&B 2.50 2.00 1.75 2 to 3 ft8&B 2.50 Nandina domestica. Nandina. 8' 18 to 24 in8&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50		1.00	.75	.60
1½ to 1¾ in. 2.50 2.00 1.75 1¾ to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in		1.25	1.00	.90
1¾ to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in	8 to 10 ft	1.75	1.50	1.25
1¾ to 2 in. 3.50 3.00 2.50 2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in	1½ to 1¾ in	2.50	2.00	1.75
2 to 2½ in. 5.00 4.00 Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in. .85 .70 .60 24 to 30 in. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in. .85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy. B&B 6.00 5.00 4 to 5 ft. heavy. B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	13/4 to 2 in	3.50	3.00	2.50
Myrica carolinensis. Northern Bayberry. 5' 18 to 24 in.		5.00	4.00	
18 to 24 in		rru.	5 ′	
24 to 30 in. 1.00 .90 .80 3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in		_		.60
3 to 4 ft. 1.50 1.25 1.00 cerifera. Southern Waxmyrtle. 5' 18 to 24 in. .85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy B&B 6.00 5.00 4 to 5 ft. heavy B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Sinensis. Tube Neillia. 6' 2 to 3 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50				
cerifera. Southern Waxmyrtle. 5' 18 to 24 in. .85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy B&B 6.00 5.00 4 to 5 ft. heavy B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 .60 3 to 4 ft. 1.50 1.25 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 .4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 2 to 3 ft. 2.50 Neviusia alabamensis.				
18 to 24 in. .85 .70 .60 2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy B&B 6.00 5.00 4 to 5 ft. heavy B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Sinensis. Tube Neillia. 6' 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50				
2 to 3 ft. 1.00 .90 .80 3 to 4 ft. heavy			70	60
3 to 4 ft. heavy B&B 6.00 5.00 4 to 5 ft. heavy B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 2.50				
4 to 5 ft. heavy B&B 7.50 6.00 gale. Sweetgale. 4' 18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50				.00
gale. Sweetgale. 4' 18 to 24 in				
18 to 24 in. B&B 2.50 2.00 1.75 2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50		*****	0.00	
2 to 3 ft. B&B 3.00 2.50 Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50		2.50	2.00	1 75
Nandina domestica. Nandina. 8' 18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 4 to 5 ft. 1.50 1.25 1.00 1.50 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50				1.70
18 to 24 in. B&B 2.50 Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 4 to 5 ft. 1.50 1.25 1.00 1.50 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	2 00 0 20000000000000000000000000000000	3.00	2.00	
Neillia longeracemosa. 10' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50				
2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	18 to 24 inB&B	2.50		
3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	Neillia longeracemosa. 10'			
4 to 5 ft. 1.50 1.25 1.00 sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	2 to 3 ft	1.00	.75	.60
sinensis. Tube Neillia. 6' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	3 to 4 ft	1.25	1.00	.75
2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	4 to 5 ft	1.50	1.25	1.00
3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	sinensis. Tube Neillia. 6'			
4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	2 to 3 ft	1.00	.75	.60
4 to 5 ft. 1.50 1.25 1.00 Nemopanthus mucronatus. Mountain Holly. 10' 2 to 3 ft. 2.50 Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft. 1.50	3 to 4 ft	1.25	1.00	.75
2 to 3 ft		1.50	1.25	1.00
2 to 3 ft	Nemopanthus mucronatus. Mountain	Holla	10'	
Neviusia alabamensis. Snow-wreath. 6' 2 to 3 ft			. 10	
2 to 3 ft				
2 to 4 ft 2.00	10 11 11 11 11 11 11 11 11 11 11 11 11 1			
	3 to 4 ft	2.00		

	1-4 Each	5-24 Each	25 & up Each
*Nyssa aquatica. Big Tupelo. 40'			
3 to 4 ft			•
4 to 5 ft	4.50		
*sylvatica. Tupelo. 40'			
3 to 4 ft		2.75	2.50
4 to 5 ft	4.00	3.50	3.00
5 to 6 ft	5.00	4.50	4.00
6 to 8 ft		6.00	5.00
8 to 10 ft	. 10.00	7.50	
10 to 12 ft	. 15.00	12.50	
Ostrya virginiana. American Hophor	rnbeam.	40'	
5 to 6 ft		2.00	
6 to 8 ft		2.50	
8 to 10 ft		4.00	
10 to 12 ft		6.00	
*Oxydendrum arboreum . Sourwoo			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	. 1.75	1.50	1.25
4 to 5 ft	. 3.00	2.50	2.00
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft		6.50	6.00
10 to 12 ft		10.00	, , , , , ,
Pachistima canbyi. Canby Pachistin			
3 inch pots	. 1.00	.75	.60
Paeonia suffruticosa. Tree Peony.			
8 to 10 in., 3 year		3.50	
Paulownia tomentosa. Royal Paulo		0'	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50		
Periploca graeca. Silk Vine. 30'			
2 year	60	.50	.40
3 year	75	.60	.50
Perowskia atriplicifolia. 4'			
2 to 3 ft	. 2.00	1.50	
Phellodendon amurense. Amur Cor	ktree.	50'	
6 to 8 ft		1.50	1.25
8 to 10 ft		2.00	1.75
1½ to 1½ in		2.75	2.50
1½ to 1¾ in.		3.25	3.00
134 to 2 in		4.75	4.50
2 to 2½ in		5.50	1.00
2 10 272 111,	. 0.00	0.00	

	1-4 Each	5-24 Each	25 & up Each
Phellodendron			
lavallei. 30'			
8 to 10 ft	4.00		
1½ to 1¾ in	6.00		
sachalinense. Sakhalin Corktree.	50 '		
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
1½ to 1¾ in	4.50	4.00	
Philadelphus Albatre. 6'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	
Argentine. 5'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
Avalanche, 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft.	.65	.55	
Banniere. 8'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
Bouquet Blanc. 5'	.00	,00	.00
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
	10'	.00	.00
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft.	1.25	1.00	.90
coronarius aureus. Golden Mocke		4'	.00
18 to 24 in	.75	.65	.60
24 to 30 in	.90	.80	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.25	.00
coronarius nanus. 4'	2.00	1.20	
12 to 15 in	.75	.60	•
15 to 18 in	.85	.75	
18 to 24 in	1.00	.90	
coronarius multiflorus plenus. 6	,		
2 to 3 ft	.60	.50	
Dame Blanche. 6'			
2 to 3 ft	.60	.50	.40

Philadelphus	1-4 Each	5-24 Each	25 & up Each
dianthiflorus plenus. 4'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.60	
falconeri. Star Mockorange. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
Favorite. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	
Gerbe de Neige. 6'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
Glacier. 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	,,,,
gordonianus. Gordon Mockorange	. 12'		
2 to 3 ft	. $1z$ $.45$.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
	omam a	. 8'	
grandiflorus. Big Scentless Mock	.45	35	.30
2 to 3 ft	.60	.50	.30
3 to 4 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
	1.20	1.00	,,,,
incanus. Gray Mockorange. 10'	1.05	1 00	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
inodorus. Scentless Mockorange.	10'		
3 to 4 ft	1.25		
lemoinei erectus. 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50

	1-4 Each	5 -24 Each	25 & up Each
Philadelphus			
lewisi. Lewis Mockorange. 10'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
· 5 to 6 ft	1.00	.80	.75
Magdalene. 6'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
nepalensis. Nepal Mockorange. 1	! O'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
nivalis. Snowbank Mockorange.	10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	5€1.00	.90
Norma. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
	1.00	.00	.13
-	55	45	40
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
Pavillon Blanc. 8'			
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
pyramidale. $6'$			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	
sericanthus. Silk Mockorange.	12'		
3 to 4 ft		1.25	
splendens. Splendens Mockorange	e. 10'		
2 to 3 ft	1.50	1.25	
Sybille. 5'			
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	

	1-4 Each	5-24 Each	25 & up Each
Philadelphus	20011	Eddii	Edeli
virginal. $8'$			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
Voie Lactee. 6'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	
zeyheri. Zeyher Mockorange. 10	*		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	
Photina villosa. 8'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.50	3.00	2.50
villosa laevis. 15'			
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
6 to 8 ft	3.00	2.50	
Physocarpus intermedius parvifolius.			
Dwarf Ninebark. 4'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
monogynus. 3'			
2 to 3 ft	3.50	3.00	
opulifolius. Ninebark. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90

Physocarpus	1-4 Each	5-24 Each	25 & up Each
opulifolius luteus. Goldleaf N		10'	
2 to 3 ft			.30
3 to 4 ft			.45
4 to 5 ft			.60
5 to 6 ft			.75
6 to 8 ft	1.25	1.00	.90
opulifolius nanus. 5'			
2 to 3 ft	55	.45	.40
3 to 4 ft	65	.55	.50
4 to 5 ft	75	.65	.60
Picea alba. White Spruce. 50'			
2 ftB8			
3 ft. 8B8			
4 ftB8			
5 ft			
6 ftB8	&B 10.00	8.50	
7 ftB8	&B 15.00	12.50	
8 ftB8			
9 ftB8			
10 ftB8	&B 27.50	25.00	
For larger sizes to 20 ft., a	dd \$5.00	per foo	ot.
alba gloriosa. 30'			
2 ftB8	&B 7.50		
3 ftB8	&B 10.00		
4 ftB8	&B 12.50		
5 ftB8	&B 15.00		
6 ft	&B 18.00		
alcockiana. Alcock Spruce.	75 '		
2 ftB8	&B 7.50		
10 ft			
For larger sizes to 15 ft., a	dd \$5.00	per foo	t.
asperata. Drayon Spruce. 6	0 '		
2 ftB8	&B 7.50	6.00	
canadensis. Black Hills Sprud			
2 ftB8			
3 ftB8		4.50	
4 ftB8	&B 6.50	5.50	
5 ft	&B 8.50	7.50	
6 ft	&B 10.00	8.50	
7 ftB8	&B 15.00	12.50	
8 ftB8	&B 18.00	15.00	
9 ftB8	&B 22.50	18.00	
10 ft	&B 27.50	25.00	
For larger sizes to 18 ft., a	dd \$5.00	per foo	t.

3 ft. B&B 4.00 3.50 3.00 4 ft. B&B 6.00 5.00 4.50 5 ft. B&B 7.50 6.50 6.00								1-4 Each	5-24 Each	25 & uj Each
3 ft. B&B 10.00 7.50 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 12.50 6 ft. B&B 15.00 15.00 excelsa. Norway Spruce. 75' 2 ft. B&B 3.00 2.50 2.2: 3 ft. B&B 4.00 3.50 3.00 4 ft. B&B 6.00 5.00 4.50 6 ft. B&B 10.00 8.50 7.50 6 ft. B&B 10.00 8.50 7.50 7 ft. B&B 12.50 10.00 9 ft. B&B 22.50 18.00 For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 15.00 6 ft. B&B 15.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 6.50 2 ft. B&B 8.00 3 ft. B&B 10.00 7.50 30 to 36 in. B&B 15.00 12.50 42 to 30 in. B&B 15.00 12.50 42 to 48 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 48 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 48 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 17.50 30 to 36 in. B&B 15.00 17.50							~			
4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 12.50 6 ft. B&B 15.00 15.00 excelsa. Norway Spruce. 75' 2 ft. B&B 3.00 2.50 2.2: 3 ft. B&B 4.00 3.50 3.0: 4 ft. B&B 6.00 5.00 4.5: 5 ft. B&B 7.50 6.50 6.0: 6 ft. B&B 10.00 8.50 7.5: 7 ft. B&B 12.50 10.00 9.0: 8 ft. B&B 12.50 10.00 9.0: 9 ft. B&B 22.50 18.00 For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 15.00 4 ft. B&B 18.00 5 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 3 ft. B&B 10.00 3 ft. B&B 10.00 6 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 48 in. B&B 15.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 17.50 30 to 36 in. B&B 10.00 7.50	engeli	man	ni.	Er	igeln	nann	Spruce.	75'		
Excelsa Norway Spruce** 75'* 2 ft.	3	ft.					B&B	10.00	7.50	
excelsa. Norway Spruce. 75' 2 ft.	4						B&B	12.50		
excelsa. Norway Spruce. 75' 2 ft.	_									
2 ft.	6	ft.					B&B	18.00	15.00	
3 ft. B&B 4.00 3.50 3.00 4 ft. B&B 6.00 5.00 4.50 5 ft. B&B 7.50 6.50 6.00 6 ft. B&B 10.00 8.50 7.50 7 ft. B&B 12.50 10.00 9.00 8 ft. B&B 12.50 10.00 9.00 9 ft. B&B 22.50 18.00 For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 12.50 10.00 8.00 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 15.00 7 ft. B&B 15.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 3 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 30 in. B&B 15.00 17.50 30 to 36 in. B&B 15.00 17.50 30 to 36 in. B&B 15.00 7.50 30 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	excels	a.	No	rway	spn	ruce.	75'			
4 ft. B&B 6.00 5.00 4.50 5 ft. B&B 7.50 6.50 6.00 6 ft. B&B 10.00 8.50 7.50 7 ft. B&B 12.50 10.00 9.00 8 ft. B&B 12.50 10.00 9.00 9 ft. B&B 22.50 18.00 For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 15.00 6 ft. B&B 15.00 7 ft. B&B 15.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 7.50 6.00 25 to 42 in. B&B 7.50 6.00 26 to 42 in. B&B 7.50 6.00 27 to 30 in. B&B 15.00 12.50 48 to 24 in. B&B 7.50 6.00 49 to 30 in. B&B 15.00 12.50 40 to 30 in. B&B 15.00 7.50 30 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	2	ft.					B&B	3.00		2.25
5 ft. B&B 7.50 6.50 6.00 6 ft. B&B 10.00 8.50 7.50 7 ft. B&B 12.50 10.00 9.00 8 ft. B&B 13.00 15.00 9 ft. B&B 22.50 18.00 For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 8.00 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 10.00 36 to 42 in. B&B 15.00 15 to 36 in. B&B 15.00	· ·									3.00
6 ft. B&B 10.00 8.50 7.50 7 ft. B&B 12.50 10.00 9.00 8 ft. B&B 18.00 15.00 9 ft. B&B 22.50 18.00 For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 8.00 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 6.50 2 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 15.00 12.50 42 to 48 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 48 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 30 in. B&B 15.00 12.50 42 to 30 in. B&B 15.00 7.50 30 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	4						B&B			4.50
7 ft. B&B 12.50 10.00 9.00 8 ft. B&B 18.00 15.00 9 ft. B&B 22.50 18.00 For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 10.00 36 to 42 in. B&B 15.00 12 to 48 in. B&B 20.00 15 to 36 in. B&B 20.00 15 to 36 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 48 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 48 in. B&B 7.50 6.00 24 to 30 in. B&B 15.00 12.50 42 to 30 in. B&B 15.00 17.50 30 to 36 in. B&B 15.00 17.50 30 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	5	ft.	٠.				B&B	7.50	6.50	6.00
8 ft. B&B 18.00 15.00 9 ft. B&B 22.50 18.00 For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 8.00 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 7.50 31 to 36 in. B&B 10.00 7.50 32 to 48 in. B&B 10.00 7.50 33 to 36 in. B&B 10.00 7.50 34 to 35 in. B&B 10.00 7.50 35 to 36 in. B&B 10.00 7.50 36 to 42 in. B&B 10.00 7.50 37 to 38 in. B&B 10.00 7.50 38 to 38 in. B&B 10.00 7.50 39 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 10.00 36 to 42 in. B&B 10.00 10.00 36 to 42 in. B&B 10.00 10.00										
9 ft. B&B 22.50 18.00 For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 8.00 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 7.50 42 to 48 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 17.50 30 to 36 in. B&B 10.00 17.50 30 to 36 in. B&B 10.00 17.50	7									9.00
For larger sizes to 25 ft., add \$5.00 per foot. excelsa aurea. Golden Norway Spruce. 75' 3 ft.	8	ft.					B&B	18.00	15.00	
excelsa aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 8.00 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 2 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 7.50 6.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	9	ft.					B&B	22.50	18.00	
3 ft. B&B 10.00 8.00 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 2 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 12.50 10.00 36 to 42 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 17.50 42 to 48 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 17.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	F	or 1	arg	er si	zes t	o 25 f	t., add	\$5.00	per foo	t.
4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 8.00 2 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 17.50 30 to 36 in. B&B 10.00 17.50 30 to 36 in. B&B 10.00 17.50										
5 ft. B&B 15.00 6 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 6.50 2 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	_									
6 ft. B&B 18.00 7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 6.50 2 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 10.00 36 to 42 in. B&B 15.00 12.50	_						B&B	12.50	10.00	
7 ft. B&B 22.50 For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in. B&B 6.50 2 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	_									
For larger sizes to 12 ft., add \$5.00 per foot. excelsa clanbrasiliana. 7' 18 in.	•									
excelsa clanbrasiliana. 7' 18 in.										
18 in. B&B 6.50 2 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	F	or 1	arg	er si	zes t	o 12	ft., add	\$5.00	per fo	ot.
2 ft. B&B 8.00 3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	excels	a c	lanl	orasi	liana	ı. 7'				
3 ft. B&B 10.00 excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	18	in.					B&B	6.50		
excelsa maxwelli. Maxwell Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	2	ft.					B&B	8.00		
18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	3	ft.					B&B	10.00		
24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	excels	a n	nax	welli	i. <i>N</i>	1axwe	ell Spru	ice. 6	,	
30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	18	to	24	in.			B&B	7.50	6.00	
36 to 42 in. B&B 15.00 12.50 42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	24	to	30	in.			B&B	10.00	7.50	
42 to 48 in. B&B 20.00 15.00 excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	30	to	36	in			B&B	12.50	10.00	
excelsa nana compacta. Dwarf Spruce. 4' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	36	to	42	in			B&B	15.00	12.50	
18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	42	to	48	in			B&B	20.00	15.00	
24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50	excels	a r	ana	a co	mpac	eta.	Dwarf ,	Spruc	e. 4'	
24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50					_			_		
30 to 36 in. B&B 12.50 10.00 36 to 42 in. B&B 15.00 12.50										
36 to 42 in										
00 00 12 111										

1-4 5-24 25 & up Each Each Each

Picea		Each	Each	Each
excelsa nana pyramidalis.				
Pyramidal Dwf. Sprue	.0	4'		
18 in				
2 ft. B		7.50		
3 ft				
excelsa parviformis. $Dwf.$ P			ruce.	4'
2 ftB	&B	10.00		
excelsa pendula. Weeping Sp	mue	e. 20'		
3 ftB			6.00	
4 ftB	&B	10.00	7.50	
5 ftB	&B	12.50	10.00	
6 ft	&B	15.00	12.50	
For larger sizes to 12 ft., a	add	\$5.00 p	er foot	
excelsa procumbens. Prostra	to S	Invice	34	
2 ft. spdB		•	5.00	
2½ ft. spd			6.00	
excelsa pygmea. Pygmy No	rwa	y Spri)'
18 to 24 inB			5.50	
24 to 30 inB	&B	7.50	6.50	
excelsa remonti. Remont Spi	ruce	. 6'		
18 to 24 inB	&B	6.50	5.50	5.00
24 to 30 inB	&B	7.50	6.50	6.00
30 to 36 inB	&B	10.00	8.50	7.50
36 to 42 inB	&B	12.50	10.00	9.00
42 to 48 inB	&B	15.00	12.50	
glauca conica. Dwarf Albert	a S	pruce.	6'	
2½ ft B			6.50	6.00
3 ftB			8.50	7.50
4 ft B				
mariana doumeti. Doumet S			,	
	_			
2 ftB		6.00	5.00	
3 ft		7.50	6.00	
4 ft				
5 ftB	ab	12.50		
omorika. Serbian Spruce. 5	0'			
3 ftB	&B	10.00	7.50	
4 ftB	&B	12.50	10.00	
5 ftB			12.50	
6 ft	&B	17.50		
7 ftB	&B	20.00		

n:			1-4 Each	5-24 Each	25 & up Each
Picea. orientali:	a Oniontal	Commence NE			
2 ft		Spruce. 75'	5.00	4.50	
3 ft		B&B	7.50	6.00	
4 ft		B&B	10.00	7.50	
5 ft		B&B	12.50	10.00	
15 ft		B&B	50.00	10.00	
	Tigertail Spr		00.00		
2 ft		B&B	4.50	4.00	3.75
3 ft		B&B	6.00	5.50	5.00
4 ft		В&В	9.00	7.50	
For		to 16 ft., add		per foo	t.
pungens.	_	Spruce. 60'			
2 ft		B&B	4.00	3.50	3.00
3 ft		B&B	5.50	5.00	4.50
4 ft		B&B	7.50	6.50	
5 ft		B&B	10.00	8.50	
6 ft		B&B	12.50	10.00	
7 ft		B&B	15.00	12.50	
8 ft		B&B	18.00	15.00	
For		to 18 ft., add	\$5.00	per foo	t.
pungens	glauca. B	lue Colorado	Spruce	e. 60'	
2 ft		B&B	6.50	5.50	
3 ft		B&B	10.00	8.00	
4 ft		B&B	12.50	10.00	
5 ft		B&B	15.00	12.50	
6 ft		B&B	18.00	15.00	
7 ft		B&B	25.00	18.00	
8 ft		B&B	30.00	25.00	
		B&B	35.00	30.00	
For	larger sizes	to 20 ft., add	\$5.00	per foo	t.
pungens		oster Blue S		<i>50</i> ′	
2		B&B	10.00	8.00	
21/2		B&B	12.00	10.00	
3		B&B	14.00	13.00	
31/2		B&B	16.00	15.00	
4		B&B	18.00	16.00	
41/2		B&B	20.00	18.00	
5		B&B	25.00	22.50	
51/2		B&B	27.50	25.00	
6		B&B		27.50	
7		B&B	35.00	30.00	
8	ft.	B&B	40.00	35.00	oot
For	larger sizes	to 25 ft., add	J \$7.50) per f	001.

1-4 5-2: Each Eac	4 25 & up
Picea.	
pungens moerheimi. 40'	
2½ ftB&B 12.50 10.0	00
3 ftB&B 15.00 12.5	50
3½ ft B&B 18.00 15.0	00
4 ftB&B 20.00 18.0	00
rubra. Red Spruce. 60'	
12 ftB&B 35.00	
sitchensis. Sitka Spruce. 40'	0
3 ft	
4 ft	0
Pieris floribunda. Mountain Andromeda. 4'	
18 to 24 inB&B 5.00 4.5	3.75
24 to 30 in	
japonica. Japanese Andromeda. 10'	
15 to 18 in	
18 to 24 in	
24 to 30 in	
mariana. Staggerbush. 4'	
18 to 24 in	
24 to 30 in	
30 to 36 in	
36 to 42 in	0
Pinus banksiana. Jack Pine. 60'	
2 ftB&B 4.00 3.5	3.00
3 ftB&B 6.00 5.0	0 4.50
4 ft	6.00
5 ft	7.50
6 ft	0
7 ft	0
8 ft	0
9 ft	0
10 ftB&B 30.00 25.0	0
For larger sizes to 18 ft., add \$5.00 per for	oot.
bungeana. Lacebark Pine. 60'	
3 ft	0
4 ft	
cembra. Swiss Stone Pine. 70'	
2 ft	
3 ft	
0 1tt	

	1-4	5-24	25 & up
Pinus	Each	Each	Each
A	60'		
2 ft	4.00	3.50	3.00
2 ft	6.00	5.00	4.50
4 ft B&B	7.50	6.50	6.00
5 ftB&B	10.00	8.50	7.50
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
	20.00	15.00	100
For larger sizes to 17 ft., add	\$5.00	per foo	t.
flexilis. Limber Pine. 30'			
3 ftB&B	7.50	6.00	
4 ftB&B	8.50	7.50	
5 ftB&B	12.50	10.00	
6 ftB&B	15.00	12.50	
	18.00	15.00	
For larger sizes to 16 ft., add	\$5.00	per foo	t.
montana. Swiss Mountain Pine.	10'		
18 in B&B	3.00	2.75	
2 ft B&B	3.50	3.25	
2½ ftB&B	4.50	4.25	
3 ft	6.50	5.50	
3½ ftB&B	10.00	8.00	
4 ft	15.00	12.50	
5 ft	20.00	15.00	
6 ft	25.00	10.00	
7 ft	35.00		
montana mughus. Dwarf Mounta	in Dia	ne. 4'	
15 to 18 in. spd B&B	$\frac{2.75}{2.75}$	$\frac{10.4}{2.50}$	2.25
18 to 24 in. spd B&B	3.50	3.00	2.75
2 to 2½ ft. spd B&B	4.50	4.00	3.75
2½ to 3 ft. spd. B&B	6.50	5.50	5.00
3 to 3½ ft. spd B&B	10.00	8.50	7.50
	15.00	12.50	10.00
3½ to 4 ft. spd B&B 4 to 5 ft. spd B&B	18.00	15.00	12.50
	35.00	10.00	12.00
5 to 6 aft. spd	45.00		
	10.00		
nigra. Austrian Pine. 50' 2 ft	5.00	4.50	
3 ftB&B	7.50	6.00	
4 ft	10.00	7.50	
5 ft	12.50	10.00	
	15.00	12.50	
6 ft	18.00	15.00	
7 ftB&B	10.00	10,00	

l Eac		25 & up Each
Pinus nigra continued	0 00 00	
8 ftB&B 25.0		
9 ft B&B 30.0		4
For larger sizes to 25 ft., add \$5.00) per 100	ot.
peuce. Balkan Pine. 20'		
2 ft	0 6.00	
3 ft B&B 10.0		
ponderosa. Western Yellow Pine. 66		
5 ft. B&B 10.0		
6 ft B&B 12.5		
For larger sizes to 18 ft., add \$5.00) per foo	ot.
parviflora. Japanese White Pine. 50	,	
5 ft		
resinosa. Red Pine. 50'		
3 ftB&B 7.5	0 6.00	
4 ftB&B 10.0	0 7.50	
5 ft		
6 ft		
7 ft		
8 ft		
9 ft. B&B 30.0		
For larger sizes to 18 ft., add \$5.00		
•		
strobus. White Pine. 75'		
2 ft		
3 ftB&B 7.5	0 6.00	
5 ft	0 10.00	
6 ft B&B 15.0	0 12.50	
7 ft		
8 ft B&B 20.0	0 18.00	
For larger sizes to 20 ft., add \$5.00	per foo	t.
sylvestris. Scotch Pine. 50'		
2 ftB&B 5.0		
3 ftB&B 6.0		
4 ft B&B 8.5		
5 ft B&B 12.5	0 10.00	
6 ftB&B 15.0	0 12.50	
7 ftB&B 18.5	0 15.00	13.50
8 ft B&B 20.0	0 18.00	16.00
9 ft B&B 25.0	0 22,50	18.50
10 ft B&B 30.0	0 27.50	25.00
For larger sizes to 18 ft., add \$5.00	per foo	t,

Pinus	5-24 Each	25 & up Each
sylvestris nana. Dwarf Scotch Pine.	10'	
4 ft		
5 ft B&B 12.50		
thunbergi. Japanese Black Pine. 60'		
2 ftB&B 6.50	5.00	4.50
3 ftB&B 10.00	7.50	6.00
4 ft B&B 12.50	10.00	
5 ft. B&B 15.00	12.50	
6 ftB&B 18.00	15.00	
${\bf Platanus~occidentalis.}~~American~Planetree.$	75'	
6 to 8 ft	1.50	1.25
8 to 10 ft	2.00	1.75
1½ to 1½ in 3.00	2.75	2.50
1½ to 1¾ in. 4.50	4.00	3.75
13/4 to 2 in 5.50	5.00	4.50
2 to 2½ in	6.00	
orientalis. European Planetree. 80'		
6 to 8 ft	1.50	1.25
8 to 10 ft	2.00	1.75
1½ to 1½ in 3.50	3.00	2.50
1½ to 1¾ in 4.50	4.00	3.75
1 ³ / ₄ to 2 in	5.00	4.50
2 to $2\frac{1}{2}$ in 6.50	5.50	5.00
2½ to 3 in	8.50	
Polygonum auberti. China Fleecevine. 25' 2 year .60	.50	.40
2 year	.00	.40
10 to 12 ft	2.00	
134 to 2 in 3.50	3.00	
2 to 2½ in. 4.50	3.75	
***	0.10	
alba nivea. Silver Poplar. 90' 8 to 10 ft	2.50	
10 to 12 ft	3.00	
2 to 2½ in 7.50	6.50	
2 to 272 iii. 1.30 2½ to 3 in. 10.00	7.50	
berolinensis. Volga Poplar. 40'	1.00	
8 to 10 ft 2.50	2.25	2.00
1½ to 1½ in. 3.00	2.75	2.50
1½ to 1¾ in. 3.50	3.25	3.00
1 ³ / ₄ to 2 in 5.00	4.00	3.50
2 to 2½ in	6.00	

	1-4 Each	5-24 Each	25 & up Each
Populus			
bolleana. Bolleana Poplar. 50'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
11/4 to 11/2 in	2.50	2.00	1.75
1½ to 1¾ in	3.50	3.00	2.50
1¾ to 2 in	4.50	4.00	
2 to 2½ in	6.50	5.50	
2½ to 3 💆 in	10.00	7.50	
candicans. Balm of Gilead. 90'			
8 to 10 ft	2.00		
certinensis. Certinensis Poplar.	40'		
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.50	2.00	
10 to 12 ft	3.00	2.50	
13/4 to 2 in	4.00	3.50	
2 to 2½ in	6.50	5.00	
maximowiczi. Japanese Poplar.	40'		
8 to 10 ft	3.00	2.50	2.25
10% to 12 ft	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
2 to 2½ in	6.50	5.00	
nigra betulifolia. 60'			
1½ to 2 in	5.00	4.00	3.50
2 to 2½ in	7.50	6.00	5.00
2½ to 3 in	10.00	7.50	
nigra italica. Lombardy Poplar.	60 '		
6 to 8 ft	1.00	.75	.60
8 to 10 ft	1.25	1.00	.75
10 to 12 ft	1.50	1.25	1.00
1½ to 1¾ in	2.00	1.60	1.35
13/4 to 2 in	3.00	2.50	2.00
2 to 2½ in	4.00	3.00	2.75
2½ to 3 in	5.00	4.00	3.75
3 to 3½ in	7.50	6.00	
simoni. Simon Poplar. 35'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
11/4 to 11/2 in	2.00	1.75	1.50
1½ to 1¾ in	2.50	2.25	2.00
13/4 to 2 in	3.50	3.00	
2 to 2½ in	5.00	4.00	

	1-4 Each	5-24 Each	25 & up
Populus.	Lucii	Edell	Lucii
suaveolens przewalski. 40'			
1½ to 1¾ in	3.50	3.00	
1¾ to 2 in	4.50	4.00	
2½ to 3 in	7.50	6.00	
tremuloides. Quaking Aspen. 50'			
8 to 10 ft	2.75	2.25	
10 to 12 ft	3.50	3.00	
1¾ to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
trichocarpa. Black Cottonwood.	40'		
10 to 12 ft	3.00	2.50	2.25
1½ to 1¾ in	3.50	3.00	
1¾ to 2 in	4.50	4.00	
2 to 2½ in	5.00	4.50	
2½ to 3 in	6.50	5.50	
Potentilla fruticosa. Shrubby Cinquefo	il. 4'		
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
Prinsepia sinensis. Cherry Prinsepia.	6 '		
9 to 12 in., from pots	1.50	1.25	
Prunus americana. American Plum.	20'		
4 to 5 ft	.85	.75	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	. 1.00	.90
8 to 10 ft	1.75	1.50	1.25
americana Newport.			
Purple-leaved American Pl	um 21	2'	
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
armeniaca sibirica. Siberian Apri	ant 1	101	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
	0.00	5.00	
*avium plena.	**	2.01	
Double White Flowering C			
6 to 8 ft	4.00	3.50	
8 to 10 ft		5.00	
Large specimens quoted on a	reques	t.	

		F 0.4	05.0
	1-4 Each	5-24 Each	25 & up Each
runus			
besseyi. Bessey Cherry. 8'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
cerasifera pissardi. Purpleleaf Pi		12'	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.65	
8 to 10 ft	2.50	2.00	
cistena. Purpleleaf Sand Cherry.	20'		
3 to 4 ft	.85	.75	
4 to 5 ft	1.00	.85	
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.50	
demissa. Western Chokecherry.	<i>30</i> ′		
3 to 4 ft	.75		
4 to 5 ft	1.00		
5 to 6 ft	1.25		
dunbari. Dunbar Plum. 6'			
2 to 3 ft	.85	.70	
3 to 4 ft	1.00	.85	
4 to 5 ft	1.25	1.10	
5 to 6 ft	1.50	1.25	
glandulosa. Flowering Almond.	10'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
glandulosa albiplena.			
Double Whiteflowering Alr	nond.	6 '	
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
2 to 3 ft. own roots	1.50		
glandulosa sinensis.			
Double Pink-flowering Alm	ond.	6 '	
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
2 to 3 ft. own roots	1.50		
3 to 4 ft. own roots	2.00		
hortulana. Hortulan Plum. 30'			
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft.	2.50	1.75	
8 to 10 ft	3.00	2.50	
· · · · · · · · · · · · · · · · · · ·	0.00	2,50	

	1-4 Each	5-24 Each	25 & up Each
Prunus			
incisa. Mame Cherry. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	3.00	2.50
japonica. Chinese Bush Cherry.	12'		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	€ 1.50	1.25
*lannesiana. Hitoye Cherry. 30'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
*lannesiana Amayadori. 30'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
*lannesiana Jonioi. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	o: 2.50	
*lannesiana sirotae. Mt. Fuji Che	rru.	25'	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
maacki. Amur Cherry. 12'			
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
maritima. Beech Plum. 12'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.25	1.00	.90
moseri fl. pl. 12'			
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.75	2.50	
mume. Japanese Apricot. 15'			
5 to 6 ft	2.25	2.00	
6 to 8 ft	2.75	2.50	
mume. fl. pl. Dbl. Flg. Japanese		cot. 15	,
5 to 6 ft	3.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

		1-4 Each	5-24 Each	25 & up Each
Prunus				
mı	nsoniana. Wildgoose Plum.	25'		
	3 to 4 ft		1.25	
	4 to 5 ft	1.75	1.50	
pa	dus. European Bird Cherry.	<i>30</i> ′		
	4 to 5 ft	.75	.65	.60
	5 to 6 ft	1.25	1.00	.90
	6 to 8 ft	1.50	1.35	1.25
	8 to 10 ft	1.75	1.65	1.50
pe	nnsylvanica. Pin Cherry. 25'			
	5 to 6 ft	1.25	1.00	.90
	6 to 8 ft	1.75	1.50	1.25
	8 to 10 ft	2.50	2.00	1.75
	10 to 12 ft	3.50	3.00	2.75
pe	rsica. (See Amygdalus).			
pu	mila. Sand Cherry. 5'			
	2 to 3 ft	.75	.60	.50
	3 to 4 ft		.75	.60
se	otina. Wild Black Cherry. 6	0'		
	5 to 6 ft		1.00	.90
	6 to 8 ft		1.35	1.25
	8 to 10 ft		of 1.65	1.50
	10 to 12 ft	3.50	3.00	
*se	errulata. Oriental Cherry. 40	1"		
	5 to 6 ft		2.25	2.00
	6 to 8 ft		2.75	2.50
	8 to 10 ft	5.00	4.00	3.75
* S	errulata Higantakura. Dbl. Wh	ite Flg.	Cherr	y. 30'
	5 to 6 ft	3.00	2.50	
	6 to 8 ft	4.00	3.50	
	8 to 10 ft		5.00	
	Large specimens quoted on			
*s	errulata Hisakura. Dbl. Pink	Flg. C	herry.	30'
	4 to 5 ft	2.50	2.00	
	5 to 66 ft	3.00	2.50	
	6 to 8 ft	4.00	3.50	
	8 to 10 ft	6.00	5.00	
	Large specimens quoted on	_		
*s	errulata James H. Veitch, syn.	Fugen	zo. 30)°
	4 to 5 ft		2.00	1.50
	5 to 6 ft	3.00	2.50	2.00
	6 to 8 ft		3.50	2.75
	8 to 10 ft	6.00	5.00	

`	1-4 Each	5-24 Each	25 & up
Prunus		200	20011
*s. James H. Veitch pendula.			
Dbl. Pink Wpg. Cherry.	10.00		
2 yr. hds., 3 to 5 ft. stem			
*serrulata sachalinensis. syn. Sar	genti.		
Yama Cherry. 50'	0.50	0.00	1.50
4 to 5 ft	2.50	2.00	1.50
0 00 0 20000000000000000000000000000000	3.00 4.00	2.50 3.50	2.00 2.75
	6.00	5.00	4.00
8 to 10 ftLarge specimens quoted on a			4.00
*sieboldi, syn. Naden. Siebold Ch	-	40'	0.00
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft.	6.00	5.00	4.00
Large specimens quoted on re	equest.		
spinosa. Blackthorn. 12'		0.5	0.0
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.00	1.75
spinosa purpurea. Purpleleaf Blo		rn. 12	3'
3 to 4 ft	1.50		
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
Large specimens quoted on a	request	t.	
*subhirtella ascendens. Shiro-hige	an. 20) '	
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
*subhirtella autumnalis.			
Autumn Flowering Higa	n Cher	rn. 3	o'
5 to 6 ft		4.00	
6 to 8 ft		5.00	
8 to 10 ft			
Large specimens quoted on		t.	
*subhirtella pendula. Weeping H			15'
2 yr. hds., 4 to 6 ft. stem			
2 yr. nas., 4 to 6 ft. stem	0.00	1.00	

runus		1-4 Each	5-24 Each	25 & up
tomentosa. Nanking (Cherry. 8'	Edeii		20011
2 to 3 ft		.75	.60	.50
3 to 4 ft		.90	.75	.60
4 to 5 ft		1.00	.85	.75
5 to 6 ft		1.25	1.00	.90
6 to 8 ft		1.50	1.35	1.25
triloba. Single Flower	ring Plum.	10'		
4 to 5 ft		2.50	2.25	2.00
5 to 6 ft		3.50	3.25	3.00
6 to 8 ft		4.50	4.00	
triloba plena. Double	Flowering	Plum.	10'	
3 to 4 ft		1.00	.80	.75
4 to 5 ft		1.25	1.00	.90
5 to 6 ft		1 50	1.25	1.10
virginiana. Chokecheri	ry. 30'			
3 to 4 ft		.75	.60	.50
4 to 5 ft		1.00	.75	60
5 to 6 ft		1.25	1.00	.90
6 to 8 ft		1.75	1.50	1.25
8 to 10 ft		2.00	1.75	1.50
*yedoensis. Yoshino C				
5 to 6 ft		3.00	2.50	2.00
6 to 8 ft		4.00	3.50	3.00
8 to 10 ft		6.00	5.00	4.00
*yedoensis taizanfukun				
4 to 5 ft		2.50	2.00	1.50
5 to 6 ft		3.00	2.50	2.00
6 to 8 ft		4.00	3.50	3.00
8 to 10 ft		6.00	5.00	4.00
I arga enacimane c	moted on	roguest		

Large specimens quoted on request.

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

Amanogawa—semi-double pale pink
Gioiko—semi-double pale yellow
Hata-zakura—semi-double white
Horaisan—double pink
Hosokawanioi—semi-double flesh
Kuramayami—double pink
Kwanzan—syn. Sekiyama—double deep pink
Miyako—double pink
Shirofugen—double light pink

1-4 5-24 25 & up Each Each Each

3.00

Prunus.

Shogetsu—double soft pink

Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga douglasi. Douglas Fir.			
2 ft. B&B		3.00	2.50
3 ftB&B	5.00	4.00	3.75
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	8.50	
6 ftB&B	15.00	12.50	
7 ft. %B&B		15.00	
8 ft. B&B	22.50	18.00	
9 ftB&B	25.00	20.00	
10 ftB&B			
For larger sizes to 25 ft., add \$	85.00 p	er foot.	
Pseudolarix kaempferi. Golden Larca	h. 50'		
10 ft			
Ptelea trifoliata. Hoptree. 20'			
4 to 5 ft	75	65	.60
5 to 6 ft			.75
6 to 8 ft		1.00	.90
			.00
Pterocarya stenoptera. Chinese Wing	•	40	
8 to 10 ft			
		201	
Pterostyrax corymbosa. Little Epaul			
4 to 5 ft		3.50	
5 to 6 ft		4.00	
6 to 8 ft		5.00	
Pueraria thunbergiana. Kudzu-bean.			
2 year	.45	.30	.20
Pyracantha (See Crataegus).			
Pyrus betulaefolia. Birch Leaf Pear.	20'		
6 to 8 ft	3.50	3.00	
calleryana. Callery Pear. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	

_	1-4 Each	5-24 Each	25 & up Each
Pyrus.	,		
salicifolia. Willowleaf Pear. 30		9.00	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
serrulata. 20'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
Quercus alba. White Oak. 75'			
6 to 8 ft	4.50	4.00	3.00
1¼ to 1½ in	5.50	5.00	4.00
1½ to 1¾ in	6.50	6.00	5.00
13/4 to 2 in	8.50	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
bicolor. Swamp White Oak. 60	,		
6 to 8 ft	4.50	4.00	3.00
1½ to 1½ in	5.50	5.00	4.00
1½ to 1¾ in	6.50	6.00	5.00
13/4 to 2 in	8.50	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
coccinea. Scarlet Oak. 75'			
6 to 8 ft	4.00	3.50	3.00
1¼ to 1½ in	5.00	4.50	4.00
1½ to 1¾ in.	6.00	5.50	5.00
13/4 to 2 in	10.00	7.50	6.00
2 to 2½ in	12.50	10.00	7.50
2½ to 3 in	15.00	12.50	10.00
3 to $3\frac{1}{2}$ in.	20.00	15.00	14.00
3½ to 4 in	25.00	20.00	18.50
4 to 4½ in	35.00		
lyrata. Overcup Oak. 75'			
1½ to 1¾ in	7.50		
1¾ to 2 in	10.00		
3 to 3½ in	20.00		
3½ to 4 in	25.00		

SEE PAGE 165 FOR COMPLETE LIST OF HERBACEOUS STOCK

Quercus			1-4 Each	5-24 Each	25 & up Each
macrocarpa	1. 71.	Iossycup Oak. 75'			
_		in.	12.50	10.00	
2½ to		in	15.00	12.50	
3 to	31/2	in.	20.00	15.00	
3½ to	4	in	25.00	20.00	
4 % to	41/2	in	35.00		
palustris.	Pin	Oak. 75'			
6 to	8	ft	2.50	2.25	2.00
11/4 to	11/2	in	3.50	3.25	3.00
1½ to	$1\frac{3}{4}$	in	4.50	4.00	3.75
13/4 to	2 -	in	6.50	5.50	5.00
2 to	$2\frac{1}{2}$	in	8.50	7.50	6.50
2½ to	3	in	12.50	10.00	9.00
3 to	$3\frac{1}{2}$	in	15.00	13.50	12.50
3½ to	4	in	20.00	17.50	15.00
4 to		in	30.00	25.00	
5 to	6	in	40.00		
phellos. V	Villo	w Oak. 40'			
6 to	8	ft	6.50	5.50	5.00
11/4 to	$1\frac{1}{2}$	in	7.50	7.00	6.50
1½ to	$1\frac{3}{4}$	in	10.00	8.50	7.50
13/4 to	2	in	12.50	10.00	
2 to	$2\frac{1}{2}$	in	15.00	12.50	
2½ to	3	in	20.00	18.00	
prinus. Ch	estn	ut Oak. 50'			
6 to	8	ft	4.50	4.00	3.50
11/4 to	$1\frac{1}{2}$	in	5.50	5.00	4.50
1½ to	13/4	in	7.50	6.00	5.50
13/4 to	2	in	10.00	7.50	
2 to	$2\frac{1}{2}$	in	12.50	10.00	
2½ to	3	in	15.00	12.50	
3 to	$3\frac{1}{2}$	in	20.00	15.00	
3½ to	4	in	25.00	20.00	
		h Oak. 80'			
1½ to	$1\frac{3}{4}$	in	6.50	5.50	
	$2\frac{1}{2}$		12.50	10.00	
2½ to	3	in	15.00	12.50	
3 to	$3\frac{1}{2}$	in	20.00	15.00	
3½ to		in	25.00	20.00	
4 to	$4\frac{1}{2}$	in	35.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Q

R

1-4 5-24 25 & up Each Each Each

	Each	Each	Edch
luercus		,	
robur fastigiata. Pyramidal Eng		ak. 60	r
11/4 to 11/2 in B&B	20.00		
1½ to 1¾ inB&B	25.00		
2½ to 3 inB&B	50.00		
3 to 3½ inB&B	65.00		
3½ to 4 inB&B			
4 to $4\frac{1}{2}$ in	100.00		
rubra. Red Oak. 75'			
6 to 8 ft	3.50	2.75	2.50
1½ to 1½ in	5.00	4.00	3.75
1½ to 1¾ in	6.00	5.50	5.00
13/4 to 2 in	7.50	6.50	6.00
2 to 2½ in	10.00	8.50	7.50
2½ to 3 in	15.00	12.50	10.00
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
4 to 4½ in	35.00		
stellata. Post Oak. 75'			
1½ to 1½ in	5.00	4.50	
1½ to 1¾ in	6.50	5.50	
13/4 to 2 in	8.50	7.50	
texana. 75'			
1½ to 1¾ in	7.50	6.00	5.50
13/4 to 2 in	10.00	7.50	6.50
2 to 2½ in.	12.50	10.00	8.50
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
4 to 4½ in	35.00		
velutina. Black Oak. 70'			
6 to 8 ft	5.00	4.50	4.00
1½ to 1½ in.	6.00	5.50	5.00
1½ to 1¾ in.	10.00	7.50	7.00
134 to 25 in	12.50	10.00	9.00
2 to 2½ in.	15.00	12.50	11.00
2½ to 3 in		15.00	14.00
3 to 3½ in		20.00	14.00
	20.00	20.00	
Retinospora. (See Chamaecyparis).			
Rhamnus caroliniana. Carolina Buci	kthorn.	25'	
3 to 4 ft	.75		

4 to 5 ft.

1.00

1.25

	1-4 Each	5-24 Each	25 & up Each
Rhamnus			
cathartica. Buckthorn. 12'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
dahurica. Dahurian Buckthorn. 1	12'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	.60	.50	.45
4 to 7 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.50	1.35	1.25
frangula asplenifolia. Fernleaf R	Chamn	us. 1	2'
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.00	3.50	
6 to 8 ft	4.50	4.00	
koraiensis. 12'			
3 to 4 ft	1.00	.90	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
purshiana. Cascara Buckthorn.	12'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.50	1.35	1.25
spathulaefolia. 6'			
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50		
	2.00	2.00	
utilis. 10'	1.50	1.05	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00 2.25	1.50 1.75	
5 to 6 ft	2.25	1.75	
wilsoni. 10'			
4 to 5 ft	2.00	1.75	

Rhododendron carolinianum. Carolina	1-4 Each	5-24 Each	25 & up Each
2 to 3 ft	6.00	5.50	5.00
catawbiense. Catawba Rhododend		8'	
2 to 3 ftB&B	5.00	4.50	4.00
3 to 4 ftB&B	6.00	5.50	5.00
maximum. Rosebay Rhododendron	ı. 15'		
2 to 3 ftB&B	5.00	4.50	4.00
3 to 4 ftB&B	6.00	5.50	5.00
4 to 5 ftB&B	7.50		
Rhodotypos kerrioides. Jetbead. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
Rhus canadensis. Fragrant Sumac.	6 '		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
copallina. Shining Sumac. 20'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
cotinus. Purple Fringe or Smoke	etree.	12'	
3 to 4 ft	1.25	1.00	.75
4 to § 5 ft	1.50		1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	2.75	2.50	2.25
glabra. Smooth Sumac. 12'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.50	.40	.35
javanica syn. osbecki. Java Suma			
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
trilobata. Lemonade Sumac. 3'			
18 to 24 in	.75	.60	
2 to 3 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Rhus.			
typhina. Staghorn Sumac. 25'	0.5	0.0	0.5
2 to 3 ft	.35	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
typhina laciniata. Shredded Sum	ac. 2	5'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	
Ribes alpinum. Mountain Currant. 4	,		
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	
aureum. Slender Golden Currant.	10'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
fasciculatum. Winterberry Curra	nt. 4	,	
18 to 24 in	.60	.50	.45
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
	0'		
gordonianum. Gordon Currant.			
3 to 4 ft		.75	
sanguineum. Ruby Winter Curran	nt. 8'		
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Robinia Elliotti. 10'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		
fertilis. 25'			
6 to 8 ft	4.00	3.50	
	2,00	0.50	
globosa. Globe Locust.	F 50		
3 yr. hds., 5 to 6 ft. stems	7.50		
3 yr. hds., 6 to 8 ft. stems	10.00		

SEE PAGE 165 FOR COMPLETE LIST OF HERBACEOUS STOCK

	1-4 Each	5-24 Each	25 & up Each
Robinia			
hispida. Rose Acacia.			
2 yr. standard, 3 to 4 ft.	2.25		
2 yr. standard, 4 to 5 ft.	2.50		
Bush form, 2 to 3 ft	1.50	1.25	
holdti. Holdt Locust. 25'			
6 to 8 ft	3.50		
8 to 10 ft	4.50		
kelseyi. Kelsey Locust. 12'			
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	6.00	5.50	5.00
neomexicana. New Mexico Locust	. 10'		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
pseudoacacia. Common Locust.	30'		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	2.00	1.50	1.25
10 to 12 ft	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
mandanasia hamaniana D	T	1 10	
pseudoacacia bessoniana. Besson 5 to 6 ft	4.00	t. 40'	
	5.00		
6 to 8 ft	6.00		
			1.01
-		ocust.	40'
5 to 6 ft	3.50		
6 to 8 ft	4.00		
8 to 10 ft	5.00		
pseudoacacia Marguerite. 20'			
6 to 8 ft	5.00	4.50	
viscosa. Clammy Locust. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
Rosa acicularis. Prickly Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.45
acicularis bourgeauiana. Bourgeo	u Ros	e. 6'	
15 to 18 in	1.00		

	1-4	5-24	25 & up
Rosa	Each	Each	Each
alpina. Pyrenees Rose. 3'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
blanda. Meadow Rose. 5'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.55
canina. Dogbrier. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
coriifolia froebeli. Froebel Rose.	5'		
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
davurica. Dahurian Rose. 6'			
2 to 3 ft	1.00	.75	.60
ecae. Eca Rose. 6'	2.00		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
foetida persiana. Persian Yellow	Rose.		
2 year	1.25	1.00	•
fujisanensis. Mt. Fuji Rose. 8'			
3 to 4 ft	1.00	.75	.60
helenae. Helen Rose. 6'	.60	.50	.40
18 to 24 in	.75	.60	.50
helenae fl. pl. Dbl. Helen Rose.	6'	.00	,00
		1.25	1.00
3 to 4 ft	1.50	1.20	1.00
hugonis. Hugonis Rose. 6'			F.O.
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
humilis. Pasture Rose. 5'			
18 to 24 in	.45	.35	
2 to 3 ft	.55	.45	.40
lucida. Virginia Rose. 6'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	
3 to 4 ft	.65	.55	.50

	1-4 Each	5-24 Each	25 & up Each
Rosa			
marreti. Marret Rose. 6'			
3 to 4 ft	1.50		
maximowicziana jacki. Jack Rose	· 6'		
2 to 3 ft	1.50		
moyesi. Moyes Rose. 10'			
2 to 3 ft	1.50		
3 to 4 ft	1.75		
multiflora. Japanese Rose. 8'			
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
multiflora cathayensis. Cathay I	Rose.	6'	
3 to 4 ft	.75	.60	
nitida. Bristly Rose. 3'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
3 to 4 ft	.75	.60	.50
palustris. Swamp Rose. 8'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
pendulina. (See Alpina)			
rouletti.			
12 to 15 in., 4 in. pots	.75	.60	.50
	.10	.00	.50
rubiginosa. Sweetbriar. 6'	0.0	=0	4.5
2 to 3 ft	.60	.50	.45
3 to 4 ft	.65 .75	.55 .65	.50
rubiginosa hybrids. Lady Penzan			
Green Mantle, Lucy Asht	on, Je	annie	Deans,
and Flora McIvor. 6'	1 00	p.c	
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
rubrifolia. Redleaf Rose. 6'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	
rugosa. Rugosa Rose. 6'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45

Rosa	1-4 Each	5-24 Each	25 & up Each
rugosa alba. White Rugosa Rose.	6'		
	.65	.55	
18 to 24 in			
2 to 3 ft	.75	.65	
rugosa hybrids. 5'			
- 2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Varieties:—			
Blanche de Coubert, C. F.	Meyer	٠ .	ក
Worth, Agnes Carmen, New			
Zembla, Mad. Geo. Bruant,			
Waterer, Belle Poitevine, Sir			Q -
ton, Hansa, Agnes, F. J. Gro	otendo	orst.	
rugosa hyb.—climbing.			
Max Graf	1.00	.75	
rugosa repens. Creeping Rugosa	Rose.	1'	
2 year	1.50	1.25	1.00
3 year	1.75	1.50	1.25
	1	1.00	1.20
sericea. 4'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
setigera. Prairie Rose. 6'			0.0
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
spinosissima altaica. Altai Rose.	4'		
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.90	.70	.65
spinosissima hispida. Bristly Scot	ch Ros	e. 6'	
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	75
spinosissima hybrids. 5'			
2 to 3 ft			
3 to 4 ft	1.50	1.25	
Dbl. Blush, Dbl. White, D	bl. Piı	nk, Fι	ılgens.
Sgl. Red, Sgl. Pink.			
watsoniana. Watson Rose. 6'			
3 to 4 ft	1.25	1.00	

Rosa	1-4 5-24 25 & up Each Each Each
wichuraiana. Wichuria	n Rose. 2'
2 year	
3 year	
wichuraiana hybrids.	
2 year	
	eetheart, Universal Fav-
	riumph, South Orange
Perfection, Evergre	een Gem.
RO	SES
Hybrid Perpetuals. 2 year	
Anne de Diesbach	J. B. Clark
Baroness Rothchild	Mme. Albert Barbier
Baron de Bonstettin	Mrs. John Laing
Earl of Dufferin	Magna Charta
Clio	M. P. Wilder
Eugene Furst	Margaret Dickson
Frau Karl Druschki	Paul Neyron Tom Wood
Gen. Jacqueminot Geo. Arends	Ulrich Brunner
Geo. Arenas	Offich Brunner
Hybrid Tea. 2 year No. 1	
Betty Uprichard	Madame Butterfly
Chas. K. Douglas	Mrs. Henry Bowles
Etoile de France	Mrs. Henry Morse
Gruss an Teplitz	Pres. Hoover
Jonkheer J. L. Mock	Radiance
Killarney	Rev. F. Page-Roberts
Lady Alice Stanley Lady Hillingdon	Sunburst White Killarney
Mad. Abel Chatenay	Willowmere
·	
Climbing roses. 2 year No.	
American Beauty American Pillar	Mad. Gregoire Staechelin Mary Wallace
Aviateur Bleriot	Paul's Scarlet Climber
Dr. W. Van Fleet	Roserie
Dorothy Perkins	Silver Moon
Excelsa	Star of Persia
Gardenia	White Dorothy Perkins
Hiawatha	The state of the s
Polyantha hybrids. 2 year	No. 1 1.00 .75

Ideal

Lafayette

Katherine Zeimet

Else Poulsen Gloria Mundi

Golden Salmon

	1-4 Each	5-24 Each	25 & up Each
Rosa			ø
woodsi. Wood's Rose. 5'	0.5		
2 to 3 ft	.85	.75	.60
3 to 4 ft	1.00	.85	.75
xanthina Allard. 10'	0.00		
2 to 3 ft	2.00	4 - 4	
xanthina spontanea. Sgl. Korean		. 10'	
2 to 3 ft	2.00		
Rubus deliciosus. Boulder Raspberry.	5'	4.0#	4.00
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	
dumetorum. European Dewberry.	2'	=0	4.00
2 year	.60	.50	.45
3 year	.75	.60	.50
	6'	-	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
phoenicolasius. Wineberry. 8'			
3 to 4 ft	1.00	.75	
Salix amygdaloides. Peachleaf Willon	v. 30	,	
2 to 3 ft	1.50	1.25	
3 to 4 ft.	2.00	1.50	
4 to 5 ft.	2.50	2.00	
babylonica. Babylon Weeping Wi		50'	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ~ ft	1.75	1.50	1.25
1½ to 1½ in.	2.25	2.00	1.20
			201
babylonica crispa. Ringleaf Weep			<i>30</i> ′ 2.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.00	3.50	
babylonica dolorosa. $Wisconsin\ We$			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75		1.25
1¼ to 1½ in	2.25	2.00	1.75
babylonica salamoni. Salamon We	eping	Willow	v. 50'
6 to 8 ft	1.75	05 1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in.	3.00	2.50	2.25
1½ to 1¾ in	4.00	3.50	3.00
13/4 to 2 in	4.50	4.00	3.75
2 to 2½ in	6.50	5.50	
	10.00	7.50	
= ,2 00 0 ;	12.50	10.00	

	1-4 Each	5-24 Each	25 & up Each
Salix			
caprea. Goat Willow. 20'			
5 to 6 ft	1.00	.80	.75
6 to 8 ft		(< 1.00	.90
8 to 10 ft	1.75	1.50	1.25
discolor. Pussy Willow. 20'			
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.80	.75
8 to 10 ft	1.50	1.25	1.00
doniana. 9'			
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft.	2.00	1.75	
elegantissima. Thurlow Weeping	Willo	w. 50'	
6 to 8 ft	1.50	of 1.25	1.00
8 • to 10 ft	2.00	1.50	1.25
1½ to 1½ in	3.00	2.50	2.25
1½ to 1¾ in	4.00	3.50	3.00
13/4 to 2 in	4.50	4.00	3.75
2 to 2½ in	6.50	5.50	2 5.00
fragilis. Brittle Willow. 50'			
3 to 4 ft	1.50		
fragilis repandens. 10'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
incana. syn. rosmarinifolia. Rosen	aaru 1	Willow	20 '
3 to 4 ft. shrub form	.60	.50	.45
4 to 5 ft. shrub form	.75	.65	.60
5 to 6 ft. shrub form	1.00	.80	.75
6 to 8 ft. shrub form	1.25	1.00	.90
irrorata. Bluestem Willow. 12'	1.20	1.00	
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft.	1.50	1.35	1.25
	1.00	. 1.00	1.20
jessoensis. 6' 3 to 4 ft.	9.00	~ 1 50	1.05
	2.00	1.50	1.25
2 00 0 201	2.25	1.75	1.50
	2.50	2.00	1.75
lucida. Shining Willow. 18'			
2 to 3 ft	.50	1.25	

Salix	1-4 Each	5-24 Each	25 & up Each
mandshurica. 30'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
	1.10	1.00	
matsudana. Hankow Willow. 35'	1.50	4.0#	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1¾ in	3.00	2.50	
13/4 to 2 in	4.00	3.50	
matsudana tortuosa. 20'			
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.00	2.50	2.25
mutabilis. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	
myricoides rigida. 9'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
	2110	2.00	1120
nigricans cotinifolia. 12'	0.00	1 75	1 50
6 to 8 ft	2.00 2.50	1.75 2.00	1.50 1.75
		2.00	1.75
niobe. Niobe Weeping Willow. 30			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	2.75	2.50	2.25
1½ to 1¾ in	4.00	3.50	
134 to 2 in	4.50	4.00	
2 to 2½ in	6.50	5.50	
patula. 20'			
3 to 4 ft	1.50	1.25	
pentandra. Laurel Willow. 30'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 off	2.00	1.50	1.25
1½ to 1½ in.	3.00	2.50	2.25
1½ to 1¾ in.	4.00	3.50	3.00
13/4 to 2 in	4.50	4.00	
purpurea nana. Dwf. Purple Osie	r 5'		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
0 to x 10	1.20	2.00	110

	1-4	5-24	25 & up
Salix	Each	Each	Each
regalis. Royal Willow. 30'			
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.25	2.00	
sieboldiana. Siebold Willow. 30'			
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.25	2.00	1.50
smithiana. 20'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
tomini. 20'			
3 to 4 ft	2.00	1.50	
uralensis. 15'			
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.90
vitellina. Golden Willow. 30'			
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
11/4 to 11/2 in	2.00	1.75	1.50
1½ to 1¾ in	3.00	2.50	2.00
13/4 to 2 in	4.00	3.50	3.00
vitellina britzensis. Bronze Golden	n Wil	low.	30'
6 to 8 ft	1.50	1.25	
8 200 to 10 ft	2.00	1.75	
1½ to 1¾ in	3.00	2.50	
13/4 to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
vitellina glauca. Blue Russian Wil	low.	20'	
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.50	1.35	1.25
vitellina pendula. Golden Weeping	Wille	ow. 40) '
6 to 8 ft	1.75	1.50	1.25
8 to 10 - ft	2.00	1.75	1.50
1½ to 1¾ in	3.00	2.50	2.00
13/4 to 2 in	4.00	3.50	3.00
wentworthi. 50'			
8 to 10 ft	1.75	1.50	
1½ to 1¾ in.	3.00	2.50	
13/4 to 2 - in	4.00	3.50	
2 to 2½ in	5.00		

	1-4 Each	5-24 Each	25 & up Each
Sambucus canadensis. American Ele			
2 to 3 ft		.35	.30
3 to 4 ft		.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft		.80	.75
canadensis acutiloba. Cutleaved		10'	
2 to 3 ft		.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
nigra. European Elder. 15'		0.5	
4 to 5 ft		.65	.60
5. to 6 ft		.85	.75
nigra aurea. Golden European E	lder. 1	5'	
2 to 3 ft		.35	.30
3 to 4 ft		.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
nigra variegata. Variegated Eld	ler. 10'		
3 to 4 ft	1.00		
pubens. Scarlet Elder. 8'			
3 to 4 ft	.65	.55	
4 to 5 ft	.85	.75	
5 to 6 ft		.90	
pubens leucocarpa. Yellow-fruit		er. 8'	
3 to 4 ft	1.25	1.00	
	8'		
racemosa. European Red Elder.		.55	.50
3 to 4 ft	.85	.75	.70
4 to 5 ft.	1.00	.90	.80
5 to 6 ft	1.50	1.25	.00
6 to 8 ft	1.00	1,20	
Sassafras variifolium. Sassafras. 50)′		
6 to 8 ft	4.50	3.75	
8 to 10 ft		4.50	
10 to 12 ft	7.50	6.00	
Schizophragma hydrangeoides.			
Japanese Hydrangea-vin	e 20'		
from pots f	1.50	1.25	
Sciadopitys verticillata. Umbrella Pi	ne. 60'		
10 ft. specB&B			
To It. Speci	200.00		

SEE PAGE 165 FOR COMPLETE LIST OF HERBACEOUS STOCK

Shepherdia argentea. Silver Buffalob	1-4 Each	5-24 Each 15'	25 & up Each
4 to 5 ft	1.25	1.00	.75
5 to 6 ft.	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
canadensis. Russet Buffaloberry.	8'	1.00	1.20
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1,20
Smilax rotundifolia. Horsebrier.	2.00	1	
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
Solanum dulcamara. True Bitterswee			
2 year	.50	.40	.35
Sophora japonica. Chinese Scholartre	00 95'		
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ft	6.00	5.50	5.00
4 to 5 ft	7.50	7.00	6.50
	10.00	9.00	8.00
6 to 8 ft	12.50	10.00	0.00
5 to 6 ft. spec	15.00	10.00	
6 to 8 ft. spec	18.00		
	10.00		
vicifolia. Vetchleaf Sophora. 6'	E 50		
3 to 4 ftB&B	7.50	o.t	
Sorbaria aitchisoni. Kashmir False S	-		4.5
3 to 4 ft	.60	,50	.45
2 00 0 200	.75	.65	.60
0 00 0 20111111111111111111111111111111	1.00	.80	.75
arborea glabrata. 15'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
lindleyana. Lindley False Spira			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
sorbifolia. Ural False Spiraea.	6 '		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
Sorbus americana American Mounta	in Ash	. 25'	
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
11/4 to 11/2 in	6.00		

	1-4 Each	5-24 2 Each	25 & up Each
Sorbus			
	40'	0.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.50	
aucuparia. European Mountain		50'	
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.50	2.25
1½ to 1½ in	4.00	3.50	₫ 3.00
1½ to 1¾ in	4.50	4.00	3.75
1 ³ / ₄ to 2 in	5.50	5.00	4.50
2 to 2½ in	7.50	6.00	5.50
2½ to 3 in	12.50	10.00	8.00
3 to 3½ in	15.00	12.50	
3½ to 4 in	20.00	15.00	
aucuparia columnaris. Columnar	Mt.	Ash. 40	9'
1¼ to 1½ in	8.50		
1½ to 1¾ in	10.00		
aucuparia fastigiata. Pyramidal N	It. Asi	h. 40'	
8 to 10 ft	7.50		
commixta. Japanese Mountain A	4sh. 2	25'	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
10 to 12 ft	4.50	4.00	
quercifolia. Oak-leaf Mountain	Ash.	25'	
6 to 8 ft	2.75	2.50	2.25
8 to 10 / ft	3.50	3.00	
1¼ to 1½ in	5.00	4.00	
1½ to 1¾ in	6.00	5.00	
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	7.50	
2½ to 3 in	12.50	10.00	
3 to 3½ in	15.00	12.50	
spuria. 15'			
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
1½ to 1½ in	4.50	4.00	
torminalis. Wild Service Tree.	50'		
7, 100 200000		3.50	3.00
6 to 8 ft			3.00
8 to 10 ft	5.00	4.00	

	1-4 Each	5-24 Each	25 & up Each
Spirea arguta. Garland Spirea. 6'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
aitchisoni. (See Sorbaria).			
billiardi. Billiard Spiraea. 6.'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
bumalda. Bumalda Spiraea. 3'			
18 to 24 in	.50	.40	
24 to 30 in	.60	.50	
bumalda Anthony Waterer.			
Anthony Waterer Spiraea.	3'		
18 to 24 in	.55	.45	.40
24 to 30 in	.60	.50	.45
bumalda walluffi. 3'			
18 to 24 in	.55	.45	
24 to 30 in	.60	.50	
chamaedryfolia ulmifolia. Elmlea	f Spir	raea.	6'
2 to 3 ft	.75		
3 to 4 ft	1.00		
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
fortunei. Fortune Spiraea. 4'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.65	.55	.50
froebeli. Froebel Spiraea. 4'		,00	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.65	.55	.50
japonica. Japanese Spiraea. 6'			
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
japonica ovalifolia. White Japane	ese Sp	oiraea.	3'
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50

	1-4 Each	5-24 Each	25 & up
Spiraea	Edch	Each	Each
japonica ruberrima. Pink Japanes	e Spi	raea.	5'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
latifolia syn. bethlehemensis.			
Pink Meadow Spiraea. 6'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
lindleyana. (See Sorbaria).			
margaritae, Margarita Spiraea. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
nipponica rotundifolia. Big Nippo	n Spi	raea.	10'
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
prunifolia. Bridal Wreath. 8'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
pubescens. 6'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
reevesiana. Reeves Spiraea. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.00	.50	.45
4 to 5 ft	.75	.65	.60
reevesiana lanceata. Double Reeve	_		8'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
The state of the s	5'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
sorbifolia. (See Sorbaria).			
superba. Striped Spiraea. 4'	.55	.45	.40
18 to 24 in	.65	.55	.50
2 00 0 200	.00	,00	.00
syringiflora. Lilac Spiraea. 3'	1.00		
18 to 24 in	1.00		

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
thunbergi. Thunberg Spiraea. 5'			
18 to 24 in	.45	.35	.25
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
tomentosa. Hardhack. 4'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
trichocarpa. Korean Spiraea. 4'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
van houttei. Vanhoutte Spiraea.	10'		
2 to 3 ft	.45	.35	30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
0 00 0 20000000000000000000000000000000	1.00	.00	.10
veitchi. Veitch Spiraea. 12'			
2 to 3 ft,	.60	.50	.45
3 to 4 ft	.75	.65	.60
wilsoni. Wilson Spiraea. 6'			
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
Staphylea bumalda. Bumalda Bladder	nut.	8'	
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
colchica. Colchis Bladdernut. 12		1.20	2.00
3 to 4 ft	1.75	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.50	
		2.50	
	2'	00	
3 to 4 ft	.75	.60	
2 00 0 20000000000000000000000000000000	1.00	.75	
	2'		40
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
5 to 6 ft	1.00	.90	.75
6 to 8 ft	1.25	1,00	.90

	1-4 Each	Fach	25 & up Each
Stephanandra flexuosa. Cutleaf Step.	hanana	dra. 6	,
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
Stewartia pentagyna. Mountain Stew	vartia.		
	6.00	5.00	
4 to 5 ftB&B	7.50	6.00	
5 to 6 ft		8.50	
	12.50	0.00	
	10.00		
pentagyna grandiflora. 15'	10.50		
	12.50		
. 6 to 8 ft			
8 to 10 ftB&B	17.50		
serrata. 30'			
4 to 5 ft	10.00		
5 to 6 ft B&B			
	15.00		
Stranvaesia davidiana. 5'			
12 to 15 in., from pots	1.50		
24 to 30 in	2.50		
Styrax japonica. Japanese Snowbell.			
•	$\frac{zv}{4.00}$	3.50	3.00
			$\frac{3.00}{4.50}$
	6.00	5.00	
5 to 6 ft	8.50	7.00	6.00
	12.50	10.00	
8 to 10 ftB&B	15.00	12.50	
obassia. Fragrant Snowbell. 20'			
4 to 5 ftB&B	7.50		
5 to 6 ftB&B	10.00		
6 to 8 ftB&B	12.50		
8 to 10 ftB&B	15.00		
Symphoricarpos chenaulti. 5'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
mollis. Spreading Snowberry. 6'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
occidentalis. Western Snowberry.	<i>5</i> ′		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Symphoricarpos			
o. heyeri. 5'			
2 to 3 ft	.60	.50	
racemosus. Snowberry. 6'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
vulgaris. Coralberry. 5'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
*Symplocos paniculata. syn. crataegoid	les.		
Asiatic Sweetleaf. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.75	1.50	1.00
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	2.50	2.25
Syringa affinis giraldi. Purple Early	Lilac	12'	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
chinensis. syn. rothomagensis. Ch	inese	Lilac.	10'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
chinensis alba. White Chinese Li	l., a 1	10'	
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	2€1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
0 10 0 11	1.10	1.00	1,40
chinensis metensis. 10'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	

	1-4 Each	5-24 Each	25 & up Each
Syringa			
chinensis saugeana. Purple Chin			0'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
emodi. Himalayan Lilac. 8'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
henryl eximea. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
henryi lutece. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.0	
		3.01	7
	20'		
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.60	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	6.00	5.00	
12 to 15 ft	10.00		
josikaea. Hungarian Lilac. 10'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	.85	.65	.60
5 to 6 ft	1.25	.90	.75
6 to 8 ft	1.50	1.25	.90
microphylla. Littleleaf Lilac. 10'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft		□ 1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
oblata. 12'	0.00	2.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
3 10 0 11,	2.00	1.75	

		1-4	5-24	25 & up
Syringa		Each	Each	Each
oblata dilatata. 12'				
		1.00	.85	.75
3 to 4 ft		1.50	1.25	1.00
4 to 5 ft		1.75	1.50	1.25
palibiniana. 10'		0.00	1.50	
		2.00	1.50	
		$\frac{2.50}{3.00}$	2.00 2.50	
5 to 6 It		3.00	2.50	
pekinensis. Peking I	Lilac. 15'			
		1.75	1.50	1.25
5 to 6 ft		2.50	2.00	1.75
6 to 8 ft		3.00	2.75	2.50
8 to 10 ft		4.00	3.75	3.50
10 to 12 ft		7.50	6.00	
6 to 8 ft. spec.	B&B	12.50		
8 to 10 ft. spec.	B&B	15.00		
persica. Persian Lil	ac. 10'			
•		.60	.50	.45
		.75	.65	.60
		1.00	.75	.70
		e. 10'		
persica alba. White		.85	.75	
		1.00	.90	
		1.00	.90	
pubescens. Hairy Li				
		2.50	2.00	
3 to 4 ft		3.00	2.50	
villosa. Late Lilac.	8'			
		.55	.45	.40
		.65	.55	.50
		.75	.65	.60
		1.00	.85	.75
6 to 7 8 ft		1.50	1.25	
	urple Lilac.	15'		
		.55	.45	.40
		.65	.55	.50
		.85	.75	.60
2 1 2 21		1.25	1.00	.90 1.25
			1.35	1.25
	os	5.00		
5 to 6 It. clump	os	6.00		

Syringa

1-4 5-24 25 & up Each Each Each

vulgaris	alba.	Common	White	Lilac.	15'
----------	-------	--------	-------	--------	-----

2	to	3	ft	.75	.60	.50
3	to	4	ft	.85	.75	.60
4	to	5	ft	1.00	.90	
5	to	6	ft	1.50	691.25	
6	to	8	ft	1.75	1.50	
4	to	5	ft. clumps	5.00		
5	to	6	ft. clumps	6.00		

vulgaris. Named Varieties. 15'

These hybrid lilacs are grown on their own roots in bush form. Can also be furnished in tree form in first two sizes at 25% additional.

~				 0 0	0100	~~	-0 /0	CCC CL ULO I	LULI
2	to	3	ft				1.00	.75	.60
3	to	4	ft				1.25	1.00	.90
4	to	5	ft	 			1.50	1.35	1.25
5	to	6	ft	 			2.50	2.25	1.75
6	to	8	ft	 			3.50	3.00	2.50

Belle de Nancy-Double Rose.

2-3' 3-4' 4-5' 5-6' 6-8'

Chas. Joly—Dark Purplish Red. 2-3' 3-4' 4-5' 5-6' 6-8'

Frau Dammann—Single White. 2-3' 3-4' 4-5' 5-6' 6-8'

La Tour d'Auvergne—Double Purple.

2-3' 3-4' 4-5'

Ludwig Spaeth—Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay—Double White. 2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier—Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine—Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye—Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy—Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White. 2-3' 3-4' 4-5' 5-6' 6-8'

5-24 25 & up Each Each Each Syringa vulgaris. Named Varieties We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices. A list of varieties will be forwarded on request. 2 to 3 ft..... 1.50 3 to 4 ft..... 2.00 4 to 5 ft..... 2.50 5 to 6 ft..... 3.50 yunnanensis. Yunnan Lilac. 10' 3 to 4 ft..... 2.00 Tamarix africana. African Tamarix. 15' 3 to 4 ft..... .60 .50 .45 5 ft..... .60 4 to .75 .65 6 ft.... .751.00gallica. French Tamarix. .60 3 to 4 ft...... .50 4 to 5 ft....... .75 .65 gallica indica. India Tamarix. 10' 3 to 4 ft...... .60 .50 .45 5 ft..... .75 4 to .65.60 6 ft..... .90 .75 5 to 1.00

3 to 4 ft..... 1.50 1.25 odessana. Odessa Tamarix. 6' 3 to 4 ft..... .50 .45 .60 4 to 5 ft..... .75 .65 .60 5 to 6 ft.... 1.00 .90 .75 pentandra. Fivestamen Tamarix. 12'

 3 to 4 ft.
 .75
 .60

 4 to 5 ft.
 1.00
 .75

 5 to 6 ft.
 1.25
 1.00

 tetandra purpurea.
 Fourstamen Tamarix.
 10'

 3 to 4 ft.
 .75 .60

 4 to 5 ft.
 1.00 .75

 Taxodium ascendens.
 Pondcypress.
 50'

 6 to 8 ft.
 B&B 12.50

 8 to 10 ft.
 B&B 15.00

 10 to 12 ft.
 B&B 20.00

juniperina. Juniper Tamarix. 15'

	1-4 Each	5-24 Each	25 & up Each
Taxodium			20011
distichum. Common Baldcypress.			
4 to 5 ftB&B		6.00	
5 to 6 ftB&B	10.00	7.50	
	15.00		
	18.00		
10 to 12 ftB&B	25.00	18.00	
Taxus baccata. English Yew. 50'			
	5.00	4.00	
	6.00	5.00	
		6.00	
3 ftB&B		7.50	
	12.50	10.00	
baccata erecta. Broom Yew. 10'	0.00	5.00	
2 ftB&B	6.00	5.00	
2½ ftB&B	7.50	6.50	
baccata fastigiata. Irish Yew. 10			
. 2 ftB&B			
3 ftB&B	15.00		
baccata repandens. Spreading E	nglish	Yew.	2'
15 to 18 in. spdB&B			2.50
18 to 24 in. spdB&B	4.50	4.00	3.75
24 to 30 in. spdB&B	6.00	5.50	5.00
30 to 36 in. spdB&B	7.50	6.50	6.00
36 to 42 in. spdB&B	12.50	10.00	
baccata washingtoni. Washington	Yew.	6'	
18 inB&B	6.50	5.00	
24 in. spec B&B	10.00		
canadensis. Canada Yew. 3'			
15 to 18 in., spdB&B	3.00		
cuspidata. Japanese Yew. 10'			
15 to 18 in. spdB&B		2.75	2.50
18 to 24 in. spdB&B		4.00	3.75
2 to 2½ ft. spdB&B		5.50	5.00
	7.50	6.50	6.00
3 to 3½ ft. spd B&B		10.00	7.50
3½ to 4 ft. spd. B&B		12.50	10.00
4 to 4½ ft. spd. B&B			
4½ to 5 ft. spdB&B			
5 to 6 ft. spec. B&B			
6 to 7 ft. spec B&B		45.00	
cuspidata aurescens. Golden Jap		Yew.	20'
18 inB&B	7.50		

Taxus	1-4 Each	5-24 Each	25 & up Each
cuspidata brevifolia. Dwarf Japa	nese :	Yew. 6	3′
15 to 18 in	4.00	3.50	3.25
	6.00	5.00	4.50
	8.50	7.50	7.00
30 to 36 inB&B	12.50	10.00	
36 to 42 inB&B	15.00		
cuspidata brevifolia compacta. 6	,		
18 to 24 inB&B	7.50	6.00	
24 to 30 inB&B	10.00		
cuspidata capitata. Upright Japa	nese 1	Yew.	25 ′
18 inB&B	3.50	2.75	2.50
2 ftB&B	5.00	4.75	4.50
	7.50	6.50	6.00
3 ftB&B	10.00	8.50	8.00
3½ ftB&B	12.50	11.00	10.00
	15.00	13.50	12.50
4½ ftB&B	20.00	17.50	15.00
5 ftB&B	25.00	22.50	20.00
5½ ft	30.00	27.50	25.00
6 ftB&B	35.00	32.50	30.00
6½ ft	40.00	37.50	35.00
7 ftB&B	50.00	45.00	40.00
intermedia. Hybrid Yew. 12'			
18 to 24 inB&B	5.00	4.00	
24 to 30 inB&B	6.50	7 5.50	
media browni. Brown's Yew. 10) ′		
18 to 24 inB&B	6.00	5.00	
24 to 30 inB&B	7.50	6.00	
media hatfieldi. Hatfield Yew.	20'		
18 to 24 inB&B	5.00	4.00	
24 to 30 inB&B	6.50	5.50	
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B	4.00	3.50	
	5.00	4.50	
30 to 36 in	7.50	6.00	
36 to 42 inB&B	10.00	_. (8.50	

Thuja occidentalis. American Ar.	borvit	1-4 Each	5-24 Each 40'	25 & up Each
3 ftB	&B	3.50	3.25	3.00
4 ftB	&B	5.00	4.25	4.00
4 ft. heavy specB		7.50		
5 ftB		7.50	6.50	6.00
5 ft. heavy specB	&B 1	0.00		
6 ft		0.00	9.00	8.00
6 ft. heavy specB	&B 1	2.50		
7 ft	&B 1	2.50	10.00	9.00
7 ft. heavy specB	&B 1	5.00		
8 ft	&B 1	5.00	12.50	11.00
8 ft. heavy spec Be	&B 1	8.50		
9 ft	&B 1	8.50	15.00	12.50
10 ft	&B 2	2.50	18.00	15.00
10 ft. heavy specBe				
For larger sizes to 18 ft., a	dd \$5	6.00 p	er foo	t.
occidentalis aurea douglasi.				
Douglas Golden Arborvita	ie. 1	5'		
3 ftB	&B	4.00	3.50	
4 ftB	&B	5.50	5.00	
5 ft		7.50	6.50	
6 ft	&B 1	0.00	8.50	
7 ft	&B 1	2.50	10.00	
8 ft	&B 1	5.00	12.50	
9 ft	&B 2	0.00	15.00	
For larger sizes to 16 ft., a			er foo	t.
occidentalis columbia. Silver-tr	ipped	Arb	orvitae	. 40'
3 ftB	&B	4.00	3.50	3.00
4 ftB	&B	5.50	5.00	4.50
5 ftB	&B	7.50	6.50	6.00
6 ftB	&B 1	0.00	, 7.50	
7 ftB	&B 1	2.50	10.00	
8 ftB	&B 1	5.00	12.50	
9 ftB	&B 2	0.00	15.00	
For larger sizes to 14 ft., a	add \$	5.00 p	er foo	t.
occidentalis compacta. Comp	act A	1 rhor	vitae.	4'
15 in		2.50	2.00	7
18 in		2.75	2.25	
24 inB		3.00	2.50	2.25
30 inB		3.50	3.00	2.75
36 inB		4.50	4.00	3.50
42 in		6.50	5.50	5.00
48 inB		0.00	7.50	
20 2121	3	2,50		

		1-4 Each	5-24 Each	25 & up Each
Thuja				
occidentalis compacta.				10'
	B&B	3.50	3.00	2.75
	B&B	4.50	4.00	3.50
	B&B	6.50	5.50	5.00
	B&B	8.50	7.50	6.00
	B&B	10.00 12.00	8.50	
	B&B	13.50	10.00	
	B&B	15.00	12.50	
	B&B	16.50	13.50	
	B&B	18.00	15.00	
	B&B		18.00	
occidentalis cristata. 1		22.00	10.00	
3 ft		5.00		
4 ft		7.50		
		1.00		
occidentalis elegantissi		9.50	0.00	0.50
2 ft		3.50 4.00	3.00	2.50 3.00
4 ft.		6.00	5.00	4.50
5 ft		7.50	6.50	6.00
6 ft.			9.00	0.00
7 ft		12.50	10.00	
8 ft.		15.00	12.50	
9 ft			15.00	
For larger sizes to			oer foo	t.
occidentalis ellwangeri	ana			
Tom Thumb Ar		6'		
	B&B	•	2.50	2.25
	В&В	3.50	3.00	2.50
	B&B	4.50	3.50	
	B&B	6.00	4.50	
4 ft	B&B	7.50	6.00	
	B&B	8.50	7.50	
5 ft	B&B	10.00	9.00	
occidentalis ericoides	Heath Arl	orvita	e. 5'	
3 ft		4.50		
	Globe Arb		3. 3'	
18 in		2.50	2.00	1.75
24 in		3.00	2.50	2.25
30 in		3.50	3.00	2.75
36 in	B&B	4.00	3.50	3.00
42 in	B&B	6.00	5.00	

Thuja		1-4	5-24	25 & up
occidentalis hoveyi.	Hovey Golde	Each n $Arbc$	Each prvitae	Each
	B&B	2.25	2.00	1.75
	B&B	3.00	2.50	2.25
	B&B	3.50	3.00	2.75
3 ft	B&B	4.00	3.50	3.00
3½ ft	B&B	6.00	5.00	4.00
4 ft	B&B	7.50	6.00	5.00
4½ ft	B&B	10.00	7.50	
	B&B	12.50	10.00	
	B&B	15.00		
	B&B	17.50		
7 ft	B&B	20.00		
occidentalis Little G				
15 in	B&B	3.00	2.50	
18 in	B&B	4.00	3.50	
occidentalis lutea. G	eo. Peabody's	Arbo	rvitae.	15'
3 ft	B&B	4.50	4.00	
4 ft	B&B	6.00	5.00	
5 ft	B&B	7.50	6.00	
	B&B	10.00	7.50	
	B&B	12.50	10.00	
	B&B	15.00	12.50	
	B&B		15.00	
For larger sizes	to 16 ft., add	\$5.00	per foo	ot.
occidentalis pumila.	Green Globe	Arbor	vitae.	3'
18 in. spread	B&B	2.25	2.00	1.75
24 in. spread	B&B	3.00	2.50	2.25
30 in. spread	B&B	3.50	3.00	2.75
36 in. spread	B&B	5.00	4.00	3.50
_	B&B	7.50	6.00	5.00
48 in. spread	B&B	10.00		
occidentalis pyramid	alis. Pyramide	al Arb	orvita	e. 25'
2 ft	B&B	3.50	2.50	2.25
3 ft	B&B	4.50	3.50	3.00
4 ft	B&B	6.00	4.50	4.00
	B&B	7.50	6.50	6.00
6 ft	B&B	10.00	8.50	8.00
	B&B	12.50	11.00	10.00
	B&B	15.00	12.50	11.00
	B&B	20.00	15.00	12.50
10 ft	B&B	25.00	18.50	15.00

For larger sizes to 18 ft., add \$5.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis douglasi pyramidal			
Douglas Pyramidal Arborv			
2 ftB&		2.75	
3 ftB&		3.50	
4 ftB&		4.50	
5 ft B&		6.50	
200 11111111111111111111111111111111111		8.50 12.50	
7 ftB& For larger sizes to 13 ft., ad			
	ւս ֆն.սս բ	er 100t	10
occidentalis recurva nana. 6'	D 0.50	0.05	
18 in		2.25 2.50	
2 1t		3.50	
		4.50	
3 ft B& 3½ ft B&		6.00	
4 ft		7.50	
occidentalis reevesi. Reeves A			
2½ ftB&		3.50	
3 ftB&		4.00	
3½ ft B&		5.00	
4 ft		6.00	
4½ ftB&		7.50	
5 ft		8.50	
6 ftB&	B 12.50	10.00	
7 ft	B 15.00	12.50	
8 ft		15.00	
occidentalis reidi. Reid Arboro			
2 ftB&	B 3.00	2.50	2.25
2½ ftB&	B 4.00	3.50	3.00
3 ftB&	B 5.00	4.00	3.75
3½ ftB&	B 6.50	5.50	
4 ftB&	B 7.50	6.50	
4½ ftB&		7.50	
5 ftB&	B 10.00	8.50	
6 ftB&	B 12.50	10.00	
occidentalis riversi. Rivers Arb	orvitae.	12'	
4 ftB&	B 5.00	4.50	
5 ftB&		6.00	
6 ft		8.00	
7 ft		10.00	
8 ft		12.50	
9 ftB&		15.00	
For larger sizes to 12 ft., ad	d \$5.00 p	er foot	•

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis rosenthali. Rosenthal			10'
2 ftB&B	3.50	3.00	2.50
3 ftB&B	4.00	3.50	3.00
4 ftB&B	6.00	5.00	4.50
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	9.00	8.00
7 ft	15.00	12.50	10.00
occidentalis spiralis. Spiral Arbo			0.05
2 ftB&B	2.75	2.50	2.25
3 ftB&B	4.50	3.50	3.00
4 ftB&B	6.00	4.50	4.00
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	9.00	8.00
7 ftB&B	12.50	11.00	10.00
8 ftB&B	15.00	13.50	12.00
	18.00	15.00	14.00
For larger sizes to 20 ft., add			t.
occidentalis umbraculifera. Dwarf			3'
15 to 18 in. spd B&B	2.25	1.75	1.50
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.50	2.25
2½ to 3 ft. spdB&B	4.00	3.50	3.00
3 to 3½ ft. spd B&B	5.00	4.50	4.00
3½ to 4 ft. spd B&B	7.50	6.00	
occidentalis vervaeneana. Vervaen	ne Art	orvitae	. 12'
3 ftB&B	4.00	3.50	
4 ftB&B	6.00	5.00	
5 ftB&B	7.50	6.50	
6 ftB&B	10.00	8.50	
7 ft	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	20.00	15.00	
10 ftB&B	25.00	20.00	
For larger sizes to 20 ft., add		per foo	t.
occidentalis wareana.			
Ware or Siberian Arborvi	tae. 15	5′	
18 inB&B	2.50	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	4.00	3.50	3.00
3 ftB&B	5.50	4.50	3.75
3½ ftB&B	6.50	5.50	4.75
4 ftB&B	7.50	6.50	5.50
4½ ftB&B	10.00	8.00	7.00

150	HENRY KOHANI	CIE & SC	NC		
•	identalis wareana		1-4 Each	5 -24 Each	25 & up Each
5	ft		12.50	10.00	8.00
. 6	ft		15.00	12.50	10.00
7	ft		18.00	15.00	12.50
8	ft.,	.B&B	25.00	20.00	
occide	ntalis woodwardi. W		rd Ar	borvita	e. 6'
18	in	.B&B	2.50	2.00	
24	in	.B&B	3.00	2.50	
orient	alis. Oriental Arborv	itae. 2	25'		
3	ft	.B&B	4.00	3.00	2.50
4	ft	.B&B	5.50	4.50	3.75
5	ft	.B&B	6.50	5.50	5.00
6	ft	.B&B	7.50	6.50	6.00
7	ft	.B&B	10.00	8.50	7.50
. 8	ft	.B&B	15.00	12.00	10.00
9	ft	.B&B	18.00	15.00	
orient	alis conspicua. Golds	spire A	rborvi	tae. 2	20'
2	ft	.B&B	4.00	3.50	
3	ft	.B&B	5.00	4.00	
4	ft	.B&B	6.50		
5	ft	. B&B	8.00		
orient	alis elegantissima.				
	Rollinson's Golden A	Arborv	itae.	10'	
2	ft	B&B	4.00	3.50	
3	ft	B&B	5.00	4.50	
4	ft	. B&B	7.50	6.00	
5	ft	B&B	10.00	7.50	
6	ft	. B&B	12.50	10.00	
7	ft	. B&B	15.00	12.50	
8	ft	. B&B	18.00	15.00	
orient	alis nana aurea.				
	Berkman's Golden	Arbo	rvitae.	3"	
18	in	.B&B	2.50	2.25	
2	ft	B&B	3.50	3.00	
2	½ ft	.B&B	4.00	3.50	
3	ft	B&B	5.00		
orient	alis sieboldi. Siebold	Arbor	vitae.	3'	
2	ft	.B&B	3.50		
3	ft	.B&B	4.00		

		1-4 Each	5-24 Each	25 & up Each
Thuja				
plicata. Giant Arborvitae.	20'			
3 ft. 9		4.00	3.50	
4 ft		5.00	4.50	
5 ft		7.50	6.00	
6 ft		10.00	8.00	
7 ft		12.50	10.00	
8 ft		15.00		
9 ft			A	
For larger sizes to 14 ft			per 100	L.
standishi. Standish Arborv		15'		
3 ft		5.00		
,		6.00 7.50		
5 ft		35.00		
Tilia americana. American Lin			1.50	1.07
6 to 8 ft		1.75	1.50	1.25
8 to 10 ft		2.00	1.75	1.50
		3.00	2.50	2.25
1½ to 1¾ in		3.50	3.00	2.50
134 to 2 in		4.50	4.00	3.25
2 to 2½ in		6.50	5.50 7.50	4.50 6.00
2½ to 3 in		15.00	12.50	0.00
3½ to 4 in		18.00	15.00	
cordata. Littleleaf Europea			70'	
1½ to 1½ in		5.00	4.00	3.50
1½ to 1¾ in		6.00	5.00	4.25
134 to 2 in		7.50	6.00	5.00
2 to 2½ in		10.00	8.00	7.00
2½ to 3 in.		15.00	12.50	10.00
3 to 3½ in		17.50	15.00	10.00
4 to 4½ in		30.00	10.00	
		00.00		
euchlora. Crimean Linden.	75'			• • • •
6 to 8 ft		4.00	3.50	3.00
8 to 10 ft		5.00	4.00	3.75
1¼ to 1½ in		6.50	5.50	5.00
1½ to 1¾ in		7.50	6.50	6.00
13/4 to 2 in		10.00	8.50	8.00
2 to 2½ in		12.50	10.00	9.00
2½ to 3 in		17.50	15.00	12.50
3 to 3½ in		25.00	20.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

		1-4 Each	5-24 Each	25 & up Each
Filia -				
•	0'			
	1½ in	7.50		
heterophylla.				
	2½ in	10.00	7.50	
	3 in	15.00	12.50	
	3½ in	20.00		
oliveri. 50'				
	ft	7.50		
platyphyllos.				
	8 f ft	2.50	2.25	2.00
	0 ft	3.00	2.75	2.50
	1½ in	4.00	3.75	3.50
	13/4 in	6.00	5.00	4.50
13/4 to	2 in	7.50	10.00	5.00
2 to	2½ in	9.00	8.00	7.00
2½ to	3 in	12.50	10.00	9.00
3 to	3½ in	18.00	15.00	12.50
3½ to	4 in	25.00		
4 to	5 in	30.00		
platyphyllos				
	nidal Bigleaf Linden.	50'		
_{eo} 6 to	8 ft	6.00		
8 to 1	0 p ft	7.50		
iomeniosa.	Silver Linden. 40'			
6 to	8 ft	4.00	3.50	
1½ to	13/4 in	7.50	6.50	
13/4 to	2 in	10.00	8.50	
2 to	2½ in	12.50	10.00	
2½ to	3 in	17.50	15.00	
3 to	3½ in	25.00	20.00	
3½ to	4 in	30.00		
4 to	5 ₂ in	45.00		
vulgaris. Co	ommon European Lin	nden.	75'	
6 to	8 ft	2.50	2.25	2.00
8 to 1	0 ft	3.50	2.75	2.50
11/4 to	1½ in	4.00	3.75	3.50
1½ to	13/4 in	5.00	4.75	4.50
13/4 to	2 in	6.50	5.50	5.00
2 to	2½ in	8.50	7.50	7.00
2½ to	3 in	12.50	10.00	9.00
3 to	3½ in	17.50	15.00	12.50
3½ to	4 in	25.00	20.00	15.00
4 to	5 in	30.00		

Tripterygium regeli.	<i>5'</i>			
2 to 3 ft	B&B	2.00	1.50	1.25
	B&B	2.50	1.75	1.50
Tsuga canadensis. C	anada Hemlock.	75'		
	B&B	4.50	4.00	3.75
3 ft	B&B	6.00	5.50	5.00
4 ft	B&B	7.50	7.00	6.50
4 ft. ex. b	roadB&B	10.00		
5 ft	B&B	12.50	10.00	9.00
5 ft. ex. b	roadB&B	15.00		
6 ft	B&B	15.00	13.50	12.50
7 ft	B&B	17.50	15.00	14.00
8 ft	B&B	20.00	17.50	16.50
For larger si	zes to 18 ft., add	\$5.00 j	per foot	•
caroliniana. Car	rolina Hemlock.	50 '		
2 ft	B&B	6.00		
3 ft	B&B	7.50		
4 ft	B&B	10.00		
5 ft	B&B	15.00		
6 ft	B&B	17.50		
7 ft	B&B	22.50		
sieboldi. Siebold	Hemlock. 35'			
_	ens B&B	60.00		
	ens B&B	75.00		
Ulex europeaus. Con	nmon Gorse. 4'			
18 to 24 in.,	4 in. pots	1.50	1.25	
Ulmus americana. A	merican Elm. 80) '		
8 to 10	ft	2.00	1.75	1.50
11/4 to 11/2	in	2.50	2.25	2.00
1½ to 1¾	in	3.50	3.00	2.75
13/4 to 2	in	4.50	3.75	3.50
2 to 2½	in	6.00	5.00	
2½ to 3	in	7.50	6.50	
3 to 3½	in	12.50	10.00	
3½ to 4	in	15.00	12.50	
4 to 4½	in	20.00	15.00	
americana molin	e. Moline Elm.	80'		
6 to 8	ft	1.75	1.50	1.25
8 to 10	ft	2.50	2.25	2.00
1½ to 1½	$in.\dots\dots\dots\dots$	3.00	2.75	2.50
	in	4.50	4.00	3.50
13/4 to 2	in	5.50	4.50	4.00
2 to 2½	$in.\dots\dots\dots$	7.50	6.50	
2½ to 3	$in.\dots\dots\dots$	10.00	8.00	
3 to 3½	in,	15.00	12.50	

							1-4	5-24	25 & up
Ulm	us						Each	Each	Each
-	america	na	vase-	shap	ed. 50'				
	6	to	8				1.75	1.50	1.25
	8	to	10	ft			2.50	2.25	2.00
	11/4	to	11/2				3.00	2.75	2.50
	11/2	to	13/4	in			4.50	4.00	3.50
	13/4	to	2	in.			5.50	4.50	4.00
	2	to	21/2	in			7.50	6.50	6.00
	21/2	to	3	in.			10.00	8.00	
	3	to	$3\frac{1}{2}$	in.			15.00	12.50	
	campes	tris.	Eng	lish	Elm. 7	5'			
	6	to	8	ft			2.50	2.25	
	8	to	10	ft.			3.50	3.00	
	11/4	to	11/2	in.			4.00	3.50	
	11/2	to	13/4	in			5.00	4.50	
	13/4	to	2	in			7.50	6.00	
	2	to	$2\frac{1}{2}$	in.			10.00	7.50	
	21/2	to	3	in.			12.50	10.00	
	3	to	31/2	in.			20.00	15.00	
	31/2	to	4	in.			25.00	20.00	
	4	to	5	in.			35.00	30.00	
	5	to	6	in.			50.00	45.00	
	campesi	ris	klem	meri	i. Klemn	ner E	lm. 7	5'	
	8	to	10	ft.			6.00		
	13/4	to	2	in.			12.50		
	campesi	ris	latifo	lia.	Belgian	Elm	75'		
	8	to	10	ft.			3.50	3.00	
	11/4	to	$1\frac{1}{2}$	in.			4.00	3.50	
	11/2	to	13/4	in.			5.00	4.50	
	13/4	to	2	in.			7.50	6.00	
	2	to	$2\frac{1}{2}$	in			10.00		
	21/2	to	3	in.			12.50		
	3	to	$3\frac{1}{2}$	in.			20.00		
	campesi	ris	monu	ımer	italis. M	onum	ent E	lm. 75	,
	6	to	8	ft.			4.00	3.50	3.00
	8	to	10	ft.			5.00	4.00	3.75
	1 1/4	to	11/2	in			6.00	5.00	4.50
	11/2	to	13/4	in			7.50	6.50	5.50
	13/4	to	2	in.			10.00	7.50	6.50
	2	to	$2\frac{1}{2}$	in.			15.00	12.50	10.00
	$2\frac{1}{2}$	to	3	in.			18.00	15.00	13.50
	3	to	$3\frac{1}{2}$				25.00	20.00	18.00
	31/2	to	4				30.00	25.00	
	4	to	41/2	in.			40.00		

	1-4	5-24	25 & up
***************************************	Each	Each	Each
Ulmus campestris purpurea. Purpleleaf 1	En aliah	Films	70'
8 to 10 ft	3.00	Eim.	70
2½ to 3 in	12.50	10.00	
3 to 3½ in	20.00	18.00	
campestris vegeta. Huntingdon E			
8 to 10 ft	3.00	2.75	
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
13/4 to 2 in	6.50	5.50	
2 to 2½ in	10.00	7.50	
2½ to 3 in	15.00	12.00	
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
4 to 5 in	35.00		
5 to 6 in	50.00		
campestris wheatleyi. Wheatley	Elm.	75 '	
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	3.75
1¼ to 1½ in	6.00	5.00	4.50
1½ to 1¾ in	7.50	6.50	5.50
13/4 to 2 in	10.00	7.50	6.50
2 to 2½ in	15.00	12.50	10.00
2½ to 3 in	20.00	15.00	13.50
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00		
fulva. Slippery Elm. 65'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
glabra. Scotch Elm. 75'			
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	7.50	
2½ to 3 in	12.50	10.00	
3 to 3½ in	18.00	15.00	
3½ to 4 in	25.00	20.00	
glabra camperdown. Camperdou	m Flan	. 20'	
	7n Evm 4.00	$\frac{20}{3.50}$	
6 ft. stem	1.00	0.00	
glabra nana. Globe Elm.			
6 to 8 ft. standards			
8 to 10 ft. standards	15.00		

	1-4 Each	5-24 Each	25 & up Each
Ulmus	Lucii	Lucii	Lucii
japonica. Japanese Elm. 70'			
8 to 10 ft	5.00		
1½ to 1¾ in	6.50		
13/4 to 2 in	7.50		
2 to 2½ in	10.00		
2½ to 3 in	12.50		
3 to 3½ in	15.00		
parvifolia. Chinese Elm. 30'			
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	4.00	3.75	3.50
12 to 14 ft	6.00	5.00	4.50
pumila. Dwarf Asiatic Elm. 75	,		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.00	2.75
1 ³ / ₄ to 2 in	4.50	4.00	3.50
2 to 2½ in	6.00	5.00	0100
2½ to 3 in	8.00	6.50	
3½ to 4 in	15.00	12.50	
	10.00	12.00	
racemosa. Rock Elm. 75'	4.00		
6 to 8 ft	4.00		
8 to 10 ft	5.00		
1½ to 1½ in	6.50	•	
4 to 5 in	35.00		
Vaccinium corymbosum. Highbush I	3lueber	ru. 8	,
2 to 3 ftB&B		3.00	
3 to 4 ftB&B	6.00	5.00	4.50
4 to 5 ftB&B	7.50	6.50	6.00
vacillans. Dryland Blueberry. 3'			
18 to 24 inB&B	3.50		
Viburnum acerifolium. Mapleleaf V	iburnur	m. 5'	
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4	5-24	25 & up
Viburnum	Each	Each	Each
americanum. American Cranberry	jbush.	10'	
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	.85
6 to 8 ft	1.25	1.10	1.00
betulifolium. 12'			
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00		
bitchuiense. Yeddo Viburnum. 6	,		
3 to 4 ftB&B	3.50	3.00	
4 to 5 ftB&B	5.00	4.00	
burejaeticum. Manchurian Viburn	nım	15'	
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	
	0,00	2.00	
burkwoodi. 4'	0.00	0.50	
18 to 24 in	3.00	2.50	
2 to 3 ftB&B	4.00	3.50	
carlesi. Fragrant Viburnum. 4'			
18 to 24 inB&B	2.50	2.25	2.00
2 to 3 ft B&B	3.50	3.00	2.75
3 to 4 ft B&B	4.50	4.00	3.75
18 to 24 in., own roots B&B	4.00	3.75	
2 to 3 ft., own roots B&B	5.00	4.50	
Standards			
18 in. stemB&B	3.50	3.00	
2 ft. stem	4.00	3.75	
3 ft. stemB&B	5.00	4.50	
cassinoides. Withe Rod. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	2.00	1.50	1.25
dentatum. Arrow Wood. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft.	1.25	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Viburnum	Eden	Eden	Eden
dilatatum. Linden Viburnum. 10	,		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.70
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	1.75	1.60	1.50
5 to 6 ft. spec	10.00		
6 to 8 ft. specB&B	15.00		
fragrans. Fragrant Viburnum.	10'		
2 to 3 ftB&B	4.50		
3 to 4 ftB&B	5.50		
hupehense. Hupeh Viburnum.	3′		
2 to 3 ft	1.50	1.25	
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.45	35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
lantana rugosum. Wrinkleleaf W	ayfarin	g-tree.	. 15'
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
lentago. Nannyberry. 20'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.65
5 to 6 ft	1.25	1.00	.80
6 to 8 ft	1.75	1.50	1.35
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft. specB&B	18.00		
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft		.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft.	1.25		1.00
0 10 0 10	1.20	1.10	1.00

	1-4 Each	5-24 Each	25 & up
Viburnum			
nudum. Smooth Withe Rod. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft. specB&B	12.50		
opulus. High Bush Cranberry. 10) '		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
8 to 10 ft	1.75	1.65	1.50
opulus nanum. Dwarf Cranberry	Bush.	2'	
10 to 12 in	.75	.65	.60
12 to 15 in	.90	.80	.75
15 to 18 in	1.25	1.00	.90
opulus sterile. Common Snowball.	10'		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	
opulus xanthocarpum.			
Yellowfruit Cranberrybush.	10'		
2 to 3 ft	2.50	2.00	1.50
3 to 4 ft	3.00	2.50	2100
	1.01		
ovatifolium. Eggleaf Viburnum.	1.50		
3 10 4 11	1.50		
prunifolium. Blackhaw. 12'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	4.00
pubescens. Downy Viburnum. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	

	1-4 Each	5-24 Each	25 & up Each
/iburnum			
rhytidophyllum. Leatherleaf Vibu	rnum.	8'	
18 to 24 in	3.00	2.50	
2 to 3 ft B&B	3.50	3.00	
3 to 4 ft B&B	5.00	4.50	
4 to 5 ftB&B	6.00	5.50	
5 to 6 ftB&B	7.50	6.50	
rufidulum. Southern Blackhaw.	10'		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
sargenti. Sargent Cranberrybush.	10'		
		E0	
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.50		
6 to 8 ft	1.75	1.50	
sieboldi. Siebold Viburnum. 10'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.00	.90
6 to 8 ft	2.50	1.50	1.25
8 to 10 ft	3.50	3.00	2.50
theiferum. Tea Viburnum. 12'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	
tomentosum. Doublefile Viburnum	n . s'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
tomentosum plicatum. Japanese	Snowb	all. 8	,
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.85	
4 to 5 ft	1.50	1.25	
1 00 0 10	1.00	1.20	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
veitchi. Veitch Viburnum. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
venosum canbyi. Canby Viburnun	n. 8'		
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
wrighti. Wright Viburnum. 8'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.25	1.75	
Vinca minor. (See Herbaceous Mater	ial).		
Vitex agnus castus. Chaste-tree. 4'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	
			.50
agnus castus alba. White Chaste-		•	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
macrophylla. Hemp-tree. 4'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
negundo incisa. Cutleaf Chaste	e-tree.	4'	
3 to 4 ft		.75	
Vitis aestivalis. Summer Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
amurensis. Amur Grane. 40'			
3 year	.75	.60	,
coignetiae. Gloryvine. 40'	.10	.00	
3 year	1.00	.85	.75
4 year	1.25	1.00	
·			,
cordifolia. Frost or Winter Grape			4.0
2 year	,55	.45	
3 year	.65	.55	5 .50
labrusca. Fox Grape. 40'			
2 year	.55	.48	.40
3 year	.65	.58	.50

	1-4 Each	5-24 Each	25 & up
Vitis	Lucii	Lucii	Lucii
rotundifolia. Muscadine Grape.	40'		
3 year	.75	.60	.50
4 year	.85	.70	.60
vulpina. Riverbank Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
4 year	.75	.65	.60
Weigela Abel Carriere. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
amabilis. Rose Weigela. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
candida. Snow Weigela. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
desboisi. Desbois Weigela. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
Eva Rathke. 5'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
floribunda. Crimson Weigela. 8'	•		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.60
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
groenewegeni. Greenway Weigel	a. 8'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
Gustav Mallot. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75

Weigela	1-4 Each		5 & up Each
hortensis rubra. 8'	Each	Each	Each
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
japonica. Japanese Weigela. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
rosea. Pink Weigela. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
rosea nana variegata. Dwarf Varie			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
sieboldi argenteomarginata. Varieg		Weigela.	
3 to 4 ft	.75	.60	.55
4 to 5 ft	.85	.70	.65
styriaca. 8'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
	8'	0.5	0.0
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
Wistaria frutescens. American Wistar		30 '	
2 year	.60	.50	.40
frutescens magnifica. Yelloweye V	Vistar	ia. 25'	
2 year	.50	.40	.35
3 year	.65	.55	.50
floribunda hybrids.			
2 year	3.00		
Kyushaku — lavender			
Murasaki Noda — purple			
Naga Noda — lavender			
Penn Valley — deep pur	ple		
Rosea — pink			
Royal Purple purple			
Rubra — red			

	1-4 Each	5-24 Each	25 & up Éach
Wistaria multijuga. Japanese Wistaria.	0.01		
2 year	.85	.75	.60
3 year	1.00	.85	.75
4 year	1.25	1.00	.90
		6)	.00
sinensis. Chinese Purple Wistaria 2 year	40	.65	.60
3 year	1.25	1.00	.90
3 year grafted flower-	1.20	1.00	.50
ing plants	2.50	2.00	
Standards. 4 ft. stem,			
30 in. headB&B	7.50		
sinensis alba. Chinese White Wist	taria.	40'	
2 year	.75	.65	.60
3 year	1.25	1.00	.90
4 year	1.50	1.25	
3 year grafted flower-			
ing plants	2.50	2.00	
Standards. 4 ft. stem,			
30 in. headB&B	9.00		
venusta. Silky Wistaria. 30'			
3 year	.75	.60	
Zanthorhiza apiifolia. Yellowroot. 3'			
12 to 15 in. clumps	.65	.55	.45
15 to 18 in. clumps	.75	.60	.50
18 to 24 in. clumps	1.00	.85	.75
Zanthoxylum americanum. Prickly A	ah 1	5°	
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	.90
schinifolium. Peppertree Prickly 2 to 3 ft.		12'	
2 10 3 11	1.50		
Zelkova serrata. Sawleaf Zelkova. 5	0'		
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
sinica. 50'			
4 to 5 ft	2.00	≤ 1.75	1.50
5 to 6 ft	2.50	2.25	2.00

Herbaceous and Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

	5-24	25 up
*Acaena buchanani. Bluish gray, Aug., 1" \$	each .25	each \$.20
*sanguisorbae. Bright green foliage, 2"	.25	.20
Acanthus mollis. Purple rose, July 4'	.20	
mollis latifolius. Rose, July, 2-3'	.20	
*Achillea ageratifolia aizoon. White, May,		
June, 8"	.20	.18
clavennae. White, July, 1'	.20	.18
filipendulina. Yellow, June, July, 3'	.18	.15
*millefolium Cerise Queen. Rose, July 2'	.18	.15
*nana. White, June, July, 6"	.20	.18
*nitida. White, June, July, 1'	.20	.18
*ptarmica The Pearl. White, July, 2'	.18	.15
*ptarmica Boule de Neige. White, June,		
July, 2'	.18	.15
*ptarmica Perry White. June, July, 2'	.18	.15
*tomentosa. Yellow, June, 1'	.18	.15
Aconitum autumnale. Blue, July, August, 4'	.30	.25
fischeri. Blue, September, 3'	.25	.20
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July,		
Aug., 5'	.30	.25
*Actinea herbacea. Yellow, May, 6"	.30	
*Actaea alba. White, May, June, 3-4'	.18	.15
rubra. Red, May, June, 3-4'	.18	.15
Adenophora chinensis. Blue, fall, 3'	.25	
potanini. Light blue, July, Aug., 3'	.25	
*Adiantum pedatum. Maiden Hair Fern	.18	.15
*Aegopodium podograria variegatum. Varie-		
gated foliage, 1'	.18	.15

*Aethionema cordifolium. Rosy lilac, June, 6"	5-24 each .25	25 up each .20
grandiflorum. Pink, June, 12"	.25	.20
*kotschyi. Rose, July, 4"	.25	.20
*persicum. Pink, June, July, 9"	.25	.20
*pulchellum. Pink, June, 8"	.25	.20
*schistosum. Rose, June, 4"	.25	.20
*Ajuga brockbanki. Purple, June, 6"	.20	.18
*genevensis. Bright blue, May, 6"	.20	.18
*genevensis rosea. Pink, May, 6"	.25	.20
*reptans. Blue, May, 6"	.18	.15
*reptans alba. White, May, 6"	.20	
*Allium carinatum. Rose, June, July, 2'	.20	.18
*karataviense. White, June, July, 8"	.25	.20
*narcissiflorum. Rose, June, July, 1'	.25	.20
schoenoprasum. Rose purple, June,		
July, 2'	.25	.20
stellatum. Rose, June, July, 18"	.20	.18
*thibetica. Lilac mauve, June, July, 8"	.18	.15
Althea rosea. Hollyhock.		
*Double. Separate colors, July, Aug., 5'	.18	.15
*Double. Chaters' strain, separate colors	.18	.15
Fringed Allegheny. July, Aug., 5'	.18	.15
Single. Mixed colors, July, Aug., 5'	.18	.15
Single. Separate colors, July, Aug., 5'	.18	.15
*Alyssum argenteum. Yellow, July, Aug., 6"	.18	.15
*amanum. Yellow, May, June, 4"	.25	
*creticum. Yellow, June, July, 1'	.20	.18
*moellendorfianum. Yellow, June, July,	0.5	
• • • • • • • • • • • • • • • • • • • •	.25	.20
*montanum. Yellow, June, July, 8" *rostratum. Yellow, June, July, 12"	.25	.20
*saxatile compactum. Yellow, May, 1'	.18	.15
*saxafile sulphureum. Yellow, May, 1'	.16	.13
*serpyllifolium. Yellow, June, July, 4".	.20	.18
*spinosum. Pink and white, June, 3"	.30	.25
	.50	.20
*Amsonia tabernaemontana. Blue, May,	0.0	10
June, 3'	.20	.18
Anchusa barrelieri. Blue, May, 2'	.25	
*capensis. Blue, summer, 18"	.20	.18
italica Dropmorei. Blue, June, 4-5'	.18	.15
*myosotidiflora. Bright blue, May, 1'	.25	.20

*Androsace lanuginosa. Rose, June, 8"	each .35	each
*lanuginosa leichtlini. Rose, June, 8"	.40	
*sarmentosa. Rose, June, 6"		
Anemone hupehensis. Mauve, Aug., Sept., 1'	.25	.20
*japonica alba. White, fall, 3'	.20	.18
*japonica Alice. Rose pink, fall, 3'	.20	.18
japonica Louise Uhink. White, fall, 3'		.10
	.20	
japonica Marie Manchard. White, fall, 3' japonica Prince Heinrich. Deep pink,	.30	
fall, 3'	.20	.18
japonica Queen Charlotte. Rose, fall, 3'	.20	.18
japonica Richard Ahrends. Shell pink,	.20	.10
fall, 2'	.20	.18
japonica rubra. Red, fall, 2'	.25	.20
japonica September Charm. Silvery		
pink, fall, 2'	.25	
japonica September Sprite. Pink, fall, 2'	.25	.20
*japonica Whirlwind. Pure white, fall, 3'	.25	.20
*pennsylvanica. White, July, 1½'	.20	
*pulsatilla. Blue, April, 15"	.20	.18
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.25	.20
*Antennaria dioica. White, May, 6"	.18	.15
*Anthemis cinerea. White ,Aug. 1'	.20	.18
*montana. White, July, 10"	.25	.20
Moonlight. Pale yellow, summer, 2'	.30	.25
nobilis. White, summer, 1'	.18	.15
tinctoria. Yellow, July, Aug., 3'	.18	.15
tinctoria E. C. Buxton. White, yellow		
eye, July, Aug., 3'	.18	.15
tinctoria kelwayi. Yellow, July, Aug., 3'	.18	.15
tinctoria kelwayi. White, July, 3'	.20	.18
Anthericum liliago. White, May, June, 3'	.30	
Anthyllis vulneraria dilleni. Red, summer, 1'	.25	
*Aquilegia alpina. Blue, May, June, 1'	.20	.18
*coerulea. Blue, May, June, 1½'	.25	.20
coerulea hybrida. Various, June, 2'	.18	.15
*canadensis. Scarlet, May, June, 2'	.18	.15
*chrysantha. Yellow, June, July, 3'	.18	.15

Aquilegia	5-24 each	25 up each
chrysantha alba. White, June, July, 3'	.18	.15
Crimson Star. Crimson, May, June, 2'	.25	.22
*flabellata nana-alba. White, June, 10"	.20	.18
*hybrida. Mrs. Scott Elliott. Various,		
June, 2'	.18	.15
longissima. Yellow, June, 2'	.40	.35
*pyrenaica. Deep blue, June, July, 1'	.25	.20
rosea. Long spurred pink, June, 2'	.20	.18
*siberica fl. pl. Blue and white, June, 18"	.25	.20
*skinneri. Red and yellow, May, 2'	.20	.18
*vulgaris. Purple, May, June, 2' vulgaris nivea. White, May, 2'	.18	.15
*Arabis albida. White, May, 6"	.20	.18
*alpina. White, April, May, 6"	.18	.15
*alpina fl. pl. Dbl. White, April, May, 6"	.25	.20
*alpina Rosabella. Pink, April, May, 6"	.35	9.0
*alpina rosea. Pink, April, May, 6"	.25	.20
*aubretioides. Pink, May, 8"	.30	.25
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac, May, 8"	.20	.18
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
*Arenaria balearica. White, July, Aug., 3"	.25	.20
*grandiflora. White, May, 4"	.20	.18
*montana. White, June, 4"	.20	.18
*verna. White, June, July, 3"	.20	.18
Arisaema triphyllum. Purple, May 1'	.18	.15
*Armeria alpina. Pink, summer, 6"	.20	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June,		
6"	.20	.18
*laucheana. Crimson, May, June, 8"	.18	.15
*maritima. Pink, May, June, 6"	.18	.15
*maritima alba. White, May, June, 6"	.18	.15
*robusta. Crimson, May, June, 10"	.18	.15
Artemesia abrotanum. Fragrant foliage, 5'	.18	.15
absinthium. Wormwood, 4'	.18	.15
cana. Gray foliage, 30"	.35	
dracunculus. White, August, 2'	.25	, .20

	5-24 each	25 up each
Artemisia	Cuon	00011
frigida. Silver foliage, 18"	.25	.20
lactiflora. White, Aug., 4'	.20	.18
pontica. Gray foliage, 12"	.18	.15
purshiana. Gray foliage, 3'	.18	.15
Silver King. White foliage, 3'	.18	.15
stelleriana. White, summer, 2'	.18	.15
*Arundo-donax. Giant Reed, 12'	.30	.25
*Asarum canadense. Chocolate, May, 6"	.18	.15
Asclepias incarnata. Red, August, 4'	.18	.15
tuberosa. Orange, July, Aug., 2'	.18	.15
*Asperula cynanchica. Pink, summer, 10"	.25	
hexaphylla. White, June, 1'	.20	.18
*hirta. Pink, July, Aug., 6"	.25	
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.20	.18
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea. Yellow, July, 3'	.20	.18
*Asplenium felix faemina. Lady Fern	.18	.15
*Aster alpinus. Blue, June, July, 8"	.18	.15
*alpinus albus. White, June, July, 8"	.20	.18
*alpinus Goliath. Bluish purple, May,		
June, 8"	.30	7
*alpinus ruber. Rosy purple, July, 8"	.25	
amelloides. Purple, July, 18"	.20	
amellus elegans. Purple, Aug., 18"	.25	.20
amellus Rud. Goethe. Lavender blue,		
fall, 2'	.25	.20
Abendrothe. Rose pink, Oct., 3'	.20	.18
Acme. Light lavender, Oct., 5'	.25	.20
Anita Ballard. Soft lavender, fall, 4'	.20	.18
Ballard's Crimson. Fall, 3'	.25	.20
Beauty of Colwall. Fine blue, Sept., 3'	.18	.15
Beechwood Challenger. Crimson, fall,	20	.25
	.30	.25
Blue Gem. Blue, Sept., 3'	.25	.20
Climax. Blue, Sept., Oct., 3'	.18	.15
diplostephioides. Blue, July, 2'	.25	.20
dracunculoides. Light blue, July, 2'	.30	.25
frikarti Wonder of Staefa. Lavender,	.00	.20
fall, 2'	.40	.35

	5-24 each	25 up each
Aster	20	25
Harrington's Pink. Fall, 3'	.30	.25
himalaicus. Lilac, Aug., 18"		.25
hyb. luteus. Yellow, Sept., 3'laevis. Lavender, Sept., 4'	.30	
	.18	.15
Mad. Emil Thoury. Violet, Sept., 5'	.18	.15
Mad. Soyneuse. Light blue, Sept., Oct., 3'	.18	.15
Mauve Cushion. Mauve, Oct., 12"	.18	.18
	.20	.18
Mrs. Raynor. Crimson, Sept., 3'	.25	.22
novae-angliae. Purple, Sept., Oct., 4'	.18	.15
novae-angliae roseus. Rose, Sept., 4'	.20	.18
Queen Mary. Blue, Sept., 3'	.25	.20
Red Rover. Red, fall, 3'	.25	.21
Robt. Parker. Lavender, Sept., Oct., 5'	.18	.15
Rue des Hatives. Rose mauve, fall, 3'	.18	.15
Skylands Queen. Light blue, fall, 3'	.25	.10
	.18	.15
St. Egwyn. Soft pink, Sept., Oct., 3' Sunset. Pink, Sept. 3'	.25	.20
tartaricus. Purple, Oct. and Nov., 6'	.18	.13
Wartberg Star. Lilac blue, spring, 1'	.25	.20
White Climax. White, fall, 4'	.18	.15
dwarf varieties.	.10	.1.
Countess of Dudley. Clear pink,		
Sept., 9"	.25	.20
Lady Henry Maddocks. Pink, Sept.,	.20	.20
1'	.25	.20
Lavenda. Lavender blue, Sept., 6"	30	.25
Marjorie. Rose pink, Sept., 1'	.25	.20
Nancy. Flesh pink, Sept., 1'	.25	.20
Niobe. White, Sept., 6"	.25	.20
Ronald. Lilac pink, Sept., 1'	.25	.20
Snowsprite. White, Sept., 1'	.25	.20
Victor. Lavender blue, Sept., 8"	.25	.20
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.25	.20
arendsi Granat. Crimson, June, 2'	.30	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.25	
arendsi Juno. Purplish pink, July, 3'	.25	.20
arendsi Kreimhilde. Rose, June, July, 2'	.25	.20
arendsi Marguerite Van Rechteren. Red,		
tinged lilac, Aug., 4'	.30	.25

	5-24 each	25 up each
Astilbe		
arendsi Moerheimi. White, July, 3'	.30	.25
arendsi Philadelphia. Lavender rose,	•	
July, 2'	.30	
arendsi Rhineland. Crimson, shaded sal-	20	0.5
mon, June, 2'arendsi Rose Pearl. Shell pink, July, 3'	.30	.25
arendsi Salland. Red, July, 5'	.25	.20
biternata. Cream, June, 4'	.25	.20
rosea Queen Alexandra. Deep pink,	.20	.20
July, 3'	.25	.20
rosea Queen of Holland. Rose pink,	•	
July, 3'	.25	.20
rubella Solferino. Violet pink, July, 3'	.30	.25
rubella Vesta. Lilac rose, July, 3'	.25	.20
Astrantia major. Silvery pink, May, 2'	.18	.15
*Aubrietia deltoidea. Purple, April, May, 4"	.20	.18
*deltoidea bougainvillei. Dark blue,		
April, 5"	.20	.18
*deltoidea eyrei. Rosy lilac, April, 5"	.20	.18
*deltoidea Fire King. Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.20	.18
*deltoidea leichtlini. Pink, April, 5"	.20	.18
*deltoidea purpurea. Purple, April, 5"	.20	.18
*hybrida. Various, April, May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.20	.18
tinctoria. Yellow, June, 3'	.20	.18
Belamcanda chinensis. Orange, summer, 3'	.18	.15
*Bellis perennis alba. White, April, May, 3".	.18	.15
*perennis rosea. Pink, April, May, 3"	.18	.15
*rotundifolia caerulescens. Blue, May,		
2"	.25	.20
*Bellium bellidioeides. Bluish, summer, 4"	.18	.15
Bocconia cordata. Creamy white, Aug., 6'	.20	.18
Boltonia asteroides. White, Sept., 5'	.18	.15
latisquama. Lavender, Aug., 5'	.18	.15
latisquama nana. Lavender, Aug., 2'	.25	.20
Boykinia rotundiflolia. White, June, 2'	.20	.18
Buphthalmum speciosum. Yellow, June, 3'	.18	.15
salicifolium. Yellow, summer, 2'	.20	.18
*Calamintha alpina. Purple, summer, 6"	.20	.18
*Calandrinia umbellata. Crimson, summer, 6"	.20	.18

	5-24 each	25 up each
*Callirhoe involucrata. Red, all summer, 6"	.25 .18	.15
*Caltha palustris. Yellow, April, May, 12"	.18	.15
Camassia leichtlini. Blue, May, 2'	.18	.15
quamash. Blue, May, 2'	.18	.15
*Campanula alliariaefolia. White, June, July,	.10	.10
2'	.20	.18
*bononiensis. Blue, June, 2'	.20	.18
*carpatica. Blue, July, August, 9"	.20	.18
*carpatica alba. White, July, Aug., 9"	.20	.18
*collina. Blue, July, Aug., 1'	.25	.10
*cullinmore. Blue, summer, 9"	.35	.30
*elatinoides. Blue, summer, 6"	.20	
*fenestrellata. Pale blue, summer, 3"	.25	.20
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	
*glomerata. Purple, June, July, 2'	.18	.15
glomerata acaulis. Purple, June, 6"	.20	.18
glomerata superba. Violet, June, July, 2'	.20	.18
*grosseki. Blue, summer, 2'	.18	.15
*istriaca. Pale blue, June, July, 3"	.25	
*kolenatiana. Blue, July, 9"	.30	.25
lactiflora. Light blue, Aug., 4'	.20	.18
latifolia alba. White, July, 3'	.25	.20
latifolia macrantha. Purplish blue, July,		
3'	.20	.18
medium. Mixed, June, July, 3'	.18	.15
medium. Separate colors, June, July, 3'	.20	.18
medium calycanthema. Mixed, July, 3'.	.18	.15
medium calycanthema. Separate colors,	9.0	10
July, 3'	.20	.18
persicifolia. Blue, June, July, 2'	.20	
persicifolia alba. White, June, 2'	.25	.18
persicifolia alba. fl. pl. White, summer,	.40	.20
2'	.40	
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'	.20	.18
pyramidalis alba. White, July, 4-5'	.20	.18
*raddeana. Purple, July, Aug., 1'	.25	• • • • •
*raineri. Dark blue, July, 6"	.20	.18
*raineri alba. White, July, 6"	.25	.20
*rhomboidalis. Blue. July, 1'	.20	.18

	each	each
Campanula		
*riverslea. Dark blue, July, 9"	.20	.18
*riverslea alba. White, July, 9"	.20	.18
*rotundifolia. Blue, June, July, 12"	.20	.18
*sarmatica. Pale blue, summer, 12"	.30	.25
*sibirica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.20	.18
*turbinata alba. White, June, July, 6"	.20	.18
*trachelium. Blue, July, 2-3'	.18	.15
*Carex morrowi. White-edged foliage, 1'	.35	
Cassia marilandica. Yellow, July, 3-4'	.18	.15
Catananche caerulea. Blue, June, July, 18".	.20	.18
Caulophyllum thalictroides	.18	.15
Centaurea babylonica. Yellow, July, 5'	.18	.15
*dealbata. Red, July, 1½'	.18	.15
macrocephala. Yellow, July, 3-4'	.18	.15
*montana. Blue, June, July, 2'	.18	.15
ruthenica. Straw color, July, 4'	.18	
Centranthus angustifolius. Rose, summer,		
18"	.25	
ruber. Red, summer, 3'	.18	.15
ruber albus. White, all summer, 3'	.18	.15
Cephalaria alpina. Yellow, July, 5'	.18	.15
tatarica. Cream, summer, 6'	.18	.15
*Cerastium arvense compactum.		
White, July, 8"	.18	.15
*biebersteini. White, June, 6"	.20	.18
*tomentosum. White, June, 6"	.20	.18
*Ceratostigma plumbaginoides. Blue, fall, 6"	.25	.20
*Chieranthus allioni. Orange, July, 1'	.18	.15
*Golden Bedder. June, 1'	.25	
Chelone glabra. White, rose tinged, July, 2'	.20	.18
lyoni. Deep rose, August, 2'	.20	.18
Chrysanthemum anemone—flowered	.18	.15
Snow Queen—White.		
*arcticum. White, fall, 2'	.18	.15
*arcticum Astrid. Pink, fall, 18"	.25	.20
balsamita. Yellow, Aug., Sept., 2'	.25	.20
coreanum. Blush, fall, 3'	.20	.18
Cushion varieties. Fall, 1'	.20	.18
(white, yellow, pink, red, bronze)		
*erubescens. Pink, Aug., Sept., 18"	.25	

1/4 HENRY KOMANKIE & SON		
Chrysanthemum	5-24 each	each
hardy button varieties	.18	.15
Baby Marguerite—pink.		
Bronze Button—bronze.		
Irene—blush white.		
Lillian Doty—pink.		
Mitzi—yellow.		
Mrs. H. Harrison—pink.		
Niza—delicate pink.		
Ouray—rich bronze.		
Pygmy Gold—golden yellow.		
White Doty—white.		
White Gull—White.		
hardy large flowering, double, fall, 4'	.18	.15
Algonquin—yellow.		
Angelo—pink.		
Barbara Cumming—yellow, bronze	shad	ing.
Boston—orange.		
Brune Poitevine—deep velvety red	dish b	ronze.
Caliph—oxblood red.		
Canariense—yellow.		
Comoleta—yellow.		
Golden Queen—yellow.		
Harvest Home—yellow.		
Indian—coppery red.		
L'Argentuillais—deep chestnut.		
Lavender Lady—clear lavender.		
Marie Antoinette—deep pink.		
Mrs. F. H. Bergen—pale pink.		
Mrs. H. Craig—yellow, overlaid o	range	crim-
son.		
Murillo—pink.		
Oconto—white.		
Ohio Gold—yellow.		
Old Homestead—pink.		
Pacific Supreme—pink.		
R. Marion Hatton—canary yellow.		
Snowclad—white.		
Vesuve—red.		
Aladdin. Coppery bronze, Aug., 2'.		.18
Dazzler. Cardinal red, fall, 2'		.15
Daybreak. Shell pink, fall, 2'		
Eden. Bright rose, fall, 2'		.15
Emma Marie. Lemon yellow, fall, 2'	.18	.15

Chrysanthemum	5-24 each	25 up each
Glory of Seven Oaks, Yellow,		
Sept., 2'	.20	.18
Granny Scovill, Coral bronze, fall,	.20	.10
2'	.20	.18
Jean Cumming. White, fall, 2'	.20	.18
Judith Anderson. Yellow, fall, 18"	.25	.20
Mrs. Willis J. Martin, Strawberry,		
fall, 2'	.20	.18
Pale Moon. Yellow, fall, 2'	.25	.20
Peggy Ann Hoover. Lilac pink, fall,		
2'	.20	.18
Tassiva. White, Sept. 18"	.20	.18
White Spoon. White, Oct., 18"	.25	.20
Yellow Normandie. Yellow, early		
fall, 2'	.20	.18
Yellow Spoon. Yellow, Oct., 18"	.25	.20
hardy large flowering. Single, fall, 4'	.20	.18
California—yellow.		
Excelsior—golden yellow.		
Gypsy Girl—crimson, shading chests	nut.	
Lady Smith—bright pink.		
Mrs. Calvin Coolidge—cardinal red.		
Mrs. W. E. Buckingham—salmon pi	nk.	
Korean hybrids. Oct. 2-2½'	.20	.18
Aphrodite—pale pink.		
Apollo—bronze, red and gold.		
Ceres—chamois yellow.		
Clara Curtis—salmon pink.		
Daphne—daphne pink.		
Diana—rose pink, blended lilac rose	e.	
Indian Summer—double orange.		
Kristina—deep rose pink.		
Mars—amaranth red.		
Mercury—bronze red.		
Nancy Copeland—spectrum red.		
Profusion—rich, coppery old gold.		
Saladin—oriental red, shading to co	ral.	
Sappho—pure yellow.		
Saturn—orange and bronze.		
Siegfried—rich yellow.		
The Moor—port wine red.		
Viking—burnt orange.		

	5-24 each	25 up each
Chrysanthemum		
maximum. White, all summer, 2'	.18	.15
maximum Alaska. White, July, Aug., 2'	.18	.15
maximum Chiffon. Dbl. White, summer,		
18"	.30	
maximum Esther Reed. Dbl. white, summer, 18"	.45	
maximum Giant Single. White, summer,		
30"	.25	.20
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.20	.18
maximum White Swan. Dbl. White,		
summer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.25	.20
Cimicifuga racemosa. White, July, 5'	.18	.15
Clematis davidiana. Blue, Aug., 3'	.20	.18
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.25	.20
recta. White, July, 3'	.25	.20
recta mandschurica. White, July, 4'	.25	.20
Codonopsis clematidea. White, June, 3'	.25	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.35	
autumnale roseum plenum. Rosy lilac,		
Sept., 1'	.40	
*Convallaria majalis. Clumps, white, May, 6"	.25	.20
Coptis trifolia. White, summer, 6"	.20	.18
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.18	.15
lanceolata. Yellow, summer, 2'	.18	.15
*rosea. Rose, Aug., Sept., 1'	.18	.15
*verticillata. Yellow, July, Aug., 2'	.18	.15
*Coronilla cappadocica. Yellow, June, 6"	.25	.20
*varia. Pink, summer, 18"	.18	.15
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8"	.20	
*Cynanchum acuminatifolium.		
White, summer, 18"	.20	.18

	5-24 each	25 up
Cypripedium acaule. Rose-purple, May,	eacn	each
June, 1'	.45	
parviflorum. Yellow, May, June, 1'	.45	
spectabile. Rose, June, 2'	.45	
Delphinium belladonna.		
Sky blue, all summer, 4'	.20	.18
bellamosum. Dark blue, all summer, 4'	.20	.18
*chinense. Blue, July, 2'	.25	.20
*chinense album. White, July, 2'	.25	.20
elatum. Blue, July, 4'	.20	.18
formosum. Indigo, July, 4'	.25	.20
formosum coelestinum.		
Light blue, July, 3'	.20	.18
grandiflorum. Shades of blue, July, 3'	.20	.18
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue, July, 4'	.18	.15
hybridum Wrexham's. Various, June, 5'	.35	.30
Iceberg. White, summer, 3'	.30	.25
Pacific Hybrids. Various, summer, 4'	.40	
sibirica hybrids. Shades of blue, July, 3'	.18	.15
Dennstedtia punctilobula. Hay-scented Fern	.18	.15
Dianthus allwoodi. Pink, July, 1'	.20	.18
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.18	.15
*arvernensis. Pink, June, 4"	.20	
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.18	.15
barbatus alba. White, June, July, 1'	.18	.15
barbatus atrococcineus. Crimson, June,		
1'	.18	.15
*barbatus Dwarf Giants. Various, June,		
8"	.20	.18
barbatus fl. pl. (Double Sweet William).		
mixed colors, June, July, 1'	.18	.15
barbatus Giant White. June, 1'	.18	.15
barbatus nigricans.		
Dark velvety red, June, 1'	.18	.15
barbatus Pink Beauty. Pink, June, 1'	.18	.15
barbatus Salamoni. Salmon, June, 1'	.18	.15
barbatus Sutton's Scarlet.		
Crimson, June, 1'	.18	.15

Dianthus	5-24 each	25 up
*caesius. Rose pink, June, July, 9"	.18	.15
*chinensis heddewigi.		
Mixed, June, July, 8"	.18	.15
*deltoides. Pink, June, 9"	.18	.15
*deltoides albus. White, June, 9"	.18	.15
*deltoides Brilliant. Red, June, 9"	.18	.15
giganteus. Red, July, 2'	.20	.18
*grisebachi. Purple, June, 1'	.25	.20
hardy pinks.		
Single, mixed, all summer, 9"	.18	.15
knappi. Yellow, summer, 1'	.20	.18
*latifolius atrococcineus.		
Crimson, summer, 1'	.18	.15
*neglectus. Pink, May, June, 4"	.30	
*plumarius. Mixed, summer, 8"	.18	.15
*plumarius fl. pl. Mixed, summer, 8"	.18	.15
*plumarius semperflorens.		
Pink, June, 9"	.18	.15
*Abbotsford. Crimson, all summer, 9"	.25	.20
*Beatrix. Salmon pink, June, 18"	25	
*Bristol Jewel. White&crimson, June 18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"	.20	.18
*Elizabeth Peters. Pink, June, July, 9"	.25	
*Furst Bismark. Rose, summer, 1'	.25	.20
*Gladys Cranfield. Pink, summer, 1'	.25	
*Grenadin. Mixed, summer, 1'	.25	.20
*Grenadin. Red, summer, 1'	.25	.20
*Hardy Harvard. Red, summer, 1'	.35	
*Homer. Rosy red, June, July, 9"	.25	.20
*Her Majesty. Dbl. white, June, July, 9"	.25	.20
*Little Joe. Crimson, summer, 6"	.35	
*Pheasant's Eye. Pink, white eye, June, 1'	.20	.18
*Rose Cushion. Pink, June, 3"	.25	
*Silver Mine. White, summer, 1'	.35	
*Souv. de Sales. Dbl. pink, June, 9"	.20	.18
*Uncle Sam. White, red eye, June, 12"	.25	
*White Reserve. White, June, July, 9"	.20	.18
*seguieri. Carmine, summer, 1'	.20	
*speciosa. Pink, July, 10"	.18	.15
*subacaulis. Purple, June, July, 4"	.30	.25
*Dicentra eximea. Rose, all summer, 1'	.30	.25
spectabilis. Rose, May, June, 2'	.35	.30

Dictamnus albus. White, June, 2'	5-24 each .30	25 up each .25
albus ruber. Red, June, 2'	.30	.25
caucasicus. Red, June, 3'	.30	.25
Digitalis ambigua. Yellow, June, July, 3'	.20	.18
gloxinaeflora. Mixed, June, July, 3'	.18	.15
Isabellina. Yellow, June, July, 3'	.18	.15
lanata. Creamy yellow, July, 3'	.20	.13
lutea. Yellow, June, July, 18"	.20	.18
purpurea. Mixed, June, July, 3'	.18	.15
	,10	.10
purpurea maculata. Spotted, June, July,	1.0	1 5
18" purpurea monstrosa. Various, June,	.18	.15
July, 3'	.18	.15
purpurea, rose. June, July, 3'	.18	.15
purpurea, white. June, July, 3'	.18	.15
Shirley Hybrids, Mixed. June, July, 3'	.18	.15
*Dodecatheon meadia. Rose, May, 1'	.20	.18
*latilobum. White, May, June, 1'	.18	.15
Doronicum caucasicum. Yellow, April, May,	.10	.10
18"	.30	.25
clusi. Yellow, May, 12"	.30	.20
plantagineum excelsum. Yellow, April,	.00	
May, 3'	.30	.25
Dorycnium hirsutum. Pink, summer, 2'	.30	.25
*Draba aizoides. Yellow, March, 4"	.30	
*altaica. White, April, 6"	.30	.25
*armata. Yellow, April, 2"	.35	.30
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, April, May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.25	.20
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.25	.20
Ruyschianum japonicum. Blue, summer,		
2'	.25	.20
Dryopteris spinulosum. Wood Fern	.18	.15
thelypteris. Shield Fern	.18	.15
Echinacea purpurea. Purple, July, Aug., 3'	.18	.15
Echinops humilis. Blue, July, 2'	.20	.18
ritro. Deep steel blue, July, 3'	.18	.15
sphaerocephalus. Pale blue, July, 5'	.18	.15
*Edraianthus dinaricus. Lilac, July, 3"	.25	

Elymus glaucus. Blue Lime Grass, 3'	5-24 each .20	25 up each .18
*Epigaea repens. Pink ,April, May, 4"	.45	
Epilobium angustifolium. Rose, Aug., 4'	.20	.18
*Epimedium niveum. White, May, June 1'	.30	
macranthum lilacina. Lilac, May, June,		
· 1'	.40	.35
sulphureum. Yellow, May, 1'	.35	.30
Eremurus himalaicus. White, June, 6'	1.50	
Erianthus ravennae. Plume Grass, 10'	.30	.25
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.18	.15
*glabratus roseus. Pink. June, 1'	.20	.18
macranthus. Violet, June, 2'	.20	.18
*speciosus. Rich purple, June, July, 2'	.18	.15
*Erinus alpinus albus. White, May, 4"	.25	.20
*alpinus roseus. Rosy purple, May, 4"	.25	.20
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.25	.20
amethystinum. Blue, summer, 18"	.25	.20
bourgati. Blue, summer, 18"	.25	
*planum. Blue, July, Aug., 3'	.18	.15
*Erysimum kotschyanum. Orange, May,		
June, 5"	.20	.18
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.20	.18
Eulalia gracillima. Japan Rush, 4-6'	.18	.15
japonica variegata. 4-6'	.25	.20
zebrina. Zebra Grass, 4-6'	.25	.20
Eupatorium ageratoides. White, Aug., 3'	.18	.15
*coelestinum. Blue, Sept., Oct., 18"	.20	.13
purpureum. Purple, Aug., Sept., 5'	.18	.15
Euphorbia corollata. White, July, Aug., 2'	.18	.15
*cyparissias. Yellow, May, 10"	.18	.15
*epithymoides. Yellow, May, June, 1' *myrsinites. Yellow, May, June, 6"	.25 .25	.20
		.15
Festuca glauca. Fescue Grass, June, 10"	.18	
Foeniculum atrosanguineum, summer, 6'	.20	.18
*Fragaria indica. White, May, 6"	.18	.15
Funkia. (See Hosta).	.50	

	5-24 each	25 up each
Gaillardia grandiflora. Yellow and Crimson,	04011	Cucii
all summer, 2'	.18	.15
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.25	.20
Mr. Sherbrook. Yellow, summer, 2'	.25	
*Galax aphylla. White, June, 10"	.25	.20
Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white, July,	.20	.18
3′	.20	.18
Galium boreale. White, July, 1½'	.20	.18
*purpureum. Dark brown, Aug., 1'	.20	.18
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
andrewsi. Blue, August, 2'	.20	.18
alba. White, Aug., 2'	.20	.18
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	.25
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.20	
*grevilleanum. Mauve, June, July, 6"	.20	.18
*ibericum. Purple, May, June, 2'	.20	.18
*lancastriense. Mauve, May, June, 1'	.20	.18
*maculatum. Pink, May, June, 1'	.20	.18
*pratense album. White, July, Aug., 2'	.20	.18
*sanguineum. Red, June, July, 2'	.20	.18
*Geum atrosanguineum. Dark red, summer,		
1½'	.20	.18
*Lady Strathedon. Orange, summer, 15"	.20	.18
*montana. Yellow, July, 1'	.18	.15
*Mrs. Bradshaw. Double red, summer, 1'	.20	.18
*Orange Queen. Orange, summer, 15"	.25	.20
*sibericum. Scarlet, June, July ,1'	.25	
*urbanum. Yellow, July, 15"	.25	.20
Gillenia trifoliata. White, July, 4'	.20	.18
*Globularia cordifolia. Pale blue, June, 4"	.25	.20
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.20	.18

	5-24	25 up
Gypsophila acutifolia. Pink, July, 2-3'	each .18	each .15
*cerastoides. White, summer, 4"	.25	.20
paniculata. White, July, Aug., 2-3'	.18	.15
paniculata Bristol Fairy. Dbl. white,	.10	.10
summer, 3'	.40	.35
paniculata fl. pl. Dbl. white, July, Aug.,		
3'	.35	.30
*repens. Bluish white, all summer, 6"	.18	.15
*repens bodgeri. Dbl. white, summer, 2'	.30	.25
*repens rosea. Pink, summer, 6"	.25	.20
Rosy Veil. Pink, summer, 2'	.40	.35
Helenium autumnale. Yellow, Aug., Sept., 5'	.20	.18
autumnale superbum. Yellow, Sept., 5'	.20	.18
bigelovi. Yellow, Sept., 4'	.25	.20
Chippersfield Orange. Copper and gold,		
Aug., 4'	.45	
Gartensonne. Yellow, Aug., Sept., 3'	.25	.20
hoopesi. Orange, June, July ,3'	.20	.18
*pumilum. Yellow, Aug., 15"	.25	.20
Riverton Beauty. Lemon, Aug., Sept., 5'	.20	.18
Riverton Gem. Old Gold, Sept., Oct., 4'	.20	.18
rubrum. Brick red, Sept., 4'	.20	.18
*Helianthemum citrinum. Yellow, summer, 6"	.20	.18
*croceum. Saffron, June, July, 9"	.20	.18
*cupreum. Copper, June, July, 6"	.20	.18
*Fire Ball. Red, July, Aug., 12"	.20	.18
*mutabile. Flesh, May, June, 12"	.20	.18
*perfoliatum roseum. Salmon, summer,		
6"	.20	.18
*purpureum. Bright pink, June, 6"	.25	
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.18	.15
maximiliana. Yellow, Sept., 6'	.18	.15
Miss Mellish. Yellow, Aug., Sept., 6'	.18	.15
mollis grandiflorus. Yellow, Aug., Sept.,		
4'	.18	.15
*multiflorus fl. pl. Yellow, summer, 4'	.25	.20
orgyalis. Bright yellow, Sept., 6-8'	.20	.18
rigidus. Yellow, Aug., 3'	.18	.15
Wolly Dod. Deep yellow, Sept., 7'	.18	.15
Heliopsis excelsa. Dbl. yellow, Aug., 3'	.20	.18
incomparabilis. Gold, summer, 30"	.30	.25
pitcheriana. Orange, July, Aug., 3'	.18	.15

7771 '4 TO 1 TO 14	5-24 each	25 up each
*Helleborus niger. White, Feb., Mar., 1'	.65	
*orientalis. Various, March, 12"	.50	
*Helxine soleiroli. Creeping herb, 1"	.20	.18
Hemerocallis Apricot. Apricot color, June, 2'	.20	.18
aurantiaca. Orange, June, July, 2½'	.20	.18
Dr. Regal. Orange yellow, May, 18"	.18	.15
dumortieri. Orange, June, 2'	.18	.15
flava. Lemon yellow, June, 3'	.18	.15
florham. Golden yellow, June, 3'	.25	.20
fulva. Bronze, Aug., 3'	.18	.15
Gold Dust. Indian yellow, June, 2½'	.18	.15
gracilis. Yellow, June, 2'	.20	.18
Hyperion. Lemon, July, 4'	.60	
J. A. Crawford. Apricot yellow, July, 4'	.30	.25
kwanso. Reddish orange, June, 2½'	.20	
luteola. Orange, June, 2'	.18	.15
May Queen. Orange, May, 4'	.25	1.5
middendorffi. Orange, June, 3'	.18	.15
minor. Yellow, June, 2'	.18	.15
Orange Man. Deep orange, June, 2'	.18	.15
Sovereign. Rich orange, June, 1½'	.18	.15
thunbergi. Lemon yellow, June, 2-3'	.18	.15
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, Aug.		
Gypsy. Deep orange, July.		
Harvest Moon. Orange, July. Lemona. Pale lemon yellow, Aug.		
Mrs. W. H. Wyman. Pale lemon, Au	ď	
The Gem. Deep orange, June, July.	_	
*Hepatica triloba. Light blue, March, April, 4"	.18	.15
*Herniaria glabra. Green, summer, 4"	.18	
*Hesperis matronalis. Purple, June, July, 3'	.18	.15
*matronalis alba. White, June, July, 3'	.20	.18
Heuchera americana. Greenish white, 3'	.25	.20
*brizoides. Pink, June, July, 2'	.20	.18
*Fire King. Red, May, June, 15"	.35	
*Grenadier. Red, summer, 15"	.35	
*Pleu de Feu. Red, May, June, 2'	.25	.20
*Red Pimpernell. June 1'	.25	
*rosamundi. Coral, summer, 18"	.25	.20
*sanguinea. Coral red, June, 1'	.20	.18
*sanguinea alba. White, June, 1'	.30	.25

	5-24 each	25 up each
Heuchera	0.0	1.0
*sanguinea hybrids. Various, summer, 18"	.20	.18
*villosa. White, summer, 12"	.25	.20
Hibiscus Mallow Marvels. Mixed, July, Au		
5'	.18	.15
Mallow Marvels. Separate colors, Aug.,		
5′	.25	.20
Mallow Marvels. Giant Red, Aug., 5'	.20	.18
moscheutos. Rose, June, July, 5'	.18	.15
eye, Aug., 5'	.18	.15
*Hieracium aurantiacum. Orange, summer, 6"	.18	.15
*alpinum. Yellow, May, June, 9"	.20	.18
Hosta caerulea. Blue, July, 1½'	.18	.15
fortunei. Pale lilac, July, 2'	.18	.15
lancifolia. Blue, July, 2'	.20	.18
sieboldiana. Silvery foliage	.25	.20
sub-cordata grandiflora. White, Aug.,		
18"	.40	.35
undulata variegata. White foliage, 2'	.20	.18
*Houstonia purpurea. Purple, May, June, 1'	.20	
serpyllifolia. Blue, April, 2"	.25	.20
Hyacinthus candicans. White, Aug., 3'	.20	.18
Hypericum ascyron. Yellow, Aug., 3'	.25	.20
*calycinum. Yellow, July, Aug., 1'	.20	.18
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July, Aug., 1'	.25	.20
moserianum. (See Shrubs).		
*polyphyllum. Yellow, summer, 8"	.20	.18
*repens. Yellow, July, 4"	.30	.25
*rhodopaeum. Yellow, July, 4"	.25	.20
*Hyssopus officinalis. Purple, Aug. 18"	.18	.15
*Iberis gibraltarica. Delicate lilac, May, 11/2'	.18	.15
*jordani. Rose, May, June, 6"	.30	.25
*saxatilis. White, summer, 8"	.20	.18
*sempervirens. White, May, June, 8"	.20	.18
*sempervirens Climax. White, May, 6"	.20	.18
*sempervirens Little Gem. White, April,		
6"	.25	.20
*sempervirens Snowflake. White, May, 9"	.30	.25
*tenoreana. Purplish white, June, 6"	.30	.25

	each 5-24	each 25 up
*Incarvillea delavayi. Rosy purple, June, July, 2'	20	9.5
	.30	.25
*Inula ensifolia. Yellow, July, Aug., 8" royleana. Yellow, July, Aug., 18"	.20 .20	.18
*Iris cristata. Light blue, May, June, 6"	.20	.18
dichotoma. Purple, Aug., 1' *ensata. Lilac, June, 10"	.25	.25
*ensata alba. White, June, 10"	.30	.20
*flavissima. Yellow, May, 6"	.25	.20
-fall blooming. Spring and fall, 1½-2'	.25	.20
Autumn King—Blue-purple		
Autumn Queen—snow white		
Olive White—cream		
Ultra — ultramarine-blue		
germanica. May, June 1½-2'		
Afterglow. Soft lavender shading		
yellow	.18	.15
Ambassadeur. Bronze, purple ma-		
roon falls	.18	.15
Aphrodite. Lilac pink	.18	.15
Archiveque. Purple	.15	
Asia. Smoky blue	.18	.15
Ballerine. Violet with deeper falls	.18	.15
Bruno. Bronze, red purple falls	.18	.15
Cecil Minturn. Pink	.18	.15
Chasseur. Yellow, red veining	.20	.18
Cinnabar. Violet, maroon falls	.20	.18
Cluny. Lilac blue	.18	.15
Coppersmith. Coppery red Darius. Yellow, lilac and white falls	.18	.15
Dorothea. Pearl gray	.18	.15
Dream. Light pink	.18	
Fairy. White, bordered blue	.18	.15
Flavescens. Yellow	.18	.15
Florentina. Pale blue	.18	.15
Florentina alba. White	.18	.15
Germaine Perthius. Violet purple	.20	.18
Gold Imperial. Golden yellow	.18	.15
Her Majesty. Lilac pink	.18	.15
Isolene. Lilac pink, old rose falls	.18	.15
Jubilee. Cream, dotted brown	.18	.15

	5-24 each	25 up each
Iris germanica.		
King of Iris. Yellow, brown falls.	.18	.15
King Edward. Red violet	.18	.15
Kochi. Rich deep claret purple	.18	.15
Labor. Electric blue	.18	
Leonidas. Lavender, mauve falls	.20	.18
Lent A. Williamson. Violet, rich		
purple falls with yellow beard	.18	.15
Lohengrin. Lilac rose	.18	.15
Lord of June. Lavender blue, violet		
falls	.18	.15
Loreley. Light yellow, blue falls.	.18	.15
Mad. Henri Cayeau. Dark purple.	.18	.15
Magnifica. Violet and reddish violet	.18	
Mary Barnet. Lavender blue	.18	.15
Midnight. Dark blue	.18	.15
Mme. Chobaut. Buff and wine, dot-		
ted	.18	
Moonlight. Silvery white	.18	.15
Monsignor. Violet purple, crimson		
falls	.18	.15
Mt. Royal. Pansy purple	.18	
Nuee d'Orage. Slate gray with	10	4.5
bronze and purple falls	.18	.15
Opera. Violet red, purple falls Pallida Dalmatica. Lavender	.25 .25	.20 .20
Pallida speciosa. Light blue	.18	.15
Pluie d'Or. Yellow	.18	.10
Pocahontas. White, edged blue	.20	.18
Prairie Gold. Yellow	.18	.15
Princess Victoria Louise. Sulphur		***
yellow, rich violet falls	.18	.15
Prospero. Lavender and purple	.18	.15
Queen Caterina. Lavender violet,		
orange beard	.18	.15
Rhea. Violet	.18	.15
Rhein Nixe. White, violet falls	.18	.15
Robi. W. Wallace. Violet purple	.18	.15
Shekinah. Pale yellow, shading to	,,,,	
buff	.20	.18
Sherwin-Wright. Golden yellow	.18	.15
Snow White. White	.18	

	5-24	25 up
*Iris germanica	each	each
Souv. de Mad. Gaudichau. Deep ve	3	
vety purple		.15
Taj Mahal. White		.15
Tamerlan. Light blue, darker fal		.15
Thais. Soft rosy mauve		.15
True Delight. Pure pink	.20	.10
Victorine. White, mottled blue		.15
Wedgewood. Blue		.15
intermedia hybrids. May, 18"		.15
Gerda. Creamy yellow, darker fa		
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
Walhalla. Light blue, purple falls		
kaempferi. Japanese Iris. July, 2-3'		.20
Awaji. Large white overlaid lave		
Bandai-San. White standards an		
dered lavender.	a lalis,	DOI
Blue Bird. Single dark blue.		
Eumee. Double lavender blue.		
Fascination. Double mauve pink,	veined '	white.
Florence, Amaranth purple.		
Fukushima. Reddish purple, veine	d white	
Gold Bound. White, yellow shadi	ngs.	
Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kumonoobi. Clear purple, white h	alo.	
Mahogany. Double rich dark red.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple Emperor. Large deep viole		
Purple & Gold. Violet purple, gol		
Pyramid. Double violet purple, ve	ined wh	nite.
Seacrest. Foam white.		
Tacoma Beauty. Pure white.	- la	
Thais. Rich royal purple, velvety		
Uchiu. Crimson purple, white ve		10
Warei-hotei. Lavender blue, light		
prismatica. Violet, May, June, 2'		
pseudacorus. Yellow, June, 3'	.18	.15

Iris	5-24 each	25 up each
*pumila alba. Dwarf, white, April, 9"	.18	.15
*pumila coerulea. Dwarf, blue, April, 9"	.18	.15
*pumila californica. Yellow, April, 9"	.20	.18
*pumila Curiosa. Yellow, April, May, 9"	.25	.20
*pumila Fairy. Pale blue, April, 6"	.20	.18
*pumila Louise. Dark blue, April, 6"	.20	.18
*pumila lutea. Pale yellow, April, 6"	.18	.15
*pumila Midget. Purplish red, April, 6"	.25	
*pumila Schneecuppe. White, April, 6"	.18	.15
*pumila Sambo. Violet, April 9"	.18	.15
siberica. Purplish blue, June, 3'	.18	.15
sibirica alba. White, June, 3'	.18	.15
sibirica Emperor. Clear blue, May, 2'	.20	.18
sibirica Snow Queen. White, May, 2'	.18	.15
spuria Dorothy Foster. Violet standards		
lighter falls, June, 2'	.50	.40
*Stewart. Dwarf, yellow, April, 9"	.20	.18
*tectorum. Blue, June, 1'	.25	.20
*tectorum alba. White, June, 10"	.30	
*verna. Blue, May, June, 6"	.20	.18
versicolor. Blue, June, 2'	.18	.15
Isatis tinctoria. Yellow, May, June, 6'	.18	.15
*Jasione humilis. Blue, July, Aug., 6"	.20	.18
*perennis. Blue, June, July, 6"	.20	.18
*Jeffersonia diphylla. White, May, 8"	.20	.18
*Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.25	.20
Towers of Gold. Yellow, Aug., Sept., 30"	.25	
*Lactuca perennis. Blue, June, 15"	.20	.18
Lathyrus latifolius. Pink to Red, July, 6'	.20	.18
*Lavandula officinalis. (Sweet Lavender).		
July, 2'	.18	.15
officinalis alba. White, July, 2'	.25	.20
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.25	.20
*Lewisia rediviva. Pink, June, July, 3"	.40	.35
Liatris pycnostachya. Purple, Aug., Sept., 4'	.18	.15
spicata. Purple, Aug., 3'	.18	.15
Ligularia clivorum. Yellow, Aug. ,Sept., 3'	.18	.15
Lilium batemanniae. Salmon red, July, 3'	.45	
canadense. Yellow to red, June, July, 3'	.20	.18
candidum. White, June, 3'	.50	.40
carolinianum. Orange, July, Aug., 3'	.50	

Lilium	5-24 each	25 up each
concolor. Scarlet, July, 1'	.35	.30
elegans. Shades yellow and red, July, 2'	.50	
elegans Alice Wilson. Lemon, June,		
July, 2'	.50	
elegans atrosanguineum. Dark crimson,		
June, July, 1'	.50	
elegans Orange Queen. Orange, June,		
July, 18"	.50	
hansoni. Orange, June, July, 4'	1.00	
henryi. Yellow, July, 2'	.45	
longiflorum giganteum. Waxy white, 2'	,60	
pardalinum. Scarlet and yellow, 2'	.25	.20
phillippinense formosanum. White,		
June, July, 2'	.45	
philadelphicum. Orange red, June, July,		
3'	.25	.20
regale. White, July, 4'	.30	.25
superbum. Orange, July, Aug., 5'	.20	.18
*tenuifolium. Scarlet, June, 18"	.25	.20
testaceum. Apricot, June, July, 5'	2.50	
tigrinum. Orange, spotted, Aug., 4'	.25	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.30	
umbellatum. Scarlet red, July, 2'	.30	.25
willmottiae. Orange, July, 4'	1.00	
*Limonium auriculaefolium. Blue, June,		
July, 6"	.20	.18
eximium. Lilac rose, Aug., 2'	.20	.18
*gmelini. Purplish blue, Aug., 18"	.20	.13
*latifolium. Blue, July, Aug., 2'	.18	.15
*Linaria aequitriloba. Pale mauve, June, 1"	.20	.18
*alpina. Blue, summer, 6"	.18	.15
*alpina rosea. Rose, summer, 6"	.20	
*cymbalaria. Lavender, summer, 4"	.18	.15
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3 '	.25	.20
*Linum austriacum. Blue, summer, 3'	.25	.20
*alpinum. Blue, June, 10"	.20	.18
*flavum. Yellow, June, July, 1'	.18	.15
hirsutum. Lilac, summer, 2'	.18	
*narbonnense. Blue, June, July, 2'	.20	.18
*perenne. Blue, June, July, 1½'	.18	.15
*salsoloides. White, summer, 8"	.35	
*tenuifolium. Pink, summer, 1'	.25	

*Lithospermum purpureo-caeruleum. Blue	5-24 each	25 up each
May, 10"	.35	
Lobelia cardinalis. Scarlet, Aug., Sept., 3' siphilitica. Blue, Sept., 3'	.20 .15	.18
Lupinus polyphyllus. Blue, June, July, 3' polyphyllus albus. White, June, July, 3' polyphyllus roseus. Pink, June, July, 3'	.20 .20 .20	.18 .18
*Lychnis alpina. Rose color, June, 1' arkwrighti. Scarlet, summer, 15" chalcedonica. Scarlet, July, 3' coronaria. Crimson, July, 2' coronaria alba. White, July, 2' flos jovis. Pink, June, 18" *haageana. Scarlet, June, July, 1' *viscaria splendens fl. pl. Red, June, 1'	.18 .20 .18 .18 .18 .18 .18	.15 .18 .15 .15 .15 .15 .15
*nummularia. Yellow, June, July, 6" *nummularia aurea. Yellow leaves, 3" punctata. Yellow, June, 3' vulgaris. Yellow, July, Aug., 3'	.20 .18 .25 .25	.18 .15 .20
Lythrum alatum. Magenta, July, Aug., 3' salicaria roseum. Rose, July, 4' virgatum. Deep rose, July, Aug., 1½'	.18 .18 .20	.15 .15
Malva alcea. Rosy purple, July, Aug., 3' moschata. Rose, July, Aug., 2' moschata alba. White, July, Aug., 2' Marrubium vulgare. White, summer, 3'	.18 .18 .18	.15 .15 .15
Matricaria Golden Ball. Yellow, summer, 1' *parthenoides. White, May, 1' Silver Ball. Dbl. white, summer, 1'	.18 .18 .20	.15 .15
*Mazus reptans. Lilac, April, 4" Melissa officinalis. White, Aug., 2" Mentha anisatus. Anis-flavored. 15" crispa. Curly mint. 12"	.25 .18 .25 .25	.20 .15
piperita. Peppermint. Purple, 2' *requieni. Mauve, July, Aug., 2" rotundifolia. Apple mint. 30"	.18 .20 .25	.15 .18
*Mertensia virginica. Purplish blue, March,	1.0	
April, 2'	.18	.15
Mimulus luteus. Yellow, summer, 1'	.25	.18

	5-24 each	25 up each
Mitchella repens. White shaded pink, Mar.,		
4"	.25	.20
Monarda didyma. Red, July, Aug., 3'	.18	.15
didyma alba. White, summer, 3'	.20	.18
didyma Cambridge. Scarlet, July, Aug.,		
3′	.20	.18
didyma Salmonea. Salmon, July,Aug.,3'	.20	.18
didyma Sunset. Mahogany, July, Aug., 3'	.20	.18
didyma splendens. Scarlet, July, Aug., 3'	.18	.15
didyma violacea. Violet, July, Aug., 3'	.18	.15
fistulosa. Lilac, July, 3'	.18	.15
Mulgedium Bourgaei. Lilac, summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.18	.15
*alpestris alba. White, May, June, 8"	.18	.15
*alpestris pink. May, June, 8"	.18	.15
*palustris. Blue, all summer, 6"	.18	.15
*palustris Pink Beauty. All summer, 6"	.20	.18
*Nepeta hederacea. Blue, May, 2"	.18	.15
macrantha. Lavender, summer, 2'	.20	.18
*mussini. Blue, June, July, 1'	.20	.18
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, sum-		
mer, 1'	.25	.20
*Nierembergia rivularis. Creamy white, sum		
mer, 4"	.20	.18
Oenothera fraseri. Yellow, summer, 1'	.18	.15
fruticosa major. Yellow, summer, 2'	.18	.15
fruticosa youngi. Lemon, June, July, 2'	.20	.18
lamarckiana. Yellow, July, Aug., 4'	.18	.15
missouriensis. Yellow, July, Aug., 6"	.25	.20
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., 1½'	.20	.18
*taraxacifolia. Pink, summer, 6"	.30	
Onoclea sensibilis. Sensitive Fern	.18	.15
struthiopteris. Ostrich Fern	.18	.15
Onopordon bracteatum. Pink, July, 5'	.25	.20
*Opuntia fragilis. Yellow, June, 4"	.30	.25
*humifusa. Yellow, June, 10"	.30	.25
megacantha. Yellow, June, 3'	.30	.25
Origanum vulgare. Pink, summer, 2'	.25	
*Orobus vernus. Rose purple, May, 1'	.35	

*Osmunda cinnamonea. Cinnamon Fern	5-24 each .25	25 up each .20
regalis. Royal Fern	.25	.20
Pachysandra terminalis. White, May, 3"		
2 year from pots	.18	.15
Paeonia officinalis rosea. Rose pink	.50	.40
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.50	
August Dessert. Velvety rose	.50	
Beauty of France. Pale rose	.50	.40
Claire Dubois. Satiny pink	.60	
Dr. Vandertak. Crimson	.50	
Duc de Wellington. White	.50	.40
Duchess de Nemours. Creamy white	.50	.40
Edulis. Deep rose	.35	.30
Felix Crousse. Brilliant red	.45	.40
Festiva maxima. Finest early white	.45	.40
Karl Rosenfield. Early red	.50	
Lady Alexandra Duff. Pale pink	.75	
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.60	
Marie Lemoine. Creamy white	.60	.50
Marquise of Lansdowne. Large, pink	.60	
Mons. Martin Cahuzac. Dark pur-	1 00	
ple garnet	1.00	
Mons. Jules Elie. Pink with darker guard petals	.60	.50
Mrs. Van Leeuwen. Light crimson	.50	.50
Roem von Boskoop. Deep rose	.35	.30
Solange. White petals, golden	.00	.50
brown center	.75	
Souv. de Louis Bigot. Bengal rose	.75	
Therese. Violet rose	.75	
Triumph de Paris. Light pink, ye		
low center		.35
Virginie. Lilac rose	.45	.40
Walter Faxon. Pure pink	.75	
Wm. Mesman. White	.40	.35
single Japanese. Named varieties	1.00	
Alba Grandiflora. White		
Cleopatra. Red		
Eva. Bright lilac-crimson.		•
Jacqueline. Pure white.		

	5-24 each	25 up each
Paeonia single Japanese	eden	each
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to w	hite.	
Shi-pen-kue. Nearest to blue in Peo		
suffruticosa. Tree Peony. (See Page 95)		
*Papaver alpinum. Various, summer, 6"	.20	.18
*nudicaule. All colors, summer, 8"	.18	.15
*orientale bracteatum. Red, June, 2'	.20	.18
orientale. Orange scarlet, June, 2'	.20	.18
Beauty of Livermore. Crimson, Jun	e	
3′	.25	
Enfield Beauty. Salmon, June, 2'	.25	
Fairy. Pale pink, June, 2'	.30	.25
Lulu A. Neeley. Ox-blood red, June	22	
3′	.35	
May Sadler. Salmon, June, 2'	.35	
Mrs. Perry. Salmon pink, June, 3'	.30	.25
Olympia. Scarlet, June, 3'	.25	.20
Perry's White. White, June, 3'	.25	
Princess Victoria Louise. Salmon,		
June, 2'	.25	.20
Wurtembergia. Rose-red, June, 2'	.30	.25
pilosum. Brick red, June, 3'	.25	.20
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"	.25	.20
*Pennisetum japonicum. Fountain Grass	.20	.18
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.20	.18
barbatus. Scarlet, July, 3'	.18	.15
barbatus coccineus. Scarlet, July, Aug.,4'	.20	.18
barbatus Pink Beauty. Pink, summer, 2'	.30	.25
digitalis. White, Aug., 3'	.20	.18
Garnet. Red, summer, 18"	.30	.25
glaber. Blue, summer, 2'	.25	.20
grandiflora. Blue, summer, 3'	.35	
hirsutus. Rosy purple, July, Aug., 2'	.20	.18
ovatus. Blue, July, Aug., 3'	.20	.18
*procerus. Blue, July, 1'	.20	.10
*pygmaeus. Purplish blue, summer, 6".	.25	.20
unilateralis. Blue, June, 2'	.20	.18
		.15
Phalaris arundinacea variegata. Ribbon Grass	.18	.10

	5-24 each	25 up each
Phlox amoena. Pink, May, 4"	.18	.15
*arendsi Louise. Lilac, all summer, 1'	.30	
*divaricata. Lavender, May, June, 1'	.18	.15
*divaricata laphami. Violet, June, 1'	.25	.20
glaberrima. Pink, June, 18"	.20	.18
maculata. Purplish red, May, June, 4'	.18	.15
*ovata. Red, May, June, 1'	.20	
paniculata. 2-3'		
Africa. Carmine, red eye	.20	.18
Antonin Mercie. Lilac, white center	.20	.18
Athis. Salmon pink	.18	.15
B. Compte. Rich French purple	.20	.18
Baron von Dedem. Salmon red	.20	.18
Beacon. Cherry red	.20	.18
Border Queen. Dwarf pink	.25	
Capt. Koehl. Blood red	.30	
Caroline Vandenburg. Lavender blue	.30	
Champs Elysees. Rich purple		
crimson	.18	.15
Commander. Crimson	.20	.18
Count Zeppelin. White, red eye	.25	
Daily Sketch. Salmon pink, car-		
mine eye	.30	.25
- Enchantress. Salmon pink, dark eye	.20	.18
Elizabeth Campbell. Salmon pink	.20	.18
Evelyn. Salmon rose	.25	.20
>Feuerbrand. Orange scarlet	.25	.20
Fiancee. White	.25	.20
George Stipp. Salmon, lighter eye.	.30	.25
Gustave Lind. Deep salmon	.30	
Johnson's Favorite. Salmon rose	.18	.15
Jules Sandeau. Large pink	.20	.18
Karl Foerster. Orange scarlet	.25	
Le Mahdi. Deep purple	.18	.15
➤ Leo Shlageter. Bright scarlet	.30	.25
Lilian. Fine light pink	.25	
Mad. Paul Dutrie. Soft pink	.20	.18
Maid Marian. Soft lavender	.20	.18
Mary Louise. Pure waxy white	.30	.25
Mia Ruys. White	.30	
Mrs. Jenkins. Pure white	.20	.18
Mrs. Milly van Hoboken. Soft pink	.25	.20
Miss Lingard. White	.20	.18

	5-24 each	25 up each
Phlox paniculata	each	eden
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.30	.25
P. D. Williams. Apple blossom pink	.25	
Peachblossom. Shell pink	.18	.15
Prof. Virchow. Orange scarlet	.20	.18
Rheinlander. Salmon pink, claret		
eye	.18	.15
Rokoko. Soft pink	.25	.20
R. P. Struthers. Carmine, claret eye	.18	.15
Salmon Glow. Salmon pink	.30	
Special French. Soft pink	.18	.15
Thor. Deep salmon pink	.20	.18
Widar. Light reddish violet, white	.20	.10
eye	.20	.18
*pilosa. Lavender, May, 1'	.20	.18
*reptans. Lilac, May, 6-12"	.18	.15
*stellaria. Creeping, May, 4"	.18	.15
*subulata alba. White, April, May, 4"	.18	.15
*subulata atropurpurea. Purple, Apr., 4"	.25	.20
*subulata Blue Hills. Light blue, April,4"	.20	.20
*subulata Camla. Pink, May, 4"	.30	.25
*subulata Fairy. Blue, purple eye, April,	.30	.23
	1.0	15
	.18	.15
*subulata G. F. Wilson. Lilac, May, 6"	.20	.18
*subulata lilacina. Light blue, April,	1.0	1.5
May, 4"	.18	.15
*subulata Little Dot. Lilac, April, 4"	.20	.18
*subulata nelsoni. White, May, 4"	.20	.18
*subulata Perfection. Rose, pink eye,	4.0	
April, 4"	.18	.15
*subulata rosea. Pink, May, 4"	.18	.15
*subulata The Bride. White, pink eye,		
May, 5"	.18	.15
*subulata Vivid. Pink, red eye, April, 4"	.20	.18
Phygelius capensis. Red, Aug., Sept., 3'	.25	
Physalis francheti. Red pods, Oct., 2'	.18	.15
Physostegia virginiana. Rose, Aug., 3'	.18	.15
virginiana alba. White, Aug., 3'	.18	.15
virginiana Vivid. Deep pink, Aug., 2'	.20	.18
Phyteuma orbiculare. Purple, June, July, 2'	.30	.25
*scheuchzeri. Violet, June, 1'	.20	.18
Platycoden grandiflorum. Blue, summer, 2'	.18	.15

	5-24 each	25 up each
Platycoden.	cacii	Cucii
grandiflorum album. White, summer, 2'	.18	.15
*mariesi. Deep blue, summer, 1'	.25	.20
*mariesi album. White, summer, 1'	.25	.20
Plumbago larpentae. (See Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.18	.15
*Polemonium caeruleum. Deep blue, June,		
July, 1½'	.18	.15
*caeruleum album. White, June, July,		
1½'	.15	
*confertum. Blue, June, July, 18"	.20	.18
*reptans. Blue, May, June, 6"	.20	.18
richardsoni. Sky blue, May, June, 6"	.20	.18
*Polygonum compactum. White, Aug., Sept.,		
1½'	.18	.15
cuspidatum. White, Aug., Sept., 5'	.18	.15
oxyphyllum. Creamy white, Sept., 3'	.20	.18
spaethi. Pink, Sept., 6'	.35	
Polystichum acrostichoides. Christmas Fern	.18	.15
*Potentilla atrosanguinea. Red, summer, 18"	.20	.18
*argentea. Yellow, summer, 18"	.25	.20
*crinita. Yellow, summer, 1'	.20	.18
*nepalensis. Showy red, May, June, 2'	18	.15
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.30	.25
*pyrenaica. Yellow, summer, 18"	.18	.15
*tridentata. White, summer, 1'	.20	.18
*Primula acaulis. Yellow, May, 9"	.20	.18
*auricula alpina. Various, May, 6"	.20	.18
*beesiana. Purple, May, 18"	.30	.25
*bulleyana. Apricot, June, 18"	.30	.25
*bulleyana hybrids. Various, May, 18"	.30	.25
*cashmiriana. Light lilac, May, 8"	.30	.25
*cortusoides. Deep rose, June, 10"	.25	.20
*denticulata. Purple, yellow eye, May, 6"	.25	.20
*denticulata alba. White, May, 6"	.25	.20
*elatior. Yellow, May, 8"	.25	
*elatior atrocoerulea. Dark blue, May, 8"	.35	
florindae. Yellow, May, 4'	.35	.30
*japonica atrosanguinea. Red, May,		
June, 1'	.30	.25
*japonica pink. May, June, 1'	.30	.25
*moerheim hybrids, Various May, 12"	30	2.5

	each	each
*Primula		
*polyanthus. White, or yellow, May, 10"	.25	.20
*saxatilis. Rose, May, 10"	.30	.25
*veris. Yellow, April, May, 9"	.20	.18
*veris Giant Munstead. Various, May, 1'	.25	.20
*veris Gold Laced. Various, May, 9"	.30	.25
*veris lilacina fl. pl. Lilac, May, 4"	.50	
*Pulmonaria angustifolia. Blue, April, May,8"	.20	.18
*saccharata. Pink, spring, 12"	.25	.20
*Prunella grandiflora. Violet, summer, 8"	.20	.18
*incisa rubra. Red, summer, 6"	.20	.18
*webbiana. Purple, summer, 6"	.20	.18
Pyrethrum Dainty. Dbl. cherry red, sum-		
mer, 1'	.35	
James Kelway. Sgl. red, June, 1'	.20	
Princess Margaret. Crested pink, June, 1'	.25	
Rose Glory. Dbl. rose, June ,1'	.25	
roseum. Various, May, June, 1'	.18	.15
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.25	.20
roseum single scarlet. Summer, 1'	.35	
uliginosum. White, Sept., 5'	,18	.15
Ranunculus acris fl. pl. Yellow, June, 3'	.20	.18
*repens. Yellow, June, 4"	.18	.15
repens fl. pl. Yellow, June, 1'	.18	.15
Rosmarinus officinalis. Light blue, April, 4"	.25	.20
Rudbeckia Autumn Glory. Yellow, Aug.,		
Sept., 6'	.18	.15
hirta. Yellow, Aug., Sept., 3'	.18	.15
laciniata. (Golden Glow). Yellow, Aug.,6'	.18	.15
nitida. Single yellow, Aug., Sept., 6'	.18	.15
Rayon d'Or. Yellow, Aug., 5'	.18	.15
speciosa. Yellow, July, Aug., 2'	.18	.15
subtomentosa. Lemon yellow, Aug.,	.10	.10
Sept., 4'	.18	.15
*Ruta graveolens. Yellow, summer, 2½'	.18	.15
*Sagina subulata. White, July, Aug., 3"	.18	.15
Salvia argentea. Pinkish white, June, 3'	.18	.15
	.20	.18
azurea. Blue, Aug., 4'	.25	.10
azurea grandiflora. Blue, Aug., 4'		.15
farinacea. Blue, July, 2-3'	.18	
glutinosa. Yellow, June, July, 3'	.18	.15
officinalis. Blue, summer, 18"	.18	.15

	5-24 each	25 up each
Salvia		
pitcheri. (See azurea grandiflora).		
pratensis. Deep blue, June, 3'	.18	.15
pratensis rubicunda. Rose, June, July, 3'	.25	
viscosa. Pink, July, 3'	.20	.18
*Sanguinaria canadensis. White, April, 8"	.18	.15
*Santolina chamaecyparissus. Gray foliage, 1'	.20	.18
*Saponaria caespitosa. Rose, July, 3"	.25	.20
*ocymoides. Pink, summer, 9"	.18	.15
*ocymoides alba. White, summer, 9"	.20	.18
officinalis rosea pl. Pink, summer, 18".	.18	.15
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.20	.18
*cordifolia. Rose pink, May, June, 1'	.20	.18
*cotyledon. White, May, June, 18"	.25	.20
*crassifolia. Rosy pink, April, 1'	.20	.18
*decipiens. White, May, June, 4"	.25	.20
*granulata. White, May, June, 1'	.25	.20
*grisebachi. Purple, May, June, 8"	.40	
*haussmani. Yellow, May, June, 8"	.25	
*lantoscana. White, May, June, 1'	.25	.20
*lingulata rosea. Pink, April, 1'	.25	.20
*lingulata leichtlini. Rose, April, 1'	.25	.20
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.25	
*McNabiana. White, May, June, 12"	.25	.20
*purpurea. Rosy purple, April, 1'	.20	.18
*sarmentosa. White, summer, 2'	30	.25
*umbrosa. Pink, May, June, 1'	.25	.20
Scabiosa caucasica. Lavender, all summer,		
1'	.20	
*caucasica alba. White, summer, 1'	.25	
caucasica House's Hybrids. Various,		
summer, 1'	.25	
fischeri. Blue purple, summer, 2'	.20	
japonica. Lavender, Aug., Sept., 18"	.20	.18
*Schivereckia bornmulleri. White, summer, 4"	.25	.20
*Scutellaria alpina. Purple and white, sum-		
mer, 6"	.20	.18
*coelestina. Blue, summer, 1'		.20

*Scutellaria	5-24 each	25 up each
*orientalis. Yellow, June, July, 8"	.25	.20
*Sedum acre Yellow, June, July, 4"	.18	.15
*aizoon. Yellow, July, Aug., 1'	.18	.13
*album. White, July, 4"	.18	.15
*altissimum. Yellow, July, Aug., 9"	.20	.13
*anglicum. Pink, July, Aug., 3"	.20	.10
*douglasi. Yellow, July, 2"	.18	15
*ewersi. Pink, Aug., Sept., 6"	.18	.15
*glaucum Blue foliage, 2"	.20	.13
*kamtschaticum. Yellow, July, 6"	.18	.15
*maximowiczi. Yellow, July, Aug., 1'	.18	.15
*maximum. Pink, Sept., Oct., 18"	.18	15
	.10	15
*middendorffianum. Yellow, June, July,	.20	1.0
		.18
*murale. Pink, July, 1'	.20	.18
*obtusatum. Yellow, July, Aug., 3"	.25	.20
*reflexum. Yellow, July, Aug., 8"	.18	.15
*sarmentosum. Yellow, July, 3"	.18	.15
*sexangulare. Yellow, June, July, 6"	.18	.15
*sieboldi. Pink, July, Aug., 1'	.20	.18
*spectabile. Pink, Aug., Sept., 1½'	.20	.18
spectabile Brilliant. Crimson, Sept., 1½'	.20	.18
*spurium album. White, July, Aug., 6"	.18	.15
*spurium splendens. Rosy crimson, Aug.,		
6"	.18	.15
*stoloniferum. Pink, July, Aug., 6"	.18	.15
*stoloniferum coccineum. Crimson, Aug.,		
6"	.18	.15
*ternatum. White, May, June, 4"	.18	.15
*Sempervivum arachnoideum. Red, June, 4"	.20	.13
*arenarium. Yellow, July, 6"	.20	.18
*alberti. White, July, 8"	.25	.20
*atroviolaceum. Reddish purple, 8"	.25	
*brauni. Bronze, July, 6"	.18	
*doellianum. Red, June, July, 6"	.20	.18
*funcki. Brown, June, July, 6"	.20	.18
*fauconetti. Pink, June, 6"	.25	.20
*fimbriatum. Pink, July, 8"	.25	.20
*glaucum. Pink, July, Aug., 6"	.25	.20
*globiferum. Yellow, June, 12"	.18	.15
*tectorum violaceum. Violet red, June, 4"	.18	.15
*Shortia galacifolia. White, June, 8"	.30	.25

	each	each
Sidalcea Rose Queen. Rose pink, July,		
Aug., 4'	.18	.15
*Silene alpestris. White, May, June, 6"	.20	.18
*maritima. White, summer, 1'	.20	.18
*maritima rosea. Pink, summer, 1'	.25	.20
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.18	.15
*roemeri. White, July, Aug., 1'	.25	
*saxifraga. White, summer, 6"	.20	.18
*schafta. Bright pink, July, 6"	.20	.18
Silphium perfoliatum. Yellow, July, 6'	.20	.18
*Sisyrinchium angustifolium. Blue, June,		
July, 6"	.20	.18
Smilacina racemosa. White, April, 2-3'	.18	.15
Solidago canadensis. Yellow, fall, 4-5'	.18	.15
rigida. Yellow, fall, 3-4'	.18	.15
shorti. Yellow, fall, 4'	.20	.18
Spigelia marilandica. Red, June, July, 2'	.25	
*Spirea aruncus. White, June, July, 3-5'	.25	.20
camtschatica. White, July, 6'	.20	.18
chinensis. Silvery pink, June, July, 2'	.18	.15
eximea. Pink, June, July, 2'	.20	.18
filipendula. Single, White, June, July, 1'	.20	.18
filipendula fl. pl. White, summer, 15"	.25	
lobata. Pink, July, 4'	.20	.18
palmata. Rosy crimson, June, July, 2'	.18	.15
ulmaria fl. pl. White, June, 3-4'	.20	.18
venusta magnifica. Deep pink, July, 3'	.20	.18
Stachys lanata. Purple, June, July, 1½'	.18	.15
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.20	.18
*Stenanthium robustum. White, Aug., 3'	.25	
Stokesia laevis. Lavender, Aug., Sept., 1'	.18	.15
laevis alba. White, Aug., Sept., 1'	.18	.15
Tanacetum vulgare. Yellow, summer, 3'	.18	.15
Teucrium chamaedrys. Rose, Aug., 1'	.25	.20
orientale. Blue, Aug., 10"	.25	.20
Thalictrum adiantifolium. Yellow, June, 4'	.18	.15
aquilegifolium. White, June, 5'	.18	.15
aquilegifolium purpureum. Purple,		
June, 3'	.25	.20
baicalens. Yellow, June, 4'	.20	.18
dipterocarpum. Lilac, Aug., 3'	.30	.25

	5-24 each	25 up each
Thalictrum.		
glaucum. Golden-yellow, June, 4'	.30	.25
minus. Greenish yellow, June, July, 2'	.20	.18
Thermopsis caroliniana. Yellow, June, 6'	.20	.18
mollis. Yellow, June, July, 2-3'	.20	.18
Thymus odoratissimus. Lilac, summer, 6"	.20	.18
*nitidus. Rose, June, July, 3"	.25	.20
*serpyllum. White, June, 4"	.20	.18
*serpyllum citriodorus. Purple, June,		
July, 3-5"	.25	.20
*serpyllum coccineus. Scarlet, June, 4"	.25	.20
*serpyllum lanuginosus. Rosy purple,		
June, July, 5"	.20	.18
*serpyllum roseus. Rose, summer, 8"	.20	.18
vulgaris. Lilac, June, July, 8"	.20	.18
*Tiarella cordifolia. Creamy white, June, 8"	.18	.15
Tradescantia virginiana. Blue, all summer, 2'	.18	.15
*Trientalis borealis. White, fall, 6"	.20	.18
*Trillium erectum. Purple, May, 1'	.18	.15
*grandiflorum. White, May, 1'	.18	.15
Tritoma. (See Kniphofia).		
Trollius asiaticus. Rich orange, July, Aug.,		
2'	.30	.25
*europeus. Citron yellow, July, Aug., 1'	.25	.20
*europeus Fire Globe. Orange, summer, 1'	.35	
europeus Orange Globe. Orange, sum-		
mer, 18"	.30	.25
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, sum-		
mer, 18"	.35	
*Tunica saxifraga. Light pink, June, July, 6"	.20	.18
*saxifraga alba. White, summer, 6"	.20	0.5
*saxifraga alba. fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'	.20 .25	.18
Verbascum chaixi. White, summer, 3'	.30	.25
*Cotswold Gem. Amber, June, 4'	.18	.15
olympicum. Yellow, July, Aug., 5'	.18	.15
willmottiae. White, summer, 5'	.18	.15
*Verbena canadensis. Purple, Aug., 18"	.30	.25
hastata. Blue. Aug. Sept., 3'	.18	.15

Vernonia noveboracensis. Purple, Aug., Sept.	5-24 each	25 up each
5'	.18	.15
*Veronica allioni. Violet, June, 2"	.25	.20
*alpestris. Pale blue, June, 18"	.18	.15
amethystina Royal Blue. June, July, 12"	.20	.18
*Blue Spires. Blue, summer, 18"	.20	.18
caucasica. White, July, 6"	.20	.18
*chamaedrys. Blue, May, June, 18"	.20	.18
*elegantissima. Blue, July, Aug., 2'	.18	.15
*erica. Pink, summer, 10"	.18	.15
*filiformis. Blue, May, 2"	.20	.18
*gentianoides. Pale blue, June, July, 1'	.25	.20
*incana. Pale blue, July, Aug., 1½'	.20	.18
*longifolia subsessilis. Blue, Aug., Sept.,2'	.20	.18
*orchidea. Blue, July, 18"	.20	.18
*pectinata rosea. Pink, May, June, 6"	.18	.15
*peduncularis. White, June, 6"	.20	.18
*pulchella. Blue, May, 1'	.18	.15
*repens. Pale blue, May, June, 2"	.20	.18
*rupestris. Blue, June, 6"	.20	.18
*rupestris alba. White, June, 4"	.25	.20
*rupestris nana. Dark blue, June, 2"	.25	.20
*rupestris pink. June, 4"	.25	.20
*saxatilis. Pale blue, July, 6"	.20	.18
*spicata. Blue, July, Aug., 2'	.20	.18
*spicata alba. White, Aug., 18"	.25	
*spicata nana. Blue, June, 6"	.25	15
*spuria. Blue, June, 18"	.18	.15
*teucrium prostrata. Blue, June, 1'	.18	.15
*True Blue. June, July, 12"	.20	.18
virginica. Pale blue, Aug., 4'	.20	.18
*Vesicaria utriculata. Yellow, April, May, 8"	.25	.20
Vinca minor. Blue, all summer, 6"	.12	.11
minor alba. White, all summer, 6"	.25	.20
minor Bowles. Blue, summer, 6"	.25	.20
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.18	.15
*bosniaca. Rosy mauve, June, July, 4"	.20	.18
*cornuta Admiration. Purple, all sum-		
mer, 6"	.18	.15
*cornuta alba, type. White, all summer, 6"	.18	.15
*cornuta Apricot. Apricot, summer, 6"	.25	.20

· 1.	5-24 each	25 up each
Viola		
*cornuta Arkwright Beauty. Red, sum-	0.5	
mer, 6" *cornuta atropurpurea type. Purple, 6"	.25	1.5
*cornuta Blue Perfection. Blue, all sum-	.18	.15
mer, 6"	1.0	15
*cornuta florariensis. Pale blue, sum-	.18	.15
mer, 6"	.25	
cornuta G. Wermig. Violet, all summer,	.40	
6"	.18	.15
*cornuta Lord Nelson. Blue, summer, 6"	.20	.10
*cornuta Lutea Splendens. Yellow, all	.20	
summer, 6"	.18	.15
*cornuta Mauve Queen. Mauve, all sum-	.10	.10
mer, 6"	.18	.15
*cornuta Papilio. Violet, all summer, 6"	.18	.15
*cornuta Primrose Dame. Yellow, sum-	.10	.10
mer, 6"	.25	.20
*cornuta White Perfection. White, all	.20	.210
summer, 6"	.18	.15
*Dbl. Russian. Blue, June, 4"	.30	.25
*gracilis. Deep violet, summer, 1'	.20	.18
*Jersey Gem. Rich violet, summer, 6"	20	.18
*odorata. Blue, April, May, 6"	.18	.15
*odorata Gov. Herrick. Blue, May, 6"	.20	.18
*odorata Princess of Wales. Violet, May,		
6"	20	.18
*odorata Rosina. Pink, May, 4"	.30	.25
*pedata. Violet, May, June, 6"	.20	.18
*primulifolia. Pale blue, summer, 6"	.25	.20
*Purple Glory. Purple, summer, 6"	.35	
*Rohrbach's Everblooming. Violet, 4"	.30	.25
*wellsiana. Various, all summer, 6"	.20	.18
*White Jersey Gem. Summer, 6"	.20	
Yucca filamentosa. White, June, July, 7'		
2 year	.25	.20
3 year	.30	.25
*glauca. White, June, July, 3'	.30	.25

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties

Apples, Crab Standard,	5 to 7 ft 5 to 7 ft	1-4 Each 1.35 1.35	5-24 Each 1.20 1.20	25 & up Each
Cherry, Sour,	5 to 7 ft	1.75	1.50	
Sweet,	5 to 7 ft	2.25	2.00	
Peaches,	5 to 7 ft	1.25	1.00	
Pears, Dwarf,	5 to 6 ft	1.85	1.75	
Standard,	5 to 7 ft	1.85	1.75	
Plums,	5 to 7 ft	1.85	1.75	
Quinces,	4 to 5 ft	1.85	1.75	
Asparagus			.15	.12
Blackberries			.15	.12
Currants		.50	.45	.40
Gooseberries		.50	.45	.40
	ng	.50	.45	.40
			.18	.15
	.		.25	.22
Strawberries			.15	.12

CONIFEROUS EVERGREENS

Abies balsamea A. concolor A. c. violacea A. firma A. fraseri A. homolepis A. nobilis glauca A. nordmanniana A. pectinata A. pectinata pyramidalis A. veitchi Cedrus deodara C. libani Chamaecyparis lawsoniana C. I. pendula C. I. Triomphe de Boskoop C. nootkatensis C. obtusa compacta C. o. crippsi C. o. gracilis C. o. nana C. o. nana
C. pisifera
C. p. aurea
C. p. filifera
C. p. filifera aurea
C. p. filifera aurea nova C. p. plumosa C. p. plumosa C. p. plumosa aurea
C. p. plumosa aurea
C. P. plumosa lutescens
C. p. squarrosa
C. p. squarrosa
Cryptomeria japonica lobbi
Juniperus chinensis J. c. albovariegata
J. c. columnaris
J. c. globosa
J. c. mas J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti J. c. smithi J. communis J. c. dayi J. c. depressa J. c. depressa aurea J. c. depressa plumosa J. c. hibernica J. c. kraccovica J. c. suecica J. c. suecica nana J. conferta J. excelsa J. e. stricta J. horizontalis J. h. alpina J. h. glauca J. japonica J. j. aurea J. recurva J. rigida J. Sabina J. s. ramariscifolia J. s. von ehron J. scopulorum J. sphaerica J. squamata J. s. meyeri J. virginiana J. v. cannarti J. v. elegantissima

J. v. glauca J. v. globosa J. v. keteleeri J. v. kosteri J. v. pendula J. v. plumosa J. v. schotti J. v. tripartita J. v. venusta Libocedrus decurrens Picea alba P. a. gloriosa
P. alcockiana
P. canadensis
P. engelmanni
P. excelsa P. excelsa
P. e. aurea
P. e. clanbrasiliana
P. e. maxwelli
P. e. nana compacta
P. e. parviformis
P. e. nana pyramidalis
P. e. pendula
P. e. pygmaea
P. e. remonti P. e. remonti P. glauca conica P. mariana P. m. doumeti P. omorika P. omorika
P. orientalis
P. polita
P. pungens
P. p. glauca
P. p. kosteri
P. p. moerheimi
P. rubra Pinus banksiana P. cembra
P. densiflora
P. flexilis
P. montana P. m. mughus
P. nigra
P. peuce
P. ponderosa P. resinosa P. strobus
P. sylvestris
P. thunbergi Pseudotsuga douglasi Sciadopitys verticillata Taxus baccata T. b. erecta T. b. fastigiata T. b. repandens T. b. washingtoni T. canadensis T. cuspidata T. c. aurescens
T. c. brevifolia
T. c. brevifolia compacta T. c. capitata Thuja occidentalis T. o. aurea douglasi T. o. columbia T. o. compacta T. o. compacta Parson's
T. o. elegantissima
T. o. ellwangeriana
T. o. ericoides

T. o. globosa

Coniferous Evergreens continued

T. o. hoveyi T. o. lutea

T. o. pumila

T. o. pyramidalis

T. o. douglasi pyramidalis
T. o. Little Gem
T. o. recurva nana

T. o. reevesi T. o. reidi T. o. riversi T. o. rosenthali

T. o. spiralis
T. o. umbraculifera

T. o. vervaeneana
T. o. wareana
T. o. woodwardi

T. orientalis
T. o. conspicua
T. o. elegantissima T. o. nana aurea T. o. sieboldi T. plicata T. standishi

Tsuga canadensis T. caroliniana T. sieboldi

BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi

Azalea amoena A. a. hinodegiri A. ledifolia

Berberis julianae B. sargentiana

B. triacanthophora B. verruculosa Bruckenthalia spiculifolia

Buxus microphylla B. m. koreana

B, sempervirens handsworthi

Calluna vulgaris

Carland Varigans
C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. searlei
Chamaedaphne calyculata

Crataegus pyracantha Ialandi C. p. coccinea C. p. yunnaner p. yunnanensis Daphne cneorum Erica carnea E. darleyensis E. vagans

Euonymus patens

E. radicans

E. r. acutus

E. r. argenteo-marginatus E. r. carrieri

E. r. colorata E. r. kewensis

E. r. minima E. r. vegetus Ilex cornuta 1. crenata

I. c. bullata
I. c. latifolia
I. c. microphylla I. glabra opaca

Kalmia latifolia Laurocerasus o. schipkaensis

Leucothoe catesbaei Lonicera nitida L. pileata Mahonia aquifolium

Pachistima canbyi Pieris floribunda P. japonica Rhododendron carolinianum

R. catawbiense R. maximum

Stranvaesia davidiana Viburnum rhytidophyllum

DECIDUOUS SHADE TREES

Acer campestre A. cappadocicum

A. dasycarpum
A. d. pyramidale
A. d. wieri

A. mandshuricum A. negundo A. nigrum

A. platanoides A. p. columnare A. p. schwedleri A. pseudoplatanus

A. rubrum A. saccharum Aesculus carnea

A. glabra
A. hippocastanum
A. h. baumanni hippocastanum

A. octandra A. turbinata

Ailanthus glandulosa A. vilmoriniana

A. incana A. japonica Betula alba B. a. fastigiata B. a. laciniata B. maximowicziana B. lenta

B. lutea
B. nigra
B. papyrifera B. p. cordifolia B. populifolia

Alnus cordata A. glutinosa

A. g. laciniata A. hirsuta

Carpinus betulus C. caroliniana
C. cordata
C. japonica

C. yedoensis

Deciduous Shade Trees Continued

Catalpa bignonioides nana
C. speciosa
Cedrela sinensis
Celtis occidentalis
C. sinensis
Cercidiphyllum japonicum
C. j. sinense
Davidia involucrata
Eucommia ulmoides
Fagus americana
F. sylvatica
F. s. fastigiata

F. sylvatica
F. s. fastigiata
F. s. heterophylla
F. s. pendula
F. s. purpurea
F. s. riversi

Fraxinus americana

F. chinensis
F. excelsior
F. lanceolata
F. mandshurica
F. nigra
F. pennsylvanica
F. quadrangulata
Ginkgo biloba

G. b. fastigiata Gleditsia elegantissima

Gleditsia elegantissi G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Hicoria ovata Juglans cineria

J. nigra
J. regia
J. sieboldiana
Larix europea
L. laricina
L. leptolepis

Liquidambar formosana

L. styraciflua Liriodendron chinense

L. tulipifera L. t. pyramidale Magnolia acuminata

M. conspicua
M. fraseri
M. hypoleuca
M. tripetala
Morus alba tatarica

Ostrya virginica Paulownia tomentosa

Phellodendron amurense P. lavallei P. sachalinense

Platanus occidentalis P. orientalis Populus alba

P. a. nivea
P. berolinensis
P. bolleana
P. candicans
P. certinensis

P. maximowiczi
P. nigra italica
P. nigra botulifo

P. nigra betulifolia P. simoni P. suaveolens przewalski

P. tremuloides P. trichocarpa Prunus serotina Pseudolarix kaempferi Ptelia trifoliata

Quercus alba Q. bicolor Q. coccinea

Q. coccinea Q. lyrata Q. macrocarpa Q. palustris

Q. phellos Q. prinus Q. robur Q. rubra Q. stellata

Q. texana Q. velutina Robinia pseudoacacia

R. p. bessoniana R. p. descaisneana Salix babylonica S. b. crispa S. b. dolorosa S. b. salamoni

S. elegantissima S. fragilis S. mandshurica

S. niobe S. pentandra S. sieboldiana S. vitellina S. v. britzensis

S. v. pendula S. wentworthi Sassafras variifolium Sorbus aria latifolia

S. aucuparia
S. a. fastigiata
S. quercifolia
S. torminalis

Taxodium distichum Tilia americana

Tilia americana
T. cordata
T. euchlora
T. henryana
T. heterophylla
T. oliveri
T. platyphyllos
T. p. pyramidalis
T. tomentosa
T. vulgaris
Ulmus americana

U. a. moline
U. a. vase-shaped
U. campestris
U. c. klemmeri
U. c. latifolia

U. c. monumentalis U. c. purpurea U. c. vegeta

U. c. vegeta U. c. wheatleyi U. fulva U. glabra

U. g. camperdowni U. g. nana U. japonica

U. parvifolia U. pumila U. racemosa

Zelkova serrata

Z. sinica

DECIDUOUS SMALL TREES

Acanthopanax ricinifolium

A. r. maximowiczi Acer buergerianum

A. ginnala

A. glabrum
A. griseum
A. japonicum aureum

A. nikoense

A. palmatum

A. p. atropurpureum
A. p. filicifolium
A. p. elegans

A. pennsylvanicum

A. platanoides globosum

A. spicatum A. tartaricum

Albizzia julibrissin rosea

Alnus pendula

Amygdalus davidiana

A. d. alba

A. persica alboplena A. p. Clara Meyer

A. p. rosea plena

A. p. rubroplena

Aralia japonica

A. spinosa

Asimina triloba

Broussonetia papyrifera

Cercis canadensis Cladrastis lutea

Cornus florida

C. f. plena C. f. rubra C. f. welchi C. kousa

C. k. chinensis

C. mas

officinalis

Crataegus aprica

C. arkansana . arnoldiana

C. carrieri

C. coccinea

C. coccinioides

C. cordata C. crusgalli

C. cuneata C. hupehensis

C. macracantha C. mollis

C. monogyna

C. m. stricta

C. nitida C. oxyac

. oxyacantha

. o. plena

C. o. pauli

C. o. punicea C. o. rosea plena

. peregrina

C. persistens

. pinnatifida major

C. pruinosa

C. prunifolia

C. punctata

. succulenta

C. tomentosa C. viridis

Diospyros virginiana

Gordonia alatamaha Halesia tetraptera

H. monticola

Idesia polycarpa

Koelreuteria paniculata

Laburnum alpinum

L. vulgare watereri

Maackia amurensis

Magnolia glauca

M. kobus M. lennei M. salicifolia

M. soulangeana

M. s. nigra

Malus angustifolia M. arnoldiana

M. adstringens

M. baccata
M. b. mandshurica
M. brevipes
M. coronaria
M. c. Charlotte

M. c. Coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke
M. florentina
M. floribunda
M. f. atrosanguinea
M. f. lemoinei
M. fusca
M. ducascers

M. glaucescens M. halliana M. h. parkmani M. hopa

M. ioensis M. i. bechteli M. micromalus

M. niedzwetzkyana M. Oekonemurat Echtermeyer
M. purpurea
M. p. aldenhamensis
M. p. eleyi

M. prunifolia rinki

M. robusta M. r. fastigiata M. r. persicifolia

M. sargenti

M. scheideckeri M. sieboldi M. spectabilis

M. s. alba plena

M. sublobata M. theifera M. t. rosea

M. toringoides
M. toringoides
M. tschonoski
M. yunnanensis veitchi
M. zumi
M. z. calocarpa

Morus alba pendula

Nyssa aquatica N. sylvatica

Oxydendrum arboreum

Prunus americana

P. a. Newport
P. armeniaca sibirica

P. avium plena P. cerasifera pissardi P. cistena P. hortulana

P. incisa P. lannesiana P. l. Amayadori P. l. Jonioi

Deciduous Small Trees Continued

P. I. sirotae P. maacki P. moseri fl. pl.

P. mume P. mume fl. pl.

P. padus P. pennsylvanicum

P. serrulata

P. s. Amanogawa

P. s. Gioiko P. s. Hata-zakura P. s. Horaisan

P. s. Hosokawanioi P. s. Higantakura P. s. Hisakura P. s. Jas. H. Veitch

P. s. Kuramayami P. s. Kwansan P. s. Miyako P. s. sachalinensis

P. s. Shirofugen
P. s. Shogetsu
P. s. Sumizome

P. sieboldi syn. Naden P. spinosa

P. subhirtella

P. s. ascendens P. s. autumnalis P. s. pendula

P. virginiana

P. yedoensis P. y. taizanfukun

Pterostyrax corymbosa Pyrus calleryana

P. betulaefolia P. salicifolia P. serrulata Rhus cotinus

R. javanica syn. osbecki Robinia fertilis

R. globosa R. hispida

R. holdti R. pseudoacacia Marguerite

Salix amygdaloides S. caprea

S. matsudana S. m. tortuosa S. regalis Sophora japonica

Sorbus americana S. commixta S. spuria

Styrax japonica S. obassia Syringa japonica S. pekinensis

DECIDUOUS SHRUBS

Abelia chinensis

A. grandiflora A. schumanni

Acanthopanax pentaphyllum Aesculus parviflora

Alnus rugosa

A. viridis

Amelanchier alnifolia

A. asiatica A. canadensis A. laevis A. l. rosea

A. oblongifolia A. rotundifolia syn. vulgaris

A. sanguinea A. stolonifera

Amorpha brachycarpa

A. canescens A. fruticosa

Amygdalus nana georgica

Aronia arbutifolia A. atropurpurea A. melanocarpa A. m. elata

Artemisia abrotanum Azalea calendulacea

A. canescens A. kaempferi A. lutea A. mollis

A. nudiflora
A. poukhanensis
A. viscosa
A. yodogawa

Baccharis halimifolia Berberis koreana

Benzoin aestivale B. circumserrata

B. thunbergi B. t. atropurpurea B. t. minor

B. t. pluriflora B. t. p. erecta Berchemia racemosa Bischoffia trifoliata

Buddleia Charmina B. alternifolia

B. davidi B. d. superba B. d. veitchi B. farquhari
B. He de France
B. intermedia B. lindleyana

B. paniculata Callicarpa americana

C. giraldiana C. japonica

C. purpurea Calycanthus floridus C. occidentalis

Caragana arborescens C. boisi

C. frutex
C. lorbergi
C. sophoraefolia Caryopteris incana

C. tangutica Ceanothus americanus Cephalanthus occidentalis Cercis chinensis

Chionanthus virginica Clerodendron trichotomum Clethra alnifolia

C. barbinervis C. paniculata

Colutea arborescens Daphne mezereum C. cilicica C. media D. m. alba Deutzia gracilis Comptonia asplenifolia D. lemoinei D. I. avalanche D. I. compacta Cornus alba C. a. elegantissima C. a. sibirica D. myriantha Boule Rose C. a. spaethi D. ningpoense D. parviflora D. rosea C. alternifolia C. amomum syn. sericea C. baileyi D. rosea campanulata D. r. carminea
D. r. eximea
D. r. venusta C. paniculata C. paucinervis C. pubescens C. rugosa C. sanguinea D. scabra D. s. candidissima D. s. Pride of Rochester D. s. rosea plena C. s. viridissima C. stolonifera C. s. flaviramea D. s. watereri D. s. wellsi Corylus americana C. avellana D. schneideriana laxiflora D. vilmorinae C. a. atropurpurea
C. heterophylla setchuenensis Diervilla sessilifolia D. trifida C. rostrata Cotoneaster acutifolia Dirca palustris C. a. villosula Eleagnus angustifolia E. argentea C. adpressa C. ambigua E. longipes E. parvifolia E. umbellata C. apiculata C. dammeri C. dielsiana Elsholtzia stauntoni C. divaricata
C. foveolata
C. francheti
C. himalaicus
C. horizontalis Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus E. atropurpureus
E. bungeanus
E. europaeus C. h. perpusilla
C. hupehensis
C. integerrima
C. lucida E. e. fructu-coccineus
E. latifolius C. melanocarpa C. microphylla C. moupinensis C. multiflora E. maacki E. nanus E. obovatus E. oxyphyllusE. yedoensis C. nitens
C. obscura
C. racemiflora soongarica Evodia danieli E. hupehensis C. rotundifolia Exochorda grandiflora E. g. wilsoni Fontanesia fortunei Forsythia europea C. rosea C. s. floccosa C. simonsi C. tenuipes F. intermedia C. wilsoni C. zabeli F. i. primulina F. i. spectabilis Cydonia cathayensis F. ovata F. suspensa
F. s. atrocaulis
F. s. fortunei
F. s. sieboldi
F. viridissima C. japonica C. j. alba C. j. alpina C. j. Columbia C. j. Falconet Charlet C. j. Falconc. C. j. pygmaea rosea ple F. viridissima Fothergilla gardeni Gaylussacia baccata C. j. rosea plena C. j. umbilicata C. j. Vermilion Genista juncea G. pilosa C. kermesiana semi-plena C. maulei G. sagittalis G. tinctoria Cytisus nigricans Hamamelis japonica C. scoparius
C. s. andreanus
C. supinus H. j. rubra H. mollis H. vernalis

H. v. tomentella H. virginiana Helwingia japonica Hibiscus syriacus H. variegatus H. v. meehani Hippophae rhamnoides Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis

H. o. Otaksa H. a. Thos. Hogg H. paniculata H. p. grandiflora H. p. praecox

H. quercifolia H. radiata Hypericum arnoldiana

H. aureum H. bucklei H. densiflorum H. kalmianum H. lobocarpum H. moserianum H. patulum H. p. henryi H. prolificum

Hex geniculata 1. laevigata 1. monticola

I. serrata syn. sieboldi 1. verticillata

1. v. chrysocarpa Indigofera amblyantha

I. kirilowi I. potanini Itea virginica Jamesia americana Jasminum nudiflorum J. stephanense Kerria japonica K. j. florepleno Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor

L. formosa syn. penduliflorum

f. albiflora

Ligustrum acuminatum

L. a. macrocarpum

L. amurense L. ibolium

L. ibota L. i. nanum L. i. regelianum L. lodense

L. ovalifolium L. o. varigatum L. vulgare

L. v. foliosum L. v. leucocarpum Lonicera bella albida L. bella rosea

L. billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. Kesselringi

L. kohneana L. korolkowi floribunda

L. ledebouri L. maacki L. m. podocarpa

L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana

L. saccata L. spinosa alberti L. standishi

L. syringantha L. s. wolfi L. tatarica L. t. alba

L. t. grandiflora L. t. lutea L. t. sibirica L. virginalis alba L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina

Magnolia parviflora M. stellata M. s. rosea Myrica carolinensis M. cerifera

M. gale Nandina domestica Neillia longeracemosa N. sinensis

Nemopanthus mucronatus Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus Albatre

P. Argentine
P. Avalanche
P. Banniere P. Bouquet Blanc P. coronarius

P. c. aureus
P. c. nanus
P. c. multiflorus plenus
P. Dame Blanche

P. dianthiflorus plenus P. falconeri

P. Favorite P. Gerbe de Neige P. Glacier P. gordonianus P. grandiflorus

P. incanus P. lemoinei erectus P. lewisi

P. Magdalene P. nepalensis P. nivalis P. Norma P. Ophelia P. Pavillon Blanc

P. pyramidale
P. sericanthus
P. Sybille

virginal P. Voie Lactee P. zeyheri Photinia villosa

P. v. laevis Physocarpus intermedius parvifolius P. monogynus P. opulifolius
P. o. luteus
P. o. nanus Pieris mariana Potentilla fruticosa Prinsepia sinensis Prunus besseyi P. demissa P. dunbari P. glandulosa
P. g. albiplena
P. g. sinensis P. japonica P. maritima
P. pumila
P. tomentosa P. triloba P. t. plena Rhamnus caroliniana R. cathartica R. dahurica R. frangula R. f. asplenifolia R. koraiensis R. purshiana R. spathulaefolia R. utilis R. wilsoni Rhodotypos kerrioides Rhus canadensis R. copallina R. glabra R. trilobata R. typhina R. t. laciniata Ribes alpinum R. aureum R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti R. kelseyi R. viscosa Rosa acicularis R. blanda R. b. willmottiae R. canina R. coriifolia froebeli R. davurica R. ecae R. foetida R. f. persiana R. fujisanensis R. helenae R. hugonis R. humilis R. laevigata R. lucida R. marreti R. maximowicziana jacki R. multiflora R. m. cathayensis R. nitida

R. palustris

R. rouletti

R. pendulina

R. rubiginosa R. r. hybrids R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea R. setigera R. spinosissima altaica R. s. hispida R. s. hybrids R. watsoniana R. wichuraiana R. w. hybrids R. hybrid perpetuals R. hybrid tea R. climbing R. polyantha hybrids R. woodsi R. xanthina allard R. x. spontanea Rubus deliciosus R. dumetorum R. odoratus R. phoenicolasius Salix discolor S. doniana S. incana S. irrorata S. jessoensis S. lucida S. mutabilis S. myricoides rigida S. nigricans cotinifolia S. patula S. purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis S. c. acutiloba S. nigra S. n. aurea S. n. variegata S. pubens S. p. leucocarpa S. racemosus Shepherdia argentea S. canadensis Smilax rotundifolia Sophora vicifolia Sorbaria aitchisoni S. arborea glabrata S. lindleyana S. sorbifolia Spirea arguta S. billiardi S. bumalda S. b. Anthony Waterer S. b. walluffi S. chamaedryfolia ulmifolia S. dasyantha S. douglasi S. fortunei S. froebeli S. japonica S. j. ovalifolia S. j. ruberrima S. latifolia S. margaritae

S. nipponica rotundifolia

S. prunifolia S. pubescens S. reevesiana S. r. lanceata S. salicifolia S. superba S. syringiflora S. thunbergi S. tomentosa S. trichocarpa S. van houttei S. veitchi S. wilsoni

Staphylea bumalda S. colchica S. pinnata S. trifolia

Stephanandra flexuosa Stewartia pentagyna S. p. grandlifora Symphoricarpos chenaulti S. mollis S. occidentalis S. o. heyeri

S. racemosus S. vulgaris Symplocos paniculata Syringa affinis giraldi

S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. palibiniana S. persica S. p. alba S. villosa

S. vulgaris S. vulgaris alba S. v. hybrids S, yunnanensis Tamarix africana T. gallica

T. g. indica T. juniperina T. odessana

T. pentandra T. tetandra purpurea Ulex europeus

Vaccinium corymbosum

V. vacillans

Viburnum acerifolium

V. americanum V. bitchuiense V. betulifolium V. burejaeticum V. burkwoodi V. carlesi V. cassinoides V. dentatum

V. dilatatum
V. d. leucocarpum
V. fragrans
V. hupehense

V. lantana V. l. rugosum V. lentago V. molle V. nudum V. opulus V. o. nanum V. o. sterile

V. o. xanthocarpum V. ovatifolium V. prunifolium

V. pubescens V. rufidulum V. sargenti V. sieboldi V. theiferum

V. tomentosum V. t. plicatum V. veitchi V. venosum canbyi V. wrighti Vitex agnus castus V. a. c. alba V. macrophylla

V. negundo incisa Weigela Abel Carriere W. amabilis

W. amabilis
W. candida
W. desboisi
W. Eva Rathke
W. floribunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra
W. japonica
W. rosea

W. rosea nana variegata

W. sieboldi argenteomarginata W. styriaca W. Van Houtte

Zanthorhiza apiifolia Zanthoxylum americanum

VINES

Akebia lobata A. quinata Ampelopsis aconitifolia A. heterophylla A. h. amurensis A. h. elegans A. quinquefolia

Actinidia arauta

A. q. engelmanni A. q. murorum A. q. saintpauli

A. tricuspidata veitchi A. t. lowi

Aristolochia sipho A. tomentosa Bignonia grandiflora B. g. Mad. Gallen

Vines Continued

B. radicans

B. speciosa Celastrus orbiculatus

C. scandens

Clematis apiifolia

C. chrysocoma sericea C. crispa C. fargesi C. flammula

C. hybrids
C. ligusticifolia
C. montana rubens

C. m. undulata

C. m. undulata
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea
C. veitchi
C. viorna
C. virginiana

Č. C. virginiana vitalba viticella

Decumaria barbara Hedera helix H. h. Albany H. h. baltica H. h. conglomerata

H. h. gracilis Hydrangea petiolaris

Lonicera alseusmoides
L. browni plantierensis
L. caprifolium

L. fuchsoides

L. heckrotti L. henryi L. hirsuta

L. japonica L. j. halleana

L. j. reticulata aurea L. periclymenum belgica L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana

L. verna

Periploca graeca Polygonum auberti Pueraria thunbergiana

Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli Vinca minor V. m. alba V. m. rubra plena Vitis aestivalis V. amurensis V. coignetae V. cordifolia

V. labrusca V. rotundifolia V. vulpina Wistaria frutescens

W. f. magnifica W. multijuga W. sinensis W. s. alba W. venusta

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

WOODY PLANTS FOR AUGUST AND SEPTEMBER FLOWERING

Baccharis halimifolia Bignonia grandiflora Buddleia in variety Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix aestivale Vitex agnus castus Vitex macrophylla

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia Ampelopsis tricuspidata veitchi Aronia arbutifolia

Aronia atropurpurea Benzoin aestivale

*Betula papyrifera *Betula populifolia

*Betula lenta *Betula lutea

Cornus in variety
*Crataegus in variety
Euonymus in variety

*Hypericum prolificum *Juniperus virginiana *Juniperus communis

*Ligustrum in variety Lonicera in variety Morus alba

*Myrica carolinensis

Nyssa sylvatica *Pinus in variety

Photinia villosa Prunus besseyi Prunus padus

Prunus pennsylvanicum Prunus serotina

*Rhamnus in variety *Rhus copallina

*Rhus glabra *Rhus typhina

Ribes in variety Sambucus in variety *Symphoricarpus in variety Vaccinium corymbosum

Viburnum in variety Vitis in variety

*Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Cotoneaster rotundifolia Daphne cneorum Daphne mezereum Euonymus radicans minima Hypericum henryi
Jasminum nudiflorum
Juniperus horizontalis
Juniperus horizontalis glauca
Juniperus suecica nana
Juniperus sabina tamariscifolia
Lonicera spinosa alberti
Lonicera thibetica

Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota Ligustrum vulgare Rhus canadensis Ribes alpinum Rubus odoratus Symphoricarpus vulgaris Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum
Acer spicatum
Alnus glutinosa
Alnus incana
Cornus florida
Euonymus radicans and varieties
Fagus americana
Hedera helix
Kalmia latifolia
Amelanchier in variety

Benzoin aestivale
Carpinus in variety
Cercis canadensis
Ostrya virginica
Pachysandra terminalis
Rhododendron in variety
Tsuga canadensis
Viburnum acerifolium
Zanthorhiza apiifolia

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Eunonymus radicans acutus
*Lonicera halleana
*Lonicera tatarica
Physocarpus opulifolius
*Rhus typhina

Robinia pseudacacia
*Rosa setigera
*Rosa wichuraiana
*Rubus odoratus
Salix caprea
Salix discolor
Salix incana
*Symphoricarpus vulgaris
Vinca minor
Vitis vulpina

Plants for the Herb Garden

Achillea millefolium Allium schoenoprasum Anthemis nobilis Artemisia abrotanum Artemisia absinthium Artemisia dracunculus Artemisia pontica Artemisia stelleriana Asarum canadense Asperula odorata Calamintha alpina Cedronella cana Chrysanthemum balsamita Foeniculum atrosanguineum Hyssopus officinalis Lavandula officinalis Marrubium vulgare

Melissa officinalis Mentha piperita Mentha requieni Monardi didyma Monardi fistulosa Nepeta hederacea Origanum vulgare Rosmarinus officinalis Ruta graveolens Salvia officinalis Santolina chamaecyparissus Tanecetum vulgare Thymus serpyllum Thymus serpyllum citriodorus Thymus vulgaris Valeriana officinalis

SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-24"		٠	 	 		. \$.60
2- 3'			 	 		90
4- 5'						1.50
5- 6'			 	 		1.75 Diameter of Ball
6- 8'	Shrubs	{ .			\$ 2.50	16"
8-10'	Shrubs Trees	{ .			3.50	18"
11/2"	Trees				4.50	20"
13/4"	"				7.00	24"
21/2"	" 5				11.00	30"
31/2"	"				18.00 27.50	36" 42"
4"	"				37.50	48"
41/2"	"				55.00	54"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.



